

# State of West Virginia Solicitation Response

Proc Folder:

1169521

**Solicitation Description:** 

07230706 Lower Big Run Steel Piling, Rebar, Class 1 Guardrai

Proc Type:

Agency Purchase Order

Solicitation Closes	Solicitation Response	Version
2023-02-15 14:30	SR 0803 ESR02132300000003733	1

VENDOR

000000200005 WV STEEL CORP

Solicitation Number: ARFQ 0803 DOT2300000059

Total Bid: 10672.079999999999992724042385 Response Date: 2023-02-13 Response Time: 12:20:25

Comments:

FOR INFORMATION CONTACT THE BUYER

Dusty J Smith 304-414-6859 dusty.j.smith@wv.gov

Vendor Signature X

FEIN#

DATE

All offers subject to all terms and conditions contained in this solicitation

 Date Printed:
 Feb 16, 2023
 Page: 1
 FORM ID: WV-PRC-SR-001 2020/05

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	W 12 x 65 Steel Piling	10400.000	) LB	0.806200	8384.48

Comm Code	Manufacturer	Specification	Model #	
30101704				

Commodity Line Comments: delivery based on material availability

### **Extended Description:**

Steel piling must be 14 pieces - 20 feet 0 inches. Steel piling shall conform to the requirements of ASTM A572 (fs = 50,000 p.s.i.).

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	#5 Epoxy Coated Bent Rebar	782.0000	00 LB	1.330000	1040.06

Comm Code	Manufacturer	Specification	Model #	
30103623				

Commodity Line Comments: delivery based on material availability

### **Extended Description:**

Dimensions of all #5 epoxy coated bent rebar shall be manufactured to match the specifications listed in the accompanying set of pertinent plans for this project.

All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
3	#5 Epoxy Coated Straight Rebar	418.00000	LB	0.980000	409.64

Comm Code	Manufacturer	Specification	Model #	
30103623				

Commodity Line Comments: delivery based on material availability

## **Extended Description:**

#5 epoxy coated straight rebar must be 44 pieces - 20 feet 0 inches.; All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
4	Class 1 W-beam Guardrail System	50.00000	LF		

Comm Code	Manufacturer	Specification	Model #	
30121717				

Commodity Line Comments: We do not have a supplier for this material

## **Extended Description:**

100 Linear feet - Class 1 W-Beam Approach Rail; Dimensions of all approach rail shall be delivered to match the radii listed in the accompanying set of pertinent plans for this project; 20 each - W6X9 x 6 feet 0 inches approach posts; 20 each - 6 inch X 8 inch X 14 inch Wood Block Outs; 4 each - Buffer End Terminal Section; 20 each - Guardrail Bolt & Nut, Hex Head (5/8 inch dia. X 10 inch); 104 each - Guardrail Splice Bolt (5/8 inch dia. X 1 inch)

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
5	#8 Epoxy Coated Straight Rebar	855.0000	LB	0.980000	837.90

Date Printed: Feb 16, 2023 Page: 2 FORM ID: WV-PRC-SR-001 2020/05

 Comm Code
 Manufacturer
 Specification
 Model #

 30103623

Commodity Line Comments: delivery based on material availability

# **Extended Description:**

#8 epoxy coated straight rebar must be 32 pieces - 20 feet 0 inches.; All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed

 Date Printed:
 Feb 16, 2023
 Page: 3
 FORM ID: WV-PRC-SR-001 2020/05