



West Virginia Department of Transportation

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 07 **Plant Name:** ACX1.01.601 Central Supply F-8 @ Buckhannon
Last Inspection: 09/10/2019 **Sticker Expires:** 3/10/2020 **Standard Deviation:** 672.03 **Rating:** A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1434200	601.002.003 Concrete, Class B		2.87	2.63	16	3000	1.543	3.233	471.37	6043.75	> 4523.94	= 0.24
DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26												
1434200	601.002.003 Concrete, Class B		2.87	2.87	30	3000	1.501	3.008	841.14	4262.55	< 4645	< 5530.15
MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26												
1434200	601.002.003 Concrete, Class B		2.87	2.63	22	3000	1.518	3.096	563.14	4882.27	> 4743.48	= 0.24
DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26												
Last Three Months of Data Slump Greater than or equal to 2 inches												
1434200	601.002.003 Concrete, Class B		2.87	2.87	2							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

Last Two Years of Data Slump Greater than or equal to 2 inches

1434211	601.002.001		3.47	3.47	12	3500	1.576	3.429	1183.31	5364.9	< 6178.5	< 7557.57
	Concrete, Class A										MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26	

Last Two Years of Data Slump Greater than or equal to 2 inches

1434211	601.002.001		3.47	3.47	12	3500	1.576	3.429	1183.31	5364.9	< 6178.5	< 7557.57
	Concrete, Class A										MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26	

----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last Two Years of Data Slump Less than 2 inches

1434213	601.002.003		2.87	2.87	1							
	Concrete, Class B										MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA	

Last One Year of Data Slump Less than 2 inches

1434213	601.002.003		2.87	2.87	2							
	Concrete, Class B										MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA	

Last One Year of Data Slump Greater than or equal to 2 inches

1434213	601.002.003		2.87	2.63	28	3000	1.505	3.024	635.19	5481.43	> 4920.81	= 0.24
	Concrete, Class B										DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26	

----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1434217	601.002.015		3.35	3.35	0							
	Concrete, Class K										MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA	

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last Two Years of Data Slump Greater than or equal to 2 inches

1434225	601.002.004 Concrete, Class B Modified		3.35	3.35	2							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1434229	601.002.016 Concrete, Class K Modified		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1434233	601.002.011 Concrete, Class D		2.04	2.04	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last Two Years of Data Slump Greater than or equal to 2 inches

1436388	601.002.015 Concrete, Class K		3.35	3.35	2							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Two Years of Data Slump Greater than or equal to 2 inches												
1436444	601.002.013 Concrete, Class H		3.45	3.45	3							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1455043	601.002.022 Concrete, Class DC		3.59	3.59	0							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1459838	601.002.003 Concrete, Class B		2.86	2.86	0							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1459842	601.002.022 Concrete, Class DC		3.59	3.59	0							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1461801	679.002.002 Concrete, Microsilica		3.82	3.82	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1463308	601.002.001 Concrete, Class A	03/09/2019	3.49	3.49	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1463317	601.002.015 Concrete, Class K	03/09/2019	3.37	3.37	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1463322	601.002.003 Concrete, Class B	03/09/2019	2.88	2.88	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 02

Plant Name: ATA1.01.601 Adams Trucking And Supply @ Barboursville, W

Last Inspection: 08/27/2019

Sticker Expires: 2/27/2020

Standard Deviation: 597.65

Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Two Years of Data Slump Less than 2 inches												
1424602	601.002.003 Concrete, Class B		2.87	2.87	1							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last Two Years of Data Slump Greater than or equal to 2 inches												
1424602	601.002.003 Concrete, Class B		2.87	2.87	34	3000	1.5	3	694.2	4041.3	< 4242.65	< 5082.6
					MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26							
Last One Year of Data Slump Greater than or equal to 2 inches												
1424602	601.002.003 Concrete, Class B		2.87	2.87	8							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last Three Months of Data Slump Greater than or equal to 2 inches												
1424602	601.002.003 Concrete, Class B		2.87	2.87	8							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last Two Years of Data Slump Greater than or equal to 2 inches												
1424606	601.002.013 Concrete, Class H		3.35	3.35	3							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last One Year of Data Slump Greater than or equal to 2 inches												
1424606	601.002.013 Concrete, Class H		3.35	3.35	8							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

Last Two Years of Data Slump Greater than or equal to 2 inches

1424607	601.002.015 Concrete, Class K	03/20/2019	3.36	3.36	2							
---------	----------------------------------	-------------------	------	------	---	--	--	--	--	--	--	--

MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

Last Three Months of Data Slump Less than 2 inches

1465018	601.002.015 Concrete, Class K		3.35	3.35	5							
---------	----------------------------------	--	------	------	---	--	--	--	--	--	--	--

MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA

Last Three Months of Data Slump Greater than or equal to 2 inches

1465018	601.002.015 Concrete, Class K		3.35	3.35	3							
---------	----------------------------------	--	------	------	---	--	--	--	--	--	--	--

MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

1465064	601.002.003 Concrete, Class B		2.87	2.87	0							
---------	----------------------------------	--	------	------	---	--	--	--	--	--	--	--

MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

1465065	601.002.003 Concrete, Class B		3.47	3.47	0							
---------	----------------------------------	--	------	------	---	--	--	--	--	--	--	--

MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 09 Plant Name: BMC1.01.601 Central Supply F-9 @ Summersville, WV
 Last Inspection: 06/03/2019 Sticker Expires: 12/3/2019 Standard Deviation: 892.57 Rating: A-2

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1432574	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last One Year of Data Slump Greater than or equal to 2 inches												
1432590	601.002.003 Concrete, Class B		2.87	2.87	31	3000	1.5	3	988.71	4483.07	< 5059.35	< 5966.13
MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26												

Last Three Months of Data Slump Greater than or equal to 2 inches												
1432590	601.002.003 Concrete, Class B		2.87	2.87	2							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1434175	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1434222	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1436461	601.002.023 Concrete, Class H-IC	02/11/2018	3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1436465	601.002.013 Concrete, Class H		3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1459809	601.002.001 Concrete, Class A		3.60	3.60	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

Last Three Months of Data Slump Greater than or equal to 2 inches

1461848	601.002.022 Concrete, Class DC		3.59	3.59	7							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

1463336	601.002.003 Concrete, Class B		2.87	2.87	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 10

Plant Name: BMC1.02.601 Central Supply F-10 @ Wolfpen, WV

Last Inspection: 11/14/2018

Sticker Expires: 5/14/2019

Standard Deviation: 650.00

Rating: B

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

Last One Year of Data Slump Greater than or equal to 2 inches

1432577	601.002.003 Concrete, Class B		2.87	2.87	2							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

Last One Year of Data Slump Less than 2 inches

1434170	601.002.015 Concrete, Class K		3.35	3.35	2							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

Last One Year of Data Slump Greater than or equal to 2 inches

1434170	601.002.015 Concrete, Class K		3.35	3.35	1							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

1436468	601.002.013 Concrete, Class H		3.45	3.45	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

Last Two Years of Data Slump Greater than or equal to 2 inches

1436469	601.002.013 Concrete, Class H		3.45	3.45	4							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

1455007	601.002.022 Concrete, Class DC		3.61	3.61	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

1463203	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

1463303	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(F_c)	Factor (K_1)	Factor (K_2)	Standard Deviation (s)	(F_c+K_1s)	Average Strength(X)	(F_c+K_2s)
1465014	601.002.013 Concrete, Class H		3.35	3.35	0	MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 10

Plant Name: BMC1.03.601 Central Supply F-11 @ Princeton, WV

Last Inspection: 05/15/2019

Sticker Expires: 11/15/2019

Standard Deviation: 611.75

Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Two Years of Data Slump Greater than or equal to 2 inches												
1432575	601.002.003 Concrete, Class B		2.87	2.63	36	3000	1.5	3	489.54	5033.33	> 4468.62	= 0.24
					DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26							
Last One Year of Data Slump Less than 2 inches												
1432575	601.002.003 Concrete, Class B		2.87	2.87	5							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last One Year of Data Slump Greater than or equal to 2 inches												
1432575	601.002.003 Concrete, Class B		2.87	2.63	70	3000	1.5	3	706.37	5497.14	> 5119.11	= 0.24
					DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26							
Last Three Months of Data Slump Less than 2 inches												
1432575	601.002.003 Concrete, Class B		2.87	2.87	1							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last Three Months of Data Slump Greater than or equal to 2 inches												
1432575	601.002.003 Concrete, Class B		2.87	2.63	13	3000	1.565	3.365	341.84	5167.31	> 4150.29	= 0.24
					DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Two Years of Data Slump Greater than or equal to 2 inches												
1434168	601.002.015 Concrete, Class K		3.35	3.35	2							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

Last Two Years of Data Slump Greater than or equal to 2 inches

1434181	601.002.003 Concrete, Class B		2.87	2.87	53	3000	1.5	3	505.55	3758.32 <	4300.49 <	4516.65
					MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26							

Last One Year of Data Slump Greater than or equal to 2 inches

1434181	601.002.003 Concrete, Class B		2.87	2.87	40	3000	1.5	3	777.48	4166.22 <	4249.42 <	5332.44
					MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

1436467	601.002.013 Concrete, Class H		3.45	3.45	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

1455001	601.002.013 Concrete, Class H	05/13/2018	3.45	3.45	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

Last Two Years of Data Slump Greater than or equal to 2 inches

1455005	601.002.022 Concrete, Class DC		3.61	3.61	2							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(F_c)	Factor ($K1$)	Factor ($K2$)	Standard Deviation (s)	(F_c+K1s)	Average Strength(X)	(F_c+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	--------------------------	-----------------	-----------------	----------------------------	---------------	-------------------------	---------------

Last One Year of Data Slump Greater than or equal to 2 inches

1463301	601.002.003 Concrete, Class B		2.87	2.87	3							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

Last Three Months of Data Slump Greater than or equal to 2 inches

1463301	601.002.003 Concrete, Class B		2.87	2.87	5							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(F_c)	Factor ($K1$)	Factor ($K2$)	Standard Deviation (s)	(F_c+K1s)	Average Strength(X)	(F_c+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	--------------------------	-----------------	-----------------	----------------------------	---------------	-------------------------	---------------

1463344	601.002.013 Concrete, Class H		3.45	3.45	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 10

Plant Name: BMC1.04.601 Central Supply F-12 @ Bluefield, WV

Last Inspection: 05/15/2019

Sticker Expires: 11/15/2019

Standard Deviation: 239.19

Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

Last One Year of Data Slump Greater than or equal to 2 inches

1432576	601.002.003 Concrete, Class B		2.87	2.87	2							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

1434169	601.002.015 Concrete, Class K		3.35	3.35	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

Last One Year of Data Slump Less than 2 inches

1434182	601.002.003 Concrete, Class B		2.87	2.87	1							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

Last One Year of Data Slump Greater than or equal to 2 inches

1434182	601.002.003 Concrete, Class B		2.87	2.87	3							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1436487	601.002.013 Concrete, Class H	05/13/2018	3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1455006	601.002.022 Concrete, Class DC		3.61	3.61	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last One Year of Data Slump Greater than or equal to 2 inches												
1463302	601.002.003 Concrete, Class B		2.87	2.87	4							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												
Last Three Months of Data Slump Greater than or equal to 2 inches												
1463302	601.002.003 Concrete, Class B		2.87	2.87	1							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1465013	601.002.013 Concrete, Class H		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(F_c)	Factor ($K1$)	Factor ($K2$)	Standard Deviation (s)	(F_c+K1s)	Average Strength(X)	(F_c+K2s)
1901002	601.002.024 Concrete, Class B w/ Fly Ash		0	0	0	MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 09 Plant Name: BMC1.05.601 Central Supply F-13 @ Alta, WV

Last Inspection: 06/05/2019 Sticker Expires: 12/5/2019 Standard Deviation: 822.98 Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last One Year of Data Slump Greater than or equal to 2 inches												
1432591	601.002.003		2.87	3.35	10	4000	1.604	3.615	792.79	5271.64	< 5931	< 6865.94
	Concrete, Class B				MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26							
Last One Year of Data Slump Greater than or equal to 2 inches												
1432591	601.002.003		2.87	2.87	3							
	Concrete, Class B				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last Three Months of Data Slump Greater than or equal to 2 inches												
1432591	601.002.003		2.87	2.87	1							
	Concrete, Class B				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last Two Years of Data Slump Less than 2 inches												
1434176	601.002.015		3.35	3.35	2							
	Concrete, Class K				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last Two Years of Data Slump Greater than or equal to 2 inches												
1434176	601.002.015		3.35	3.35	8							
	Concrete, Class K				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last One Year of Data Slump Greater than or equal to 2 inches												
1434176	601.002.015		3.35	3.35	10	4000	1.604	3.615	792.79	5271.64	< 5931	< 6865.94
	Concrete, Class K				MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last Two Years of Data Slump Greater than or equal to 2 inches												
1434221	601.002.003 Concrete, Class B		2.87	2.87	8							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last One Year of Data Slump Greater than or equal to 2 inches												
1434221	601.002.003 Concrete, Class B		2.87	2.63	50	3000	1.5	3	790.35	5702.4	> 5371.05	= 0.24
					DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26							
Last Three Months of Data Slump Greater than or equal to 2 inches												
1434221	601.002.003 Concrete, Class B		2.87	2.87	8							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1436459	601.002.023 Concrete, Class H-IC	02/19/2018	3.45	3.45	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Two Years of Data Slump Greater than or equal to 2 inches												
1436466	601.002.013 Concrete, Class H		3.45	3.45	5							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last One Year of Data Slump Greater than or equal to 2 inches												
1436466	601.002.013 Concrete, Class H		3.45	3.45	3							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1459801	679.002.002 Concrete, Microsilica		3.82	3.82	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1459810	601.002.002 Concrete, Class A Modified		3.60	3.60	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1461849	601.002.022 Concrete, Class DC		3.59	3.59	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1463335	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last One Year of Data Slump Greater than or equal to 2 inches												
1465019	601.002.004		3.12	3.12	6							
	Concrete, Class B Modified				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last Three Months of Data Slump Greater than or equal to 2 inches												
1465019	601.002.004		3.12	3.12	17	3500	1.538	3.202	578.57	4389.84	< 5348.82	< 5352.58
	Concrete, Class B Modified				MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 10 Plant Name: BMC1.06.601 Central Supply F-14 @ Beckley, WV
 Last Inspection: 05/15/2019 Sticker Expires: 11/15/2019 Standard Deviation: 699.39 Rating: A-2

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1424532	679.002.002 Concrete, Microsilica	02/25/2018	3.82	3.82	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1432573	601.002.003 Concrete, Class B		2.87	2.87	30	3000	1.501	3.008	840.96	4262.28 <	4801.33 <	5529.61
MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26												
1432573	601.002.003 Concrete, Class B		2.87	2.87	170	3000	1.5	3	776.54	4164.81 <	4568.88 <	5329.62
MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26												
1432573	601.002.003 Concrete, Class B		2.87	2.87	86	3000	1.5	3	592.65	3888.98 <	4529.8 <	4777.95
MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1432589	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

Last Two Years of Data Slump Greater than or equal to 2 inches

1434174	601.002.015 Concrete, Class K		3.35	3.35	1							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

1434223	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

1436460	601.002.023 Concrete, Class H-IC	02/14/2018	3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

Last One Year of Data Slump Greater than or equal to 2 inches

1436464	601.002.013 Concrete, Class H		3.45	3.45	2							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1436486	601.002.013 Concrete, Class H	05/13/2018	3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1459808	601.002.001 Concrete, Class A		3.60	3.60	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1459829	501.002.003 Concrete, Roller Compacted		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last Two Years of Data Slump Greater than or equal to 2 inches												
1459835	601.002.004 Concrete, Class B Modified	06/06/2019	3.24	3.24	3							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last One Year of Data Slump Less than 2 inches												
1461847	601.002.022 Concrete, Class DC		3.59	3.59	1							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last One Year of Data Slump Less than 2 inches												
1463298	601.002.003 Concrete, Class B		2.87	2.87	3							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						
Last One Year of Data Slump Greater than or equal to 2 inches												
1463298	601.002.003 Concrete, Class B		2.87	2.63	32	3000	1.5	3	592.32	5170.16	> 4776.96	= 0.24
						DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26						

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 03 Plant Name: CCC1.01.601 Cardinal Concrete F-1 @ Ravenswood, WV
 Last Inspection: 06/26/2019 Sticker Expires: 12/26/2019 Standard Deviation: 698.41 Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1398978	601.002.013 Concrete, Class H	12/29/2018	3.23	3.23	0							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Two Years of Data Slump Greater than or equal to 2 inches												
1436396	601.002.003 Concrete, Class B		2.87	2.87	5							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						
Last One Year of Data Slump Greater than or equal to 2 inches												
1436396	601.002.003 Concrete, Class B		2.87	2.87	1							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1455072	601.002.022 Concrete, Class DC	06/21/2019	3.74	3.74	0							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1461784	679.002.002 Concrete, Microsilica		3.85	3.85	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last Two Years of Data Slump Less than 2 inches												
1461812	601.002.003 Concrete, Class B		2.87	2.87	7							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												
Last Two Years of Data Slump Greater than or equal to 2 inches												
1461812	601.002.003 Concrete, Class B		2.87	2.87	4							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												
Last One Year of Data Slump Less than 2 inches												
1461812	601.002.003 Concrete, Class B		2.87	2.63	42	3000	1.5	3	777.17	5698.1	> 5331.51	= 0.24
DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26												
Last One Year of Data Slump Greater than or equal to 2 inches												
1461812	601.002.003 Concrete, Class B		2.87	2.87	67	3000	1.5	3	725.6	4088.4	< 5168.96	< 5176.8
MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26												
Last Three Months of Data Slump Greater than or equal to 2 inches												
1461812	601.002.003 Concrete, Class B		2.87	2.87	3							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

Last One Year of Data Slump Less than 2 inches

1461816	601.002.015 Concrete, Class K		3.36	3.36	1							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

Last One Year of Data Slump Greater than or equal to 2 inches

1461816	601.002.015 Concrete, Class K		3.36	3.36	1							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

1461820	601.002.022 Concrete, Class DC		3.74	3.74	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

1461854	601.002.013 Concrete, Class H		3.45	3.45	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 03

Plant Name: CCC1.02.601 Cardinal Concrete F-2 @ Parkersburg, WV

Last Inspection: 06/27/2019

Sticker Expires: 12/27/2019

Standard Deviation: 780.87

Rating: A-2

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last Two Years of Data Slump Less than 2 inches												
1432578	601.002.003 Concrete, Class B		2.92	2.92	2							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last Two Years of Data Slump Greater than or equal to 2 inches												
1432578	601.002.003 Concrete, Class B		2.92	2.68	24	3000	1.513	3.067	862.46	5708.33	> 5645.16	= 0.24
					DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26							
Last One Year of Data Slump Greater than or equal to 2 inches												
1432578	601.002.003 Concrete, Class B		2.92	2.92	32	3000	1.5	3	719.05	4078.58	< 4441.88	< 5157.15
					MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26							
Last Three Months of Data Slump Greater than or equal to 2 inches												
1432578	601.002.003 Concrete, Class B		2.92	2.92	2							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last Two Years of Data Slump Greater than or equal to 2 inches												
1432579	601.002.003 Concrete, Class B	06/07/2019	2.89	2.89	6							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last Two Years of Data Slump Greater than or equal to 2 inches												
1455049	601.002.015 Concrete, Class K	02/11/2019	3.59	3.59	1							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1459845	601.002.013 Concrete, Class H	12/29/2018	3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1461785	679.002.002 Concrete, Microsilica		3.83	3.83	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last One Year of Data Slump Greater than or equal to 2 inches												
1461813	601.002.003 Concrete, Class B		2.87	2.87	40	3000	1.5	3	859.68	4289.52 <	5513.25 <	5579.04
MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26												
Last Three Months of Data Slump Greater than or equal to 2 inches												
1461813	601.002.003 Concrete, Class B		2.87	2.87	7							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1461817	601.002.015 Concrete, Class K		3.36	3.36	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(F_c)	Factor ($K1$)	Factor ($K2$)	Standard Deviation (s)	(F_c+K1s)	Average Strength(X)	(F_c+K2s)
1461821	601.002.022 Concrete, Class DC		3.74	3.74	0	MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 04

Plant Name: CCC1.03.601 Cardinal Concrete F-3 @ Bridgeport, WV

Last Inspection: 09/10/2019

Sticker Expires: 3/10/2020

Standard Deviation: 562.42

Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Two Years of Data Slump Greater than or equal to 2 inches												
1434187	601.002.003		2.87	2.87	55	3000	1.5	3	603.75	3905.62	< 4704.49	< 4811.25
	Concrete, Class B				MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26							
Last One Year of Data Slump Greater than or equal to 2 inches												
1434187	601.002.003		2.87	2.63	36	3000	1.5	3	423.4	4673.69	> 4270.2	= 0.24
	Concrete, Class B				DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26							
Last Three Months of Data Slump Greater than or equal to 2 inches												
1434187	601.002.003		2.87	2.87	3							
	Concrete, Class B				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Two Years of Data Slump Less than 2 inches												
1434188	601.002.015		3.35	3.35	3							
	Concrete, Class K				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last Two Years of Data Slump Greater than or equal to 2 inches												
1434188	601.002.015		3.35	3.35	3							
	Concrete, Class K				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last One Year of Data Slump Greater than or equal to 2 inches												
1434188	601.002.015		3.35	3.35	3							
	Concrete, Class K				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1436458	601.002.004 Concrete, Class B Modified	01/28/2018	3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Two Years of Data Slump Greater than or equal to 2 inches												
1455051	601.002.013 Concrete, Class H		3.45	3.45	9							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												
Last One Year of Data Slump Greater than or equal to 2 inches												
1455051	601.002.013 Concrete, Class H		3.45	3.45	7							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last Two Years of Data Slump Greater than or equal to 2 inches												
1455080	601.002.022 Concrete, Class DC	07/18/2019	3.74	3.74	11	4500	1.588	3.51	722.37	5647.12	< 6543.64	< 7035.52
MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1461786	679.002.002 Concrete, Microsilica		3.83	3.83	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1461822	601.002.022 Concrete, Class DC		3.74	3.74	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last One Year of Data Slump Greater than or equal to 2 inches												
1461855	601.002.022 Concrete, Class DC		3.74	3.74	4							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												
Last Three Months of Data Slump Greater than or equal to 2 inches												
1461855	601.002.022 Concrete, Class DC		3.74	3.74	3							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 04

Plant Name: CSC1.01.601 Central Supply F-1 @ Saltwell, WV

Last Inspection: 09/04/2019

Sticker Expires: 3/4/2020

Standard Deviation: 635.05

Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

Last Two Years of Data Slump Greater than or equal to 2 inches

1432544 601.002.013 **05/09/2019** 3.45 3.45 6
 Concrete, Class H

MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

Last One Year of Data Slump Greater than or equal to 2 inches

1432553 679.002.002 **05/09/2019** 3.82 3.82 3
 Concrete, Microsilica

MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

Last One Year of Data Slump Greater than or equal to 2 inches

1434196 601.002.003 2.87 2.87 6
 Concrete, Class B

MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

1434198 601.002.003 2.87 2.87 0
 Concrete, Class B

MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last Two Years of Data Slump Less than 2 inches												
1434199	601.002.003 Concrete, Class B		2.87	2.87	1							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last Two Years of Data Slump Greater than or equal to 2 inches												
1434199	601.002.003 Concrete, Class B		2.87	2.87	86	3000	1.5	3	593.65	3890.48 <	4711.8 <	4780.95
					MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26							
Last One Year of Data Slump Less than 2 inches												
1434199	601.002.003 Concrete, Class B		2.87	2.63	28	3000	1.505	3.024	613.95	5735.71 >	4856.58 =	0.24
					DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26							
Last One Year of Data Slump Greater than or equal to 2 inches												
1434199	601.002.003 Concrete, Class B		2.87	2.87	37	3000	1.5	3	629.02	3943.53 <	4657.27 <	4887.06
					MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26							
Last Three Months of Data Slump Greater than or equal to 2 inches												
1434199	601.002.003 Concrete, Class B		2.87	2.87	6							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last Two Years of Data Slump Greater than or equal to 2 inches												
1436403	601.002.015 Concrete, Class K		3.35	3.35	1							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1436405	601.002.015 Concrete, Class K		3.35	3.35	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

Last Two Years of Data Slump Greater than or equal to 2 inches

1436419	601.002.001 Concrete, Class A		3.47	3.47	3							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

1436462	601.002.023 Concrete, Class H-IC	03/25/2018	3.45	3.45	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

Last Two Years of Data Slump Greater than or equal to 2 inches

1455036	601.002.022 Concrete, Class DC		3.58	3.58	3							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

Last Three Months of Data Slump Greater than or equal to 2 inches

1455036	601.002.022 Concrete, Class DC		3.58	3.58	2							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

Last Two Years of Data Slump Greater than or equal to 2 inches

1458960	601.002.016 Concrete, Class K Modified		3.47	3.47	4							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

Last One Year of Data Slump Greater than or equal to 2 inches

1458960	601.002.016 Concrete, Class K Modified		3.47	3.47	2							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

1463247	601.002.001 Concrete, Class A		3.47	3.47	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

1463248	601.002.022 Concrete, Class DC		3.59	3.59	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

1463249	601.002.015 Concrete, Class K		3.35	3.35	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1463250	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1463251	601.002.013 Concrete, Class H		3.47	3.47	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1463312	601.002.015 Concrete, Class K		3.37	3.37	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1463313	601.002.003 Concrete, Class B		2.88	2.88	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 04

Plant Name: CSC1.02.601 Central Supply F-2 @ Westover, WV

Last Inspection: 09/05/2019

Sticker Expires: 3/5/2020

Standard Deviation: 675.11

Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

Last One Year of Data Slump Less than 2 inches

1432523	601.002.003 Concrete, Class B		2.87	2.87	3							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

Last One Year of Data Slump Greater than or equal to 2 inches

1432523	601.002.003 Concrete, Class B		2.87	2.63	18	3000	1.533	3.175	474.17	5425.56	> 4505.49	= 0.24
DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last One Year of Data Slump Greater than or equal to 2 inches

1432547	601.002.013 Concrete, Class H		3.45	3.45	3							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

Last Three Months of Data Slump Greater than or equal to 2 inches

1432547	601.002.013 Concrete, Class H		3.45	3.45	6							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1432552	679.002.002 Concrete, Microsilica	05/09/2019	3.82	3.82	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last One Year of Data Slump Greater than or equal to 2 inches												
1434192	601.002.003		2.87	2.87	1							
	Concrete, Class B				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last Two Years of Data Slump Less than 2 inches												
1434193	601.002.003		2.87	2.63	14	3000	1.557	3.313	553.34	5470.5	> 4833.22	= 0.24
	Concrete, Class B				DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26							
Last Two Years of Data Slump Greater than or equal to 2 inches												
1434193	601.002.003		2.87	2.87	57	3000	1.5	3	764.33	4146.5	< 5174.93	< 5292.99
	Concrete, Class B				MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26							
Last One Year of Data Slump Less than 2 inches												
1434193	601.002.003		2.87	2.63	13	3000	1.565	3.365	592.95	5857.69	> 4995.28	= 0.24
	Concrete, Class B				DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26							
Last One Year of Data Slump Greater than or equal to 2 inches												
1434193	601.002.003		2.87	2.63	28	3000	1.505	3.024	513.63	4930.61	> 4553.22	= 0.24
	Concrete, Class B				DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26							
Last Three Months of Data Slump Greater than or equal to 2 inches												
1434193	601.002.003		2.87	2.87	13	3000	1.565	3.365	836.15	4308.57	< 4566.62	< 5813.64
	Concrete, Class B				MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last One Year of Data Slump Greater than or equal to 2 inches												
1434195	601.002.001		3.47	3.47	2							
	Concrete, Class A				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last Three Months of Data Slump Greater than or equal to 2 inches												
1434195	601.002.001		3.47	3.47	7							
	Concrete, Class A				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last Three Months of Data Slump Less than 2 inches												
1436404	601.002.015		3.35	3.35	1							
	Concrete, Class K				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last Three Months of Data Slump Greater than or equal to 2 inches												
1436404	601.002.015		3.35	3.35	1							
	Concrete, Class K				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last Two Years of Data Slump Greater than or equal to 2 inches												
1436406	601.002.015		3.35	3.35	37	4000	1.5	3	706.19	5059.28	< 5858.27	< 6118.57
	Concrete, Class K				MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26							
Last One Year of Data Slump Greater than or equal to 2 inches												
1436406	601.002.015		3.35	3.35	4							
	Concrete, Class K				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1436463	601.002.023 Concrete, Class H-IC	03/26/2018	3.44	3.44	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1455037	601.002.022 Concrete, Class DC		3.58	3.58	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1458961	601.002.016 Concrete, Class K Modified		3.47	3.47	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1459833	501.002.003 Concrete, Roller Compacted		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1463260	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last One Year of Data Slump Greater than or equal to 2 inches												
1463267	601.002.003 Concrete, Class B		2.87	2.87	4							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1463286	601.002.013 Concrete, Class H		3.47	3.47	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1463287	601.002.001 Concrete, Class A		3.47	3.47	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1463288	601.002.022 Concrete, Class DC		3.59	3.59	0							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1463310	601.002.015 Concrete, Class K		3.37	3.37	0							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 08

Plant Name: CSC1.03.601 Central Supply F-3 @ Elkins, WV

Last Inspection: 03/05/2019

Sticker Expires: 9/5/2019

Standard Deviation: 641.57

Rating: B

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(F_c)	Factor (K_1)	Factor (K_2)	Standard Deviation (s)	Average Strength(X)	(F_c+K_2s)	$X-(F_c+K_1s)/1.4$
Last Two Years of Data Slump Less than 2 inches												
1434201	601.002.003 Concrete, Class B		2.87	2.87	1	MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						
Last Two Years of Data Slump Greater than or equal to 2 inches												
1434201	601.002.003 Concrete, Class B		2.87	2.87	92	3000	1.5	3	730.4	4095.6	< 4742.5	< 5191.2
MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26												
Last One Year of Data Slump Less than 2 inches												
1434201	601.002.003 Concrete, Class B		2.87	2.87	1	MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						
Last One Year of Data Slump Greater than or equal to 2 inches												
1434201	601.002.003 Concrete, Class B		2.87	2.63	48	3000	1.5	3	658.32	5086.88	> 4974.96	= 0.24
DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26												
Last Three Months of Data Slump Less than 2 inches												
1434201	601.002.003 Concrete, Class B		2.87	2.87	1	MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						
Last Three Months of Data Slump Greater than or equal to 2 inches												
1434201	601.002.003 Concrete, Class B		2.87	2.63	38	3000	1.5	3	707.52	5133.42	> 5122.56	= 0.24
DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last Two Years of Data Slump Greater than or equal to 2 inches

1434212	601.002.001 Concrete, Class A		3.47	3.47	3							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

Last One Year of Data Slump Greater than or equal to 2 inches

1434212	601.002.001 Concrete, Class A		3.47	3.47	1							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last One Year of Data Slump Greater than or equal to 2 inches

1434214	601.002.003 Concrete, Class B		2.87	2.87	9							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last One Year of Data Slump Greater than or equal to 2 inches

1434218	601.002.015 Concrete, Class K		3.35	3.35	2							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1434226	601.002.004 Concrete, Class B Modified		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1434230	601.002.016 Concrete, Class K Modified		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1434234	601.002.011 Concrete, Class D		2.04	2.04	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Two Years of Data Slump Less than 2 inches												
1436389	601.002.015 Concrete, Class K		3.35	3.35	2							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												
Last Two Years of Data Slump Greater than or equal to 2 inches												
1436389	601.002.015 Concrete, Class K		3.35	3.35	1							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												
Last One Year of Data Slump Less than 2 inches												
1436389	601.002.015 Concrete, Class K		3.35	3.35	2							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												
Last One Year of Data Slump Greater than or equal to 2 inches												
1436389	601.002.015 Concrete, Class K		3.35	3.35	2							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Two Years of Data Slump Greater than or equal to 2 inches												
1436443	601.002.013 Concrete, Class H		3.45	3.45	5							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last One Year of Data Slump Greater than or equal to 2 inches												
1436443	601.002.013 Concrete, Class H		3.45	3.21	18	4000	1.533	3.175	525.13	7416.67	> 5667.29	= 0.24
					DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26							
Last Three Months of Data Slump Greater than or equal to 2 inches												
1436443	601.002.013 Concrete, Class H		3.45	3.21	17	4000	1.538	3.202	656.72	6992.94	> 6102.82	= 0.24
					DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last One Year of Data Slump Greater than or equal to 2 inches												
1455042	601.002.022 Concrete, Class DC		3.59	3.59	1							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Two Years of Data Slump Greater than or equal to 2 inches												
1459834	601.002.004 Concrete, Class B Modified		3.37	3.13	31	4000	1.5	3	605.88	6222.26	> 5817.64	= 0.24
					DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26							
Last One Year of Data Slump Greater than or equal to 2 inches												
1459834	601.002.004 Concrete, Class B Modified		3.37	3.13	19	4000	1.528	3.151	602.07	6214.21	> 5897.12	= 0.24
					DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26							
Last Three Months of Data Slump Greater than or equal to 2 inches												
1459834	601.002.004 Concrete, Class B Modified		3.37	3.37	1							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last One Year of Data Slump Greater than or equal to 2 inches

1459837	601.002.003 Concrete, Class B		2.86	2.86	1							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1459841	601.002.022 Concrete, Class DC		3.59	3.59	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1459844	601.002.022 Concrete, Class DC		3.59	3.59	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last Two Years of Data Slump Greater than or equal to 2 inches

1461800	679.002.002 Concrete, Microsilica		3.82	3.82	4							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

Last One Year of Data Slump Greater than or equal to 2 inches

1461800	679.002.002 Concrete, Microsilica		3.82	3.82	5							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1461824	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1461826	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1461828	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1461830	601.002.022 Concrete, Class DC		3.59	3.59	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1461832	601.002.022 Concrete, Class DC		3.59	3.59	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1461845	601.002.001 Concrete, Class A		3.47	3.47	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1463305	601.002.001 Concrete, Class A	03/09/2019	3.49	3.49	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1463314	601.002.015 Concrete, Class K	03/09/2019	3.37	3.37	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1463319	601.002.003 Concrete, Class B	03/09/2019	2.88	2.88	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1465016	601.002.004 Concrete, Class B Modified		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1901026	601.002.003 Concrete, Class B		0	0	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 07

Plant Name: CSC1.04.601 Central Supply F-4 @ Gassaway, WV

Last Inspection: 09/09/2019

Sticker Expires: 3/9/2020

Standard Deviation: 570.43

Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last Two Years of Data Slump Greater than or equal to 2 inches

1434202	601.002.003		2.87	2.63	27	3000	1.507	3.034	627.23	5004.81	> 4903.02	= 0.24
	Concrete, Class B				DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26							

Last One Year of Data Slump Greater than or equal to 2 inches

1434202	601.002.003		2.87	2.87	4							
	Concrete, Class B				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

Last Three Months of Data Slump Greater than or equal to 2 inches

1434202	601.002.003		2.87	2.87	4							
	Concrete, Class B				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last One Year of Data Slump Greater than or equal to 2 inches

1434215	601.002.003		2.87	2.63	13	3000	1.565	3.365	706.13	5563.85	> 5376.13	= 0.24
	Concrete, Class B				DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26							

Last Three Months of Data Slump Greater than or equal to 2 inches

1434215	601.002.003		2.87	2.87	1							
	Concrete, Class B				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last Two Years of Data Slump Greater than or equal to 2 inches

1434219	601.002.015		3.35	3.35	1							
	Concrete, Class K				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1434228	601.002.004 Concrete, Class B Modified		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1434232	601.002.016 Concrete, Class K Modified		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1434235	601.002.011 Concrete, Class D		2.04	2.04	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1436390	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1436414	601.002.001 Concrete, Class A		3.47	3.47	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1436446	601.002.013 Concrete, Class H		3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Three Months of Data Slump Greater than or equal to 2 inches												
1455045	601.002.022 Concrete, Class DC		3.59	3.59	4							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Two Years of Data Slump Greater than or equal to 2 inches												
1458980	679.002.002 Concrete, Microsilica		3.82	3.58	13	4000	1.565	3.365	402.89	8100	> 5355.72	= 0.24
DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1459840	601.002.003 Concrete, Class B		2.86	2.86	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1463307	601.002.001 Concrete, Class A	03/09/2019	3.49	3.49	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1463316	601.002.015 Concrete, Class K	03/09/2019	3.37	3.37	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1463321	601.002.003 Concrete, Class B	03/09/2019	2.88	2.88	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 07

Plant Name: CSC1.05.601 Central Supply F-5 @ Glenville, WV

Last Inspection: 09/09/2019

Sticker Expires: 3/9/2020

Standard Deviation: 438.67

Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1434203	601.002.003 Concrete, Class B		2.87	2.87	15	3000	1.549	3.27	577.9	3895.17	< 4311.33	< 4889.73
MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26												
Last One Year of Data Slump Less than 2 inches												
1434203	601.002.003 Concrete, Class B		2.87	2.87	2							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												
Last One Year of Data Slump Greater than or equal to 2 inches												
1434203	601.002.003 Concrete, Class B		2.87	2.87	11	3000	1.588	3.51	524.73	3833.27	< 4678.18	< 4841.8
MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last One Year of Data Slump Greater than or equal to 2 inches												
1434216	601.002.003 Concrete, Class B		2.87	2.87	1							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1434220	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1434227	601.002.004 Concrete, Class B Modified		3.35	3.35	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1434231	601.002.016 Concrete, Class K Modified		3.35	3.35	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1434236	601.002.011 Concrete, Class D		2.04	2.04	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last One Year of Data Slump Less than 2 inches												
1436391	601.002.015 Concrete, Class K		3.35	3.35	2							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1436415	601.002.001 Concrete, Class A		3.47	3.47	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last One Year of Data Slump Greater than or equal to 2 inches												
1436445	601.002.013 Concrete, Class H		3.45	3.45	6							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1455044	601.002.022 Concrete, Class DC		3.59	3.59	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1458979	679.002.002 Concrete, Microsilica		3.82	3.82	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1459839	601.002.003 Concrete, Class B		2.86	2.86	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1459843	601.002.022 Concrete, Class DC		3.59	3.59	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1463306	601.002.001 Concrete, Class A	03/09/2019	3.49	3.49	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1463315	601.002.015 Concrete, Class K	03/09/2019	3.37	3.37	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1463320	601.002.003 Concrete, Class B	03/09/2019	2.88	2.88	0	MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 03 Plant Name: CSC1.15.601 Central Supply F-15 @ Pennsboro, WV
 Last Inspection: 09/11/2019 Sticker Expires: 3/11/2020 Standard Deviation: 613.24 Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1458974	601.002.001 Concrete, Class A		3.47	3.47	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last One Year of Data Slump Less than 2 inches												
1458975	601.002.003 Concrete, Class B		2.87	2.87	4							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

Last One Year of Data Slump Greater than or equal to 2 inches												
1458975	601.002.003 Concrete, Class B		2.87	2.87	9							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Two Years of Data Slump Greater than or equal to 2 inches												
1458976	601.002.003 Concrete, Class B		2.86	2.86	7							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

Last One Year of Data Slump Greater than or equal to 2 inches												
1458976	601.002.003 Concrete, Class B		2.86	2.62	12	3000	1.576	3.429	532.95	5358.33	> 4827.49	= 0.24
DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1458977	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1458978	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1459812	679.002.002 Concrete, Microsilica		3.82	3.82	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1463246	601.002.013 Concrete, Class H		3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1463309	601.002.001 Concrete, Class A	03/09/2019	3.49	3.49	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1463318	601.002.015 Concrete, Class K	03/09/2019	3.37	3.37	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1463323	601.002.003 Concrete, Class B	03/09/2019	2.88	2.88	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1464653	601.002.022 Concrete, Class DC	11/24/2018	3.59	3.59	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 08

Plant Name: CSC1.16.601 Central Supply F-16 @ Parsons, WV

Last Inspection: 04/18/2019

Sticker Expires: 10/18/2019

Standard Deviation: 563.22

Rating: B

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1461825	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1461827	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1461829	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1461831	601.002.022 Concrete, Class DC		3.59	3.59	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1461833	601.002.022 Concrete, Class DC		3.59	3.59	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1461835	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Three Months of Data Slump Greater than or equal to 2 inches												
1461836	601.002.003 Concrete, Class B		2.86	2.86	3							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
Last Three Months of Data Slump Greater than or equal to 2 inches												
1461837	601.002.004		3.37	3.37	10	5300	1.604	3.615	640.39	6025	< 6327.19	= 0
	Concrete, Class B Modified				INCREASE CEMENT FACTOR BY 0 PER SECTION 3.3 OF MP 711.03.26							
Last One Year of Data Slump Greater than or equal to 2 inches												
1461837	601.002.004		3.37	3.37	7							
	Concrete, Class B Modified				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last Three Months of Data Slump Greater than or equal to 2 inches												
1461837	601.002.004		3.37	3.37	10	5300	1.604	3.615	640.39	6025	< 6327.19	= 0
	Concrete, Class B Modified				INCREASE CEMENT FACTOR BY 0 PER SECTION 3.3 OF MP 711.03.26							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1461838	601.002.022		3.59	3.59	0							
	Concrete, Class DC				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1461846	601.002.001		3.47	3.47	0							
	Concrete, Class A				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1465015	601.002.004 Concrete, Class B Modified		2.87	2.87	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1465021	601.002.013 Concrete, Class H		3.45	3.45	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 01

Plant Name: CSC2.01.601 Claxton Smith Concrete F-1 @ Poca, WV

Last Inspection: 09/12/2019

Sticker Expires: 3/12/2020

Standard Deviation: 650.00

Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1436474	501.002.001 Concrete, Pavement	04/21/2018	3.83	3.83	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1436477	501.002.001 Concrete, Pavement	04/20/2018	3.83	3.83	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1455053	601.002.022 Concrete, Class DC	03/13/2019	3.74	3.74	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
Last Two Years of Data Slump Greater than or equal to 2 inches												
1461805	601.002.003		2.95	2.95	5							
	Concrete, Class B				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last One Year of Data Slump Greater than or equal to 2 inches												
1461805	601.002.003		2.95	2.95	3							
	Concrete, Class B				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 02

Plant Name: CSC2.02.601 Claxton Smith Concrete F-2 @ Culloden, WV

Last Inspection: 04/25/2019

Sticker Expires: 10/25/2019

Standard Deviation: 650.00

Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1436472	501.002.001 Concrete, Pavement	04/21/2018	3.83	3.83	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1436475	501.002.002 Concrete, Pavement HES	04/20/2018	3.83	3.83	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1455054	601.002.022 Concrete, Class DC	03/13/2019	3.74	3.74	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1461804	601.002.003 Concrete, Class B		2.96	2.96	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 01

Plant Name: CSC2.03.601 Claxton Smith Concrete F-3 @ Charleston, WV

Last Inspection: 09/11/2019

Sticker Expires: 3/11/2020

Standard Deviation: 597.61

Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1436473	501.002.001 Concrete, Pavement	04/21/2018	3.83	3.83	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1436476	501.002.002 Concrete, Pavement HES	04/20/2018	3.83	3.83	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1455055	601.002.022 Concrete, Class DC	03/13/2019	3.74	3.74	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last Two Years of Data Slump Greater than or equal to 2 inches												
1461803	601.002.003		2.96	2.96	23	3000	1.515	3.081	634.52	3961.3	< 4317.83	< 4954.96
	Concrete, Class B				MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26							
Last Two Years of Data Slump Greater than or equal to 2 inches												
1461803	601.002.003		2.96	2.96	23	3000	1.515	3.081	634.52	3961.3	< 4317.83	< 4954.96
	Concrete, Class B				MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26							
Last One Year of Data Slump Greater than or equal to 2 inches												
1461803	601.002.003		2.96	2.96	32	3000	1.5	3	652.13	3978.2	< 4609.38	< 4956.39
	Concrete, Class B				MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26							
Last Three Months of Data Slump Less than 2 inches												
1461803	601.002.003		2.96	2.96	2							
	Concrete, Class B				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last Three Months of Data Slump Greater than or equal to 2 inches												
1461803	601.002.003		2.96	2.72	11	3000	1.588	3.51	402.65	4654.55	> 4413.3	= 0.24
	Concrete, Class B				DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 06 Plant Name: DCC1.01.601 D.W. Dickey Concrete @ Steubenville, OH
 Last Inspection: 09/19/2019 Sticker Expires: 3/19/2020 Standard Deviation: 650.00 Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Two Years of Data Slump Less than 2 inches												
1399046	601.002.003 Concrete, Class B		2.87	2.87	1							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						
Last Two Years of Data Slump Greater than or equal to 2 inches												
1399046	601.002.003 Concrete, Class B		2.87	2.87	3							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						
Last One Year of Data Slump Greater than or equal to 2 inches												
1399046	601.002.003 Concrete, Class B		2.87	2.87	1							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

District: 05 Plant Name: DCX1.01.601 Dan Lee Co. F-1 @ Inwood, WV (Transit)
 Last Inspection: 09/17/2019 Sticker Expires: 3/17/2020 Standard Deviation: 650.00 Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last One Year of Data Slump Greater than or equal to 2 inches												
1458943	601.002.003 Concrete, Class B		2.87	2.87	1							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 10

Plant Name: DHC1.02.601 David Hill Conc. Inc F-2 @ Mabscott, WV

Last Inspection: 05/10/2019

Sticker Expires: 11/10/2019

Standard Deviation: 506.40

Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last Two Years of Data Slump Greater than or equal to 2 inches

1458992 601.002.003 2.87 2.63 12 3000 1.576 3.429 430.1 5342.5 > 4474.81 = 0.24

Concrete, Class B

DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26
--

Last One Year of Data Slump Greater than or equal to 2 inches

1458992 601.002.003 2.87 2.87 2

Concrete, Class B

MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last Two Years of Data Slump Greater than or equal to 2 inches

1458993 601.002.015 3.35 3.35 3

Concrete, Class K

MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last Two Years of Data Slump Greater than or equal to 2 inches

1459836 601.002.022 3.74 3.74 6

Concrete, Class DC

MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last Two Years of Data Slump Greater than or equal to 2 inches

1461802	601.002.013 Concrete, Class H		3.45	3.45	5							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1463296	601.002.003 Concrete, Class B	06/06/2019	2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1463297	601.002.013 Concrete, Class H	03/19/2018	3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last One Year of Data Slump Greater than or equal to 2 inches

1463299	601.002.003 Concrete, Class B		2.87	2.87	2							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Three Months of Data Slump Greater than or equal to 2 inches												
1463300	601.002.015 Concrete, Class K		3.35	3.35	1							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1465068	601.002.022 Concrete, Class DC		3.59	3.59	0							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 10 Plant Name: ECI1.01.601 Eastern Concrete Pinville WV
 Last Inspection: 10/15/2019 Sticker Expires: 4/15/2020 Standard Deviation: 725.68 Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
Last Three Months of Data Slump Greater than or equal to 2 inches												
1463324	601.002.003 Concrete, Class B		2.87	2.87	24	4300	1.513	3.067	740.73	4970.83	< 5420.72	= 0
					INCREASE CEMENT FACTOR BY 0 PER SECTION 3.3 OF MP 711.03.26							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
Last Three Months of Data Slump Less than 2 inches												
1463325	501.002.001 Concrete, Pavement		2.87	2.87	1							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

Last Three Months of Data Slump Greater than or equal to 2 inches												
1463325	501.002.001 Concrete, Pavement		2.87	2.87	24	4300	1.513	3.067	740.73	4970.83	< 5420.72	= 0
					INCREASE CEMENT FACTOR BY 0 PER SECTION 3.3 OF MP 711.03.26							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1463326	601.002.015 Concrete, Class K		3.35	3.35	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	-------------------------

Last Three Months of Data Slump Greater than or equal to 2 inches

1463327	601.002.022 Concrete, Class DC		3.74	3.74	8							
---------	-----------------------------------	--	------	------	---	--	--	--	--	--	--	--

MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												
---	--	--	--	--	--	--	--	--	--	--	--	--

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	-------------------------

Last Three Months of Data Slump Greater than or equal to 2 inches

1463328	601.002.013 Concrete, Class H		3.45	3.45	1							
---------	----------------------------------	--	------	------	---	--	--	--	--	--	--	--

MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												
---	--	--	--	--	--	--	--	--	--	--	--	--

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	-------------------------

1465023	601.002.003 Concrete, Class B		2.87	2.87	0							
---------	----------------------------------	--	------	------	---	--	--	--	--	--	--	--

MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												
---	--	--	--	--	--	--	--	--	--	--	--	--

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	-------------------------

1465024	501.002.001 Concrete, Pavement		2.87	2.87	0							
---------	-----------------------------------	--	------	------	---	--	--	--	--	--	--	--

MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												
---	--	--	--	--	--	--	--	--	--	--	--	--

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 01

Plant Name: ERM1.02.601 Hanson Ready Mix F-2 @ Gallipolis, OH

Last Inspection: 07/18/2019

Sticker Expires: 1/18/2020

Standard Deviation: 471.78

Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1459802	601.002.013 Concrete, Class H		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1459811	601.002.003 Concrete, Class B	03/11/2019	2.87	2.87	11	3000	1.588	3.51	677.02	4075.11	< 4552.73	< 5376.34
MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26												
1459811	601.002.003 Concrete, Class B	03/11/2019	2.87	2.63	14	3000	1.557	3.313	325.8	4370.71	> 4079.38	= 0.24
DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Two Years of Data Slump Greater than or equal to 2 inches												
1459827	601.002.013 Concrete, Class H		3.45	3.45	3							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1459831	601.002.013 Concrete, Class H		3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1461797	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last One Year of Data Slump Greater than or equal to 2 inches												
1461842	601.002.015 Concrete, Class K		3.35	3.35	3							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1465029	601.002.013 Concrete, Class H		3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1465032	601.002.013 Concrete, Class H		3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1465037	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1465042	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1465047	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1465052	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1465061	601.002.022 Concrete, Class DC		3.72	3.72	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 06

Plant Name: ERM1.03.601 Hanson Ready Mix F-3 @ New Martinsville, WV

Last Inspection: 05/15/2019

Sticker Expires: 11/15/2019

Standard Deviation: 686.06

Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last Two Years of Data Slump Greater than or equal to 2 inches

1455087	601.002.013 Concrete, Class H	07/26/2019	3.45	3.45	2							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1455089	601.002.015 Concrete, Class K	08/01/2019	3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1458939	679.002.002 Concrete, Microsilica	08/22/2019	3.82	3.82	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last One Year of Data Slump Less than 2 inches												
1461780	601.002.015 Concrete, Class K		3.41	3.41	1							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last One Year of Data Slump Greater than or equal to 2 inches												
1461780	601.002.015 Concrete, Class K		3.41	3.41	8							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last Two Years of Data Slump Greater than or equal to 2 inches												
1461798	601.002.003 Concrete, Class B		2.87	2.87	23	3000	1.515	3.081	723.83	4096.6	< 4336.96	< 5230.12
					MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26							
Last One Year of Data Slump Less than 2 inches												
1461798	601.002.003 Concrete, Class B		2.87	2.87	3							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last One Year of Data Slump Greater than or equal to 2 inches												
1461798	601.002.003 Concrete, Class B		2.87	2.87	54	3000	1.5	3	740.95	4111.42	< 4795.37	< 5222.85
					MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26							
Last Three Months of Data Slump Greater than or equal to 2 inches												
1461798	601.002.003 Concrete, Class B		2.87	2.87	1							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

Last Two Years of Data Slump Greater than or equal to 2 inches

1461823	601.002.022 Concrete, Class DC		3.75	3.75	5							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

Last One Year of Data Slump Greater than or equal to 2 inches

1461823	601.002.022 Concrete, Class DC		3.75	3.75	4							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

Last One Year of Data Slump Greater than or equal to 2 inches

1463259	601.002.013 Concrete, Class H		3.45	3.45	4							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

Last Three Months of Data Slump Greater than or equal to 2 inches

1463259	601.002.013 Concrete, Class H		3.45	3.45	4							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 06 Plant Name: ERM1.04.601 Hanson Ready Mix F-4 @ McMechen WV
 Last Inspection: 05/15/2019 Sticker Expires: 11/15/2019 Standard Deviation: 669.85 Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

Last Two Years of Data Slump Greater than or equal to 2 inches

1461779	601.002.022 Concrete, Class DC		3.75	3.75	2							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

Last One Year of Data Slump Greater than or equal to 2 inches

1461779	601.002.022 Concrete, Class DC		3.75	3.75	2							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

Last Two Years of Data Slump Greater than or equal to 2 inches

1461781	601.002.015 Concrete, Class K		3.35	3.35	6							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

Last One Year of Data Slump Less than 2 inches

1461781	601.002.015 Concrete, Class K		3.35	3.35	1							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

Last Three Months of Data Slump Less than 2 inches

1461781	601.002.015 Concrete, Class K		3.35	3.35	1							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

Last Three Months of Data Slump Greater than or equal to 2 inches

1461781	601.002.015 Concrete, Class K		3.35	3.35	6							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last Two Years of Data Slump Less than 2 inches												
1461799	601.002.003 Concrete, Class B		2.87	2.87	5							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last Two Years of Data Slump Greater than or equal to 2 inches												
1461799	601.002.003 Concrete, Class B		2.87	2.87	48	3000	1.5	3	625.24	3937.86 <	4603.96 <	4875.72
					MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26							
Last One Year of Data Slump Greater than or equal to 2 inches												
1461799	601.002.003 Concrete, Class B		2.87	2.87	16	3000	1.543	3.233	900.4	4389.32 <	5047.5 <	5910.99
					MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26							
Last Three Months of Data Slump Less than 2 inches												
1461799	601.002.003 Concrete, Class B		2.87	2.87	1							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last Three Months of Data Slump Greater than or equal to 2 inches												
1461799	601.002.003 Concrete, Class B		2.87	2.63	17	3000	1.538	3.202	589.93	5022.35 >	4888.96 =	0.24
					DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last One Year of Data Slump Greater than or equal to 2 inches												
1463258	601.002.013 Concrete, Class H		3.45	3.45	13	5103	1.565	3.365	929.41	6557.53 <	7849.23 <	8230.46
					MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26							
Last Three Months of Data Slump Greater than or equal to 2 inches												
1463258	601.002.013 Concrete, Class H		3.45	3.45	8							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 01

Plant Name: ERM1.05.601 Hanson Ready Mix F-5 @ Winfield, WV

Last Inspection: 09/03/2019

Sticker Expires: 3/3/2020

Standard Deviation: 660.44

Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1424567	601.002.004 Concrete, Class B Modified	03/11/2019	3.34	3.34	0							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last Two Years of Data Slump Less than 2 inches												
1424572	601.002.003 Concrete, Class B	03/11/2019	2.87	2.87	1							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						
Last Two Years of Data Slump Greater than or equal to 2 inches												
1424572	601.002.003 Concrete, Class B	03/11/2019	2.87	2.87	40	3000	1.5	3	738.61	4107.92 <	4877.75 <	5215.83
						MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26						

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last One Year of Data Slump Greater than or equal to 2 inches												
1424599	601.002.013 Concrete, Class H		3.45	3.45	4							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last Two Years of Data Slump Less than 2 inches												
1436421	601.002.003 Concrete, Class B		2.87	2.87	7							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last Two Years of Data Slump Greater than or equal to 2 inches												
1436421	601.002.003 Concrete, Class B		2.87	2.87	40	3000	1.5	3	888.58	4332.87 <	4979.5 <	5665.74
					MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26							
Last One Year of Data Slump Less than 2 inches												
1436421	601.002.003 Concrete, Class B		2.87	2.87	2							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last One Year of Data Slump Greater than or equal to 2 inches												
1436421	601.002.003 Concrete, Class B		2.87	2.87	27	3000	1.507	3.034	822.54	4239.57 <	4982.59 <	5495.59
					MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1436426	601.002.022 Concrete, Class DC		3.73	3.73	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1455029	601.002.014 Concrete, Class H Modified	09/03/2018	3.45	3.45	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

Last Two Years of Data Slump Less than 2 inches

1458948	601.002.015 Concrete, Class K		3.83	3.83	1							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

Last Two Years of Data Slump Greater than or equal to 2 inches

1458948	601.002.015 Concrete, Class K		3.83	3.83	1							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	-------------------------

Last Two Years of Data Slump Greater than or equal to 2 inches

1459006	601.002.015 Concrete, Class K		3.39	3.39	15	4000	1.549	3.27	550.1	4852.1	< 4979.33	< 5798.83
MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26												

Last One Year of Data Slump Less than 2 inches

1459006	601.002.015 Concrete, Class K		3.39	3.39	4							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

Last One Year of Data Slump Greater than or equal to 2 inches

1459006	601.002.015 Concrete, Class K		3.39	3.39	21	4000	1.521	3.112	622.76	4778.1	< 4947.22	= 0
INCREASE CEMENT FACTOR BY 0 PER SECTION 3.3 OF MP 711.03.26												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Two Years of Data Slump Greater than or equal to 2 inches												
1459828	601.002.013 Concrete, Class H		3.45	3.21	65	4000	1.5	3	662.13	7645.54	> 5986.39	= 0.24
					DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26							
Last One Year of Data Slump Greater than or equal to 2 inches												
1459828	601.002.013 Concrete, Class H		3.45	3.21	20	4000	1.525	3.13	464.12	7198	> 5452.7	= 0.24
					DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26							
Last Three Months of Data Slump Greater than or equal to 2 inches												
1459828	601.002.013 Concrete, Class H		3.45	3.45	1							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Two Years of Data Slump Greater than or equal to 2 inches												
1459832	601.002.013 Concrete, Class H		3.45	3.45	7							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last Two Years of Data Slump Greater than or equal to 2 inches												
1461792	601.002.003		2.87	2.87	43	3000	1.5	3	540.4	3810.6	< 4093.49	< 4621.2
	Concrete, Class B				MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26							
Last One Year of Data Slump Less than 2 inches												
1461792	601.002.003		2.87	2.87	4							
	Concrete, Class B				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last One Year of Data Slump Greater than or equal to 2 inches												
1461792	601.002.003		2.87	2.87	37	3000	1.5	3	842.6	4263.9	< 4341.62	< 5527.8
	Concrete, Class B				MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26							
Last Three Months of Data Slump Greater than or equal to 2 inches												
1461792	601.002.003		2.87	2.87	3							
	Concrete, Class B				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1461794	601.002.015		3.35	3.35	0							
	Concrete, Class K				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last Two Years of Data Slump Less than 2 inches												
1461839	601.002.015		3.35	3.35	1							
	Concrete, Class K				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last Two Years of Data Slump Greater than or equal to 2 inches												
1461839	601.002.015		3.35	3.35	1							
	Concrete, Class K				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1465027	601.002.013 Concrete, Class H		3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1465030	601.002.013 Concrete, Class H		3.45	3.21	19	4000	1.528	3.151	455.71	8757.89	> 5435.94	= 0.24
DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1465034	601.002.003 Concrete, Class B		2.87	2.87	11	3000	1.588	3.51	768.86	4220.95	< 5650.91	< 5698.7
MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last Three Months of Data Slump Greater than or equal to 2 inches												
1465039	601.002.003 Concrete, Class B		2.87	2.87	6							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1465044	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last Three Months of Data Slump Less than 2 inches												
1465049	601.002.015 Concrete, Class K		3.35	3.35	2							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												
Last Three Months of Data Slump Greater than or equal to 2 inches												
1465049	601.002.015 Concrete, Class K		3.35	3.35	2							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1465058	601.002.022 Concrete, Class DC		3.72	3.72	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 03

Plant Name: ERM1.06.601 Hanson Ready Mix F-6 @ Parkersburg, WV

Last Inspection: 08/22/2019

Sticker Expires: 2/22/2020

Standard Deviation: 532.35

Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

Last Two Years of Data Slump Less than 2 inches

1436399	601.002.003 Concrete, Class B		2.87	2.87	1							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

Last Two Years of Data Slump Greater than or equal to 2 inches

1436399	601.002.003 Concrete, Class B		2.87	2.87	101	3000	1.5	3	592.02	3888.03	< 4034.26	< 4776.06
MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26												

Last One Year of Data Slump Greater than or equal to 2 inches

1436399	601.002.003 Concrete, Class B		2.87	2.87	29	3000	1.503	3.016	442.43	3664.97	< 4152.07	< 4334.37
MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

1455027	601.002.023 Concrete, Class H-IC	09/07/2018	3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

1455050	601.002.022 Concrete, Class DC	02/21/2019	3.73	3.73	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1455090	601.002.013 Concrete, Class H	08/02/2019	3.45	3.21	17	4000	1.538	3.202	850.22	7306.47	> 6722.4	= 0.24
DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1461834	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last One Year of Data Slump Greater than or equal to 2 inches												
1463257	601.002.015 Concrete, Class K		3.35	3.35	2							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last One Year of Data Slump Greater than or equal to 2 inches												
1463304	601.002.003 Concrete, Class B		2.87	2.87	10	4141	1.604	3.615	236.78	4520.8	< 4940	< 4996.96
MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

Last One Year of Data Slump Greater than or equal to 2 inches

1465020	601.002.013 Concrete, Class H		3.45	3.45	2							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

Last Three Months of Data Slump Greater than or equal to 2 inches

1465020	601.002.013 Concrete, Class H		3.45	3.45	2							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

Last One Year of Data Slump Greater than or equal to 2 inches

1465053	601.002.015 Concrete, Class K		3.35	3.35	2							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

Last Three Months of Data Slump Less than 2 inches

1465053	601.002.015 Concrete, Class K		3.35	3.35	4							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

1465054	601.002.013 Concrete, Class H		3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1465055	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Three Months of Data Slump Less than 2 inches												
1465056	601.002.003 Concrete, Class B		2.87	2.87	2							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												
Last Three Months of Data Slump Greater than or equal to 2 inches												
1465056	601.002.003 Concrete, Class B		2.87	2.63	20	3000	1.525	3.13	397.66	4309	> 4244.68	= 0.24
DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Three Months of Data Slump Greater than or equal to 2 inches												
1465072	601.002.003 Concrete, Class B		2.87	2.87	6							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 01

Plant Name: ERM1.07.601 Hanson Ready Mix F-7 @ Charleston, WV

Last Inspection: 09/10/2019

Sticker Expires: 3/10/2020

Standard Deviation: 545.94

Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last Two Years of Data Slump Greater than or equal to 2 inches

1424571	601.002.003 Concrete, Class B	03/11/2019	2.87	2.87	9							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1424600	601.002.013 Concrete, Class H	02/13/2019	3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1432540	679.002.002 Concrete, Microsilica		3.82	3.82	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last One Year of Data Slump Greater than or equal to 2 inches

1436420	601.002.003 Concrete, Class B		2.87	2.87	1							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1436453	601.002.022 Concrete, Class DC		3.73	3.73	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1436478	601.002.016 Concrete, Class K Modified	04/20/2018	4.07	4.07	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1436479	601.002.015 Concrete, Class K	04/21/2018	4.07	4.07	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1436480	601.002.003 Concrete, Class B		4.07	4.07	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1436481	601.002.003 Concrete, Class B		4.07	4.07	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1455088	679.002.002 Concrete, Microsilica	07/27/2019	3.82	3.82	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1458950	601.002.015 Concrete, Class K		3.83	3.83	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last One Year of Data Slump Greater than or equal to 2 inches												
1459008	601.002.015 Concrete, Class K		3.39	3.39	2							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last One Year of Data Slump Greater than or equal to 2 inches												
1459826	601.002.013 Concrete, Class H		3.45	3.21	22	4000	1.518	3.096	563.28	8828.64	> 5743.91	= 0.24
DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last One Year of Data Slump Greater than or equal to 2 inches												
1459830	601.002.013 Concrete, Class H		3.45	3.21	13	4000	1.565	3.365	509.3	8339.23	> 5713.79	= 0.24
DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1461796	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1461841	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1465025	601.002.013 Concrete, Class H		3.45	3.21	13	4000	1.565	3.365	572	8527.69	> 5924.78	= 0.24
DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1465026	601.002.013 Concrete, Class H		3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1465033	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1465038	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1465043	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1465048	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1465057	601.002.022 Concrete, Class DC		3.72	3.72	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 02

Plant Name: ERM1.08.601 Hanson Ready Mix F-8 @ Huntington, WV

Last Inspection: 05/09/2019

Sticker Expires: 11/9/2019

Standard Deviation: 650.00

Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1458946	601.002.013 Concrete, Class H		3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1458947	601.002.015 Concrete, Class K		3.83	3.83	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1459005	601.002.015 Concrete, Class K		3.39	3.39	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last One Year of Data Slump Greater than or equal to 2 inches												
1463334	601.002.003 Concrete, Class B		2.87	2.87	7							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1465028	601.002.013 Concrete, Class H		3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1465031	601.002.013 Concrete, Class H		3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1465036	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1465041	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1465046	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1465051	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1465060	601.002.022 Concrete, Class DC		3.72	3.72	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 01

Plant Name: ERM1.09.601 Hanson Ready Mix F-9 @ Winfield, WV (Transit)

Last Inspection: 09/03/2019

Sticker Expires: 3/3/2020

Standard Deviation: 650.00

Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1458949 601.002.015
Concrete, Class K

3.83 3.83

0

MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last Two Years of Data Slump Less than 2 inches

1459007 601.002.015
Concrete, Class K

3.39 3.39

5

MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1461793 601.002.003
Concrete, Class B

2.87 2.87

0

MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1461795 601.002.015
Concrete, Class K

3.35 3.35

0

MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1461840	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1465035	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1465040	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1465045	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1465050	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1465059	601.002.022 Concrete, Class DC		3.72	3.72	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 05

Plant Name: FCC1.01.601 Fairfax Concrete F-1 @ Scherr WV

Last Inspection: 09/09/2019

Sticker Expires: 3/9/2020

Standard Deviation: 742.75

Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1421095	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1421097	601.002.004 Concrete, Class B Modified	06/20/2019	3.33	3.33	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Two Years of Data Slump Greater than or equal to 2 inches												
1421098	601.002.003 Concrete, Class B	08/21/2019	2.86	2.62	12	3000	1.576	3.429	597.39	6746.75	> 5048.45	= 0.24
DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26												
Last One Year of Data Slump Greater than or equal to 2 inches												
1421098	601.002.003 Concrete, Class B	08/21/2019	2.86	2.86	4							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Two Years of Data Slump Less than 2 inches												
1421100	601.002.015 Concrete, Class K		3.33	3.33	1							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last Two Years of Data Slump Greater than or equal to 2 inches												
1421100	601.002.015 Concrete, Class K		3.33	3.33	8							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last One Year of Data Slump Greater than or equal to 2 inches												
1421100	601.002.015 Concrete, Class K		3.33	3.33	4							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Two Years of Data Slump Greater than or equal to 2 inches												
1421102	601.002.013 Concrete, Class H		3.44	3.44	9							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1432581	601.002.003 Concrete, Class B	06/07/2019	2.87	2.87	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1455035	601.002.023 Concrete, Class H-IC	10/14/2018	3.46	3.46	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1455046	601.002.023 Concrete, Class H-IC	01/27/2019	3.43	3.43	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1455076	601.002.003 Concrete, Class B	07/17/2019	2.86	2.86	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1458971	601.002.022 Concrete, Class DC		3.59	3.59	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1463272	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last One Year of Data Slump Greater than or equal to 2 inches												
1463275	601.002.003 Concrete, Class B		2.87	2.87	9							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												
Last Three Months of Data Slump Less than 2 inches												
1463275	601.002.003 Concrete, Class B		2.87	2.87	1							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												
Last Three Months of Data Slump Greater than or equal to 2 inches												
1463275	601.002.003 Concrete, Class B		2.87	2.87	6							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1463278	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(F_c)	Factor (K_1)	Factor (K_2)	Standard Deviation (s)	Average Strength(X)	(F_c+K_2s)	$X-(F_c+K_1s)/1.4$
1463281	601.002.013 Concrete, Class H		3.44	3.44	0	MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 08 Plant Name: FCC1.02.601 Fairfax Concrete F-2 @ Oakland, MD
 Last Inspection: 09/10/2019 Sticker Expires: 3/10/2020 Standard Deviation: 650.00 Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last Two Years of Data Slump Greater than or equal to 2 inches

1424543	601.002.015 Concrete, Class K		3.33	3.33	2							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1424584	601.002.003 Concrete, Class B	03/11/2019	2.87	2.87	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last One Year of Data Slump Greater than or equal to 2 inches

1432582	601.002.003 Concrete, Class B	08/23/2019	2.87	2.87	1							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1455034	601.002.023 Concrete, Class H-IC	10/14/2018	3.46	3.46	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1455048	601.002.023 Concrete, Class H-IC	01/27/2019	3.43	3.43	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1455075	601.002.003 Concrete, Class B	07/17/2019	2.86	2.86	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Three Months of Data Slump Greater than or equal to 2 inches												
1458973	601.002.022 Concrete, Class DC		3.59	3.59	1							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Three Months of Data Slump Greater than or equal to 2 inches												
1463274	601.002.003 Concrete, Class B		2.87	2.87	2							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1463277	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1463280	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1463283	601.002.013 Concrete, Class H		3.44	3.44	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 08

Plant Name: FCC1.04.601 Fairfax Concrete F-4 @ Thomas WV

Last Inspection: 09/10/2019

Sticker Expires: 3/10/2020

Standard Deviation: 650.00

Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1424542	601.002.015 Concrete, Class K		3.33	3.33	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Two Years of Data Slump Greater than or equal to 2 inches												
1424583	601.002.013 Concrete, Class H		3.44	3.44	3							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Two Years of Data Slump Greater than or equal to 2 inches												
1432580	601.002.003 Concrete, Class B	06/07/2019	2.87	2.87	1							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												
Last One Year of Data Slump Greater than or equal to 2 inches												
1432580	601.002.003 Concrete, Class B	06/07/2019	2.87	2.87	1							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1455033	601.002.023 Concrete, Class H-IC	10/14/2018	3.46	3.46	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1455047	601.002.023 Concrete, Class H-IC	01/27/2019	3.43	3.43	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1455074	601.002.003 Concrete, Class B	07/17/2019	2.86	2.86	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1458972	601.002.022 Concrete, Class DC		3.59	3.59	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last One Year of Data Slump Greater than or equal to 2 inches

1463273	601.002.003 Concrete, Class B		2.87	2.87	1							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

Last Three Months of Data Slump Greater than or equal to 2 inches

1463273	601.002.003 Concrete, Class B		2.87	2.87	2							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1463276	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1463279	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1463282	601.002.013 Concrete, Class H		3.44	3.44	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 05

Plant Name: FCC1.05.601

Allegheny Concrete F-5 W Short Gap WV (Transit

Last Inspection: 09/10/2019

Sticker Expires: 3/10/2020

Standard Deviation: 541.75

Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1436470 601.002.023
Concrete, Class H-IC

04/02/2018 3.45 3.45

0

MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1455028 601.002.023
Concrete, Class H-IC

09/07/2018 3.46 3.46

0

MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last One Year of Data Slump Greater than or equal to 2 inches

1461806 601.002.004
Concrete, Class B Modified

3.34 3.34

1

MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Two Years of Data Slump Less than 2 inches												
1461807	601.002.003		2.87	2.87	3							
	Concrete, Class B				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last One Year of Data Slump Greater than or equal to 2 inches												
1461807	601.002.003		2.87	2.87	4							
	Concrete, Class B				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last Three Months of Data Slump Greater than or equal to 2 inches												
1461807	601.002.003		2.87	2.87	2							
	Concrete, Class B				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Three Months of Data Slump Less than 2 inches												
1461808	601.002.015		3.35	3.35	2							
	Concrete, Class K				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Three Months of Data Slump Greater than or equal to 2 inches												
1463284	601.002.013		3.45	3.45	2							
	Concrete, Class H				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 09

Plant Name: GRM1.01.601 Greenbrier Ready Mix, Caldwell WV

Last Inspection: 06/07/2019

Sticker Expires: 12/7/2019

Standard Deviation: 650.00

Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1459803 601.002.003
Concrete, Class B

2.87 2.87

0

MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last Two Years of Data Slump Greater than or equal to 2 inches

1459814 601.002.015
Concrete, Class K

3.35 3.35

1

MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last Two Years of Data Slump Greater than or equal to 2 inches

1459816 601.002.003
Concrete, Class B

2.87 2.87

5

MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1463268 601.002.022
Concrete, Class DC

3.59 3.59

0

MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(F_c)	Factor (K_1)	Factor (K_2)	Standard Deviation (s)	Average Strength(X)	(F_c+K_2s)	$X-(F_c+K_1s)/1.4$
1463270	601.002.013 Concrete, Class H		3.47	3.47	0	MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 10

Plant Name: JRM1.01.601 Jowar Ready Mix @ laeger, WV

Last Inspection: 09/04/2019

Sticker Expires: 3/4/2020

Standard Deviation: 650.00

Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1455052	601.002.003 Concrete, Class B	02/28/2019	2.87	2.87	0							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1463261	601.002.003 Concrete, Class B		2.87	2.87	0							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1463262	601.002.015 Concrete, Class K		3.35	3.35	0							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1463339	601.002.003 Concrete, Class B		3.23	3.23	0							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1463340	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last One Year of Data Slump Greater than or equal to 2 inches												
1463341	601.002.003 Concrete, Class B		3.23	3.23	2							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1463342	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 10 Plant Name: KCX1.03.601 Kokosing Construction Company F-3 @ Sophia,
 Last Inspection: 06/13/2019 Sticker Expires: 12/13/2019 Standard Deviation: 665.67 Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last Three Months of Data Slump Less than 2 inches

1463343	501.002.001 Concrete, Pavement		2.87	2.63	57	3000	1.5	3	693.15	5144.74	> 5079.45	= 0.24
DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26												

Last Three Months of Data Slump Greater than or equal to 2 inches

1463343	501.002.001 Concrete, Pavement		2.87	2.87	5							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1465017	501.002.001 Concrete, Pavement		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last Three Months of Data Slump Less than 2 inches

1465062	501.002.001 Concrete, Pavement		2.87	2.87	5							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(F_c)	Factor (K_1)	Factor (K_2)	Standard Deviation (s)	Average Strength(X)	(F_c+K_2s)	$X-(F_c+K_1s)/1.4$
1465063	501.002.001 Concrete, Pavement		2.88	2.88	0	MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 02 Plant Name: LCC1.01.601 Logan Concrete F-1 @ Logan, WV
 Last Inspection: 08/09/2019 Sticker Expires: 2/9/2020 Standard Deviation: 650.00 Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1455065	601.002.003 Concrete, Class B	03/22/2019	2.89	2.89	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1455066	601.002.015 Concrete, Class K	03/21/2019	3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1455067	601.002.022 Concrete, Class DC	03/22/2019	3.74	3.74	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1455068	601.002.013 Concrete, Class H	03/21/2019	3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1461782	679.002.002 Concrete, Microsilica		3.83	3.83	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1461810	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1461814	601.002.015 Concrete, Class K		3.36	3.36	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Three Months of Data Slump Greater than or equal to 2 inches												
1461818	601.002.022 Concrete, Class DC		3.74	3.74	1							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1461850	501.002.001 Concrete, Pavement		2.87	2.87	0							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1461852	601.002.013 Concrete, Class H		3.45	3.45	0							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 01

Plant Name: MRM2.01.601 Logan Concrete, Inc. - Madison Plant @ Madiso

Last Inspection: 01/28/2019

Sticker Expires: 7/28/2019

Standard Deviation: 645.67

Rating: B

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last Two Years of Data Slump Greater than or equal to 2 inches

1436409	601.002.003 Concrete, Class B		2.87	2.87	1							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1436410	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1436482	601.002.022 Concrete, Class DC		3.74	3.74	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1436483	601.002.004 Concrete, Class B Modified	05/06/2018	3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1455030	601.002.013 Concrete, Class H		3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1461783	679.002.002 Concrete, Microsilica		3.83	3.83	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Two Years of Data Slump Greater than or equal to 2 inches												
1461811	601.002.003 Concrete, Class B		2.87	2.87	5							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												
Last One Year of Data Slump Greater than or equal to 2 inches												
1461811	601.002.003 Concrete, Class B		2.87	2.87	3							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last One Year of Data Slump Less than 2 inches

1461815	601.002.015 Concrete, Class K		3.36	3.36	1							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

Last One Year of Data Slump Greater than or equal to 2 inches

1461815	601.002.015 Concrete, Class K		3.36	3.36	2							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1461819	601.002.022 Concrete, Class DC		3.74	3.74	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1461851	501.002.001 Concrete, Pavement		2.87	2.87	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last Two Years of Data Slump Greater than or equal to 2 inches

1461853	601.002.013 Concrete, Class H		3.45	3.45	4							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 01

Plant Name: MRM3.01.601 Mozack Ready Mix, Winfield WV

Last Inspection: 09/30/2019

Sticker Expires: 3/30/2020

Standard Deviation: 500.17

Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last Two Years of Data Slump Less than 2 inches

1458937	601.002.003	08/21/2019	2.87	2.87	2							
	Concrete, Class B											
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

Last Two Years of Data Slump Greater than or equal to 2 inches

1458937	601.002.003	08/21/2019	2.87	2.87	28	3000	1.505	3.024	569.21	3856.66	< 4481.79	< 4721.29
	Concrete, Class B											
MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26												

Last One Year of Data Slump Greater than or equal to 2 inches

1458937	601.002.003	08/21/2019	2.87	2.87	26	3000	1.508	3.044	402.44	3606.88	< 4126.92	< 4225.03
	Concrete, Class B											
MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

Last Two Years of Data Slump Less than 2 inches

1458938	601.002.015	08/21/2019	3.35	3.35	3							
	Concrete, Class K											
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

Last Two Years of Data Slump Greater than or equal to 2 inches

1458938	601.002.015	08/21/2019	3.35	3.35	2							
	Concrete, Class K											
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

Last Two Years of Data Slump Less than 2 inches

1458994	601.002.003		4.07	4.07	1							
	Concrete, Class B											
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1459003	601.002.022 Concrete, Class DC		3.59	3.59	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last Two Years of Data Slump Greater than or equal to 2 inches												
1459004	601.002.013 Concrete, Class H		3.45	3.45	5							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1459824	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1459825	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1463252	601.002.015 Concrete, Class K		3.37	3.37	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1463253	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1463254	601.002.022 Concrete, Class DC		3.59	3.59	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1463255	601.002.003 Concrete, Class B		2.89	2.89	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1463256	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1465069	601.002.003 Concrete, Class B		2.88	2.88	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1465070	601.002.015 Concrete, Class K		3.37	3.37	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1465071	601.002.022 Concrete, Class DC		3.59	3.59	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 09

Plant Name: PCI1.01.601 Pro Contracting INC

Last Inspection: 08/08/2019

Sticker Expires: 2/8/2020

Standard Deviation: 650.00

Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1463295	601.002.003 Concrete, Class B		2.87	2.87	0	MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 01

Plant Name: RRM1.01.601 Rumble Ready Mix F-1 @ Winfield, WV

Last Inspection: 04/02/2019

Sticker Expires: 10/2/2019

Standard Deviation: 645.02

Rating: B

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last Two Years of Data Slump Greater than or equal to 2 inches

1455041 601.002.016 **11/18/2018** 3.35 3.35
Concrete, Class K Modified

2	MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA											
---	---	--	--	--	--	--	--	--	--	--	--	--

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last Two Years of Data Slump Greater than or equal to 2 inches

1455099 501.002.002 **08/07/2019** 3.35 3.11
Concrete, Pavement HES

13	3000	1.565	3.365	726.38	8388.46	>	5444.27	=	0.24	DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26		
----	------	-------	-------	--------	---------	---	---------	---	------	--	--	--

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	----------	---------------------	----------

Last Two Years of Data Slump Less than 2 inches

1458929 601.002.003 **08/08/2019** 2.87 2.87
Concrete, Class B

1	MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA											
---	---	--	--	--	--	--	--	--	--	--	--	--

Last Two Years of Data Slump Greater than or equal to 2 inches

1458929 601.002.003 **08/08/2019** 2.87 2.87
Concrete, Class B

25	3000	1.511	3.055	829.99	4254.11	<	4850.4	<	5535.62	MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26		
----	------	-------	-------	--------	---------	---	--------	---	---------	---	--	--

Last One Year of Data Slump Less than 2 inches

1458929 601.002.003 **08/08/2019** 2.87 2.87
Concrete, Class B

6	MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA											
---	---	--	--	--	--	--	--	--	--	--	--	--

Last One Year of Data Slump Greater than or equal to 2 inches

1458929 601.002.003 **08/08/2019** 2.87 2.87
Concrete, Class B

2	MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA											
---	---	--	--	--	--	--	--	--	--	--	--	--

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1458931	601.002.022 Concrete, Class DC	08/15/2019	3.59	3.59	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1458933	601.002.015 Concrete, Class K	08/15/2019	3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1458935	601.002.013 Concrete, Class H	08/17/2019	3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last Two Years of Data Slump Less than 2 inches												
1458962	601.002.003 Concrete, Class B		2.87	2.87	1							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last Two Years of Data Slump Greater than or equal to 2 inches												
1458962	601.002.003 Concrete, Class B		2.87	2.87	6							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last One Year of Data Slump Less than 2 inches												
1458962	601.002.003 Concrete, Class B		2.87	2.87	1							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last One Year of Data Slump Greater than or equal to 2 inches												
1458962	601.002.003 Concrete, Class B		2.87	3.87	13	4300	1.565	3.365	560.32	4095.38	< 5176.9	= 1
					INCREASE CEMENT FACTOR BY 1 PER SECTION 3.3 OF MP 711.03.26							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1458964	601.002.022 Concrete, Class DC		3.59	3.59	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1458966	601.002.024 Concrete, Class B w/ Fly Ash		3.45	3.45	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1458968	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1458982	601.002.013 Concrete, Class H		3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1458984	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1458988	501.002.002 Concrete, Pavement HES		3.83	3.83	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(F_c)	Factor (K_1)	Factor (K_2)	Standard Deviation (s)	Average Strength(X)	(F_c+K_1s)	(F_c+K_1s)- $X/1.4$ Increase
1458990	601.002.022 Concrete, Class DC		3.59	3.59	0	MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 01

Plant Name: RRM1.02.601 Rumble Ready Mix F-2 @ Belle, WV

Last Inspection: 10/05/2018

Sticker Expires: 4/5/2019

Standard Deviation: 650.00

Rating: B

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1455100	501.002.002 Concrete, Pavement HES	08/08/2019	3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
Last Two Years of Data Slump Greater than or equal to 2 inches												
1458930	601.002.003 Concrete, Class B	08/08/2019	2.87	2.87	4							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1458932	601.002.022 Concrete, Class DC	08/15/2019	3.59	3.59	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1458934	601.002.015 Concrete, Class K	08/15/2019	3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1458936	601.002.013 Concrete, Class H	08/18/2019	3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1458963	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1458965	601.002.022 Concrete, Class DC		3.59	3.59	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1458967	601.002.024 Concrete, Class B w/ Fly Ash		3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1458969	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1458983	601.002.013 Concrete, Class H		3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1458985	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1458989	501.002.002 Concrete, Pavement HES		3.83	3.83	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(F_c)	Factor (K_1)	Factor (K_2)	Standard Deviation (s)	Average Strength(X)	(F_c+K_1s)	(F_c+K_1s)- $X/1.4$ Increase
1458991	601.002.022 Concrete, Class DC		3.59	3.59	0	MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 03

Plant Name: SCC1.01.601 Smith Concrete F-1 @ Porterfield, OH

Last Inspection: 04/15/2019

Sticker Expires: 10/15/2019

Standard Deviation: 663.62

Rating: B

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
Last Two Years of Data Slump Less than 2 inches												
1455069	601.002.003 Concrete, Class B	04/03/2019	2.89	2.89	1							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						
Last Two Years of Data Slump Greater than or equal to 2 inches												
1455069	601.002.003 Concrete, Class B	04/03/2019	2.89	2.89	4							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						
Last One Year of Data Slump Greater than or equal to 2 inches												
1455069	601.002.003 Concrete, Class B	04/03/2019	2.89	2.89	4							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
Last One Year of Data Slump Less than 2 inches												
1463289	601.002.003 Concrete, Class B		2.87	2.87	1							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						
Last One Year of Data Slump Greater than or equal to 2 inches												
1463289	601.002.003 Concrete, Class B		2.87	2.87	7							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						
Last Three Months of Data Slump Greater than or equal to 2 inches												
1463289	601.002.003 Concrete, Class B		2.87	2.87	8							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 03

Plant Name: SCC1.02.601 Smith Concrete F-2 @ Reno, OH

Last Inspection: 08/21/2019

Sticker Expires: 2/21/2020

Standard Deviation: 517.73

Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1455070	601.002.003 Concrete, Class B	04/03/2019	2.91	2.91	0							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
Last One Year of Data Slump Greater than or equal to 2 inches												
1463290	601.002.003 Concrete, Class B		2.87	2.87	3							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						
Last Three Months of Data Slump Greater than or equal to 2 inches												
1463290	601.002.003 Concrete, Class B		2.87	2.87	2							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
Last One Year of Data Slump Greater than or equal to 2 inches												
1463330	601.002.022 Concrete, Class DC		3.73	3.73	4							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						
Last Three Months of Data Slump Greater than or equal to 2 inches												
1463330	601.002.022 Concrete, Class DC		3.73	3.73	4							
						MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1463333	601.002.009 Concrete, Class C		2.51	2.51	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1465066	601.002.013 Concrete, Class H		3.50	3.50	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1465067	601.002.014 Concrete, Class H Modified		3.50	3.50	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 09

Plant Name: SSC1.01.601 Superior Supply @ Caldwell, WV

Last Inspection: 06/07/2019

Sticker Expires: 12/7/2019

Standard Deviation: 650.00

Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1455077	601.002.003 Concrete, Class B	06/27/2019	2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1459815	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1459817	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K1s)	(Fc+K1s)-X/1.4 Increase
1463269	601.002.022 Concrete, Class DC		3.59	3.59	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(F_c)	Factor (K_1)	Factor (K_2)	Standard Deviation (s)	Average Strength(X)	(F_c+K_1s)	(F_c+K_1s)- $X/1.4$ Increase
1463271	601.002.013 Concrete, Class H		3.47	3.47	0	MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 06

Plant Name: SSC1.03.601 Smith Concrete F-3 @ Tiltonville OH

Last Inspection: 03/18/2019

Sticker Expires: 9/18/2019

Standard Deviation: 719.41

Rating: B

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last One Year of Data Slump Greater than or equal to 2 inches

1463265	601.002.022		3.73	3.73	3							
	Concrete, Class DC											
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

Last Three Months of Data Slump Greater than or equal to 2 inches

1463265	601.002.022		3.73	3.73	3							
	Concrete, Class DC											
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last One Year of Data Slump Greater than or equal to 2 inches

1463266	601.002.022		4.26	4.02	10	0	1.604	3.615	891.51	8775	> 3222.81	= 0.24
	Concrete, Class DC											
DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26												

Last Three Months of Data Slump Greater than or equal to 2 inches

1463266	601.002.022		4.26	4.26	1							
	Concrete, Class DC											
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last One Year of Data Slump Greater than or equal to 2 inches

1463293	601.002.004		3.95	3.95	9							
	Concrete, Class B Modified											
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

Last Three Months of Data Slump Greater than or equal to 2 inches

1463293	601.002.004		3.95	3.95	3							
	Concrete, Class B Modified											
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last One Year of Data Slump Less than 2 inches												
1463329	601.002.003 Concrete, Class B		2.87	2.87	8							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							
Last One Year of Data Slump Greater than or equal to 2 inches												
1463329	601.002.003 Concrete, Class B		2.87	2.63	57	3000	1.5	3	714.35	5750.35	> 5143.05	= 0.24
					DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26							
Last Three Months of Data Slump Greater than or equal to 2 inches												
1463329	601.002.003 Concrete, Class B		2.87	2.87	8							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1463331	601.002.015 Concrete, Class K		3.35	3.35	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last One Year of Data Slump Greater than or equal to 2 inches												
1463332	601.002.004 Concrete, Class B Modified		4.07	4.07	9							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last One Year of Data Slump Greater than or equal to 2 inches												
1463337	601.002.006		3.45	3.45	4							
	Concrete, Class B Mass, Modified				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1465022	601.002.011		1.11	1.11	0							
	Concrete, Class D				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 05

Plant Name: TBH1.01.601 Thomas, Bennet & Hunter, Inc @ Martinsburg, W

Last Inspection: 09/12/2019

Sticker Expires: 3/12/2020

Standard Deviation: 815.09

Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Two Years of Data Slump Less than 2 inches												
389014 - R15	601.002.003		2.87	2.63	29	3000	1.503	3.016	880.1	6108.07	> 5654.38	= 0.24
	Concrete, Class B				DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26							
Last Two Years of Data Slump Greater than or equal to 2 inches												
389014 - R15	601.002.003		2.87	2.63	94	3000	1.5	3	917.02	6143.63	> 5751.06	= 0.24
	Concrete, Class B				DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26							
Last One Year of Data Slump Less than 2 inches												
389014 - R15	601.002.003		2.87	2.87	10	3000	1.604	3.615	894.63	4434.99	< 5896.9	< 6234.09
	Concrete, Class B				MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26							
Last One Year of Data Slump Greater than or equal to 2 inches												
389014 - R15	601.002.003		2.87	2.63	27	3000	1.507	3.034	696.65	6058.19	> 5113.64	= 0.24
	Concrete, Class B				DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26							
Last Three Months of Data Slump Greater than or equal to 2 inches												
389014 - R15	601.002.003		2.87	2.87	2							
	Concrete, Class B				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last One Year of Data Slump Greater than or equal to 2 inches												
389016 - R15	601.002.015	01/26/2018	3.37	3.37	1							
	Concrete, Class K				MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1389017 - R15	601.002.013 Concrete, Class H	01/27/2018	3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Two Years of Data Slump Greater than or equal to 2 inches												
1398981	601.002.005 Concrete, Class B Mass		2.96	2.96	6							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												
Last One Year of Data Slump Greater than or equal to 2 inches												
1398981	601.002.005 Concrete, Class B Mass		2.96	2.72	23	3000	1.515	3.081	803.14	5706.87	> 5474.47	= 0.24
DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26												
Last Three Months of Data Slump Greater than or equal to 2 inches												
1398981	601.002.005 Concrete, Class B Mass		2.96	2.72	30	3000	1.501	3.008	701.33	6303	> 5109.6	= 0.24
DECREASE CEMENT FACTOR BY 0.24 PER SECTION 3.3 OF MP 711.03.26												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
Last Three Months of Data Slump Greater than or equal to 2 inches												
1399059	601.002.004 Concrete, Class B Modified		2.95	2.95	1							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 06

Plant Name: TSC1.01.601 Tri-Son Concrete Inc F-1 @ Bellaire, OH

Last Inspection: 04/05/2019

Sticker Expires: 10/5/2019

Standard Deviation: 869.53

Rating: B

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last Two Years of Data Slump Greater than or equal to 2 inches

1455031	601.002.003 Concrete, Class B		2.87	2.87	8							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last Three Months of Data Slump Less than 2 inches

1461843	601.002.015 Concrete, Class K		3.35	3.35	1							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

Last Three Months of Data Slump Greater than or equal to 2 inches

1461843	601.002.015 Concrete, Class K		3.35	3.35	1							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last Three Months of Data Slump Greater than or equal to 2 inches

1463285	601.002.013 Concrete, Class H		3.52	3.52	2							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 02 Plant Name: TWG1.01.601 The Wells Group F-1 @ South Williamson, KY
 Last Inspection: 04/23/2019 Sticker Expires: 10/23/2019 Standard Deviation: 650.00 Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1394075	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1421138	601.002.004 Concrete, Class B Modified	01/27/2018	3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1455013	601.002.015 Concrete, Class K	06/13/2018	3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1455022	601.002.013 Concrete, Class H	08/30/2018	3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1459000	679.002.002 Concrete, Microsilica		3.83	3.83	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1461788	601.002.022 Concrete, Class DC		3.74	3.74	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 02 Plant Name: TWG1.02.601 The Wells Group F-2 @ Lovely, KY
 Last Inspection: 04/23/2019 Sticker Expires: 10/23/2019 Standard Deviation: 650.00 Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
390295 RE-14	601.002.003 Concrete, Class B		2.87	2.87	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1421137	601.002.004 Concrete, Class B Modified	01/27/2018	3.35	3.35	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1455014	601.002.015 Concrete, Class K	06/01/2018	3.35	3.35	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1455023	601.002.013 Concrete, Class H	08/31/2018	3.45	3.45	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1459001	679.002.002 Concrete, Microsilica		3.83	3.83	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1461789	601.002.022 Concrete, Class DC		3.74	3.74	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 02 Plant Name: TWG1.03.601 The Wells Group F-3 @ Wayne, WV
 Last Inspection: 05/10/2019 Sticker Expires: 11/10/2019 Standard Deviation: 650.00 Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1420224	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1421135	601.002.004 Concrete, Class B Modified	01/27/2018	3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1455015	601.002.015 Concrete, Class K	06/02/2018	3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1455024	601.002.013 Concrete, Class H	08/30/2018	3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1458999	679.002.002 Concrete, Microsilica		3.83	3.83	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1461787	601.002.022 Concrete, Class DC		3.74	3.74	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 02

Plant Name: TWG1.04.601 The Wells Group F-4 @ Cannonsburg, KY

Last Inspection: 05/14/2019

Sticker Expires: 11/14/2019

Standard Deviation: 650.00

Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last Three Months of Data Slump Less than 2 inches

1420283	601.002.003 Concrete, Class B		2.87	2.87	1							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1455016	601.002.015 Concrete, Class K	06/01/2018	3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1455025	601.002.013 Concrete, Class H	08/30/2018	3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1459002	679.002.002 Concrete, Microsilica		3.83	3.83	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(F_c)	Factor (K_1)	Factor (K_2)	Standard Deviation (s)	Average Strength(X)	(F_c+K_2s)	$X-(F_c+K_1s)/1.4$
1461790	601.002.022 Concrete, Class DC		3.74	3.74	0	MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA						

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 02 Plant Name: TWG1.05.601 The Wells Group F-5 @ Louisa, KY
 Last Inspection: 06/25/2019 Sticker Expires: 12/25/2019 Standard Deviation: 650.00 Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1421064	601.002.003 Concrete, Class B		2.87	2.87	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1421104	601.002.013 Concrete, Class H	01/27/2018	3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1421139	601.002.004 Concrete, Class B Modified	01/27/2018	3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1455017	601.002.015 Concrete, Class K	06/01/2018	3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1455026	601.002.013 Concrete, Class H	08/31/2018	3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1459804	679.002.002 Concrete, Microsilica		3.83	3.83	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
1461791	601.002.022 Concrete, Class DC		3.74	3.74	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 01

Plant Name: VBC1.03.601 Cardinal Concrete @ Robertsburg

Last Inspection: 08/19/2019

Sticker Expires: 2/19/2020

Standard Deviation: 650.00

Rating: A-1

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

Last One Year of Data Slump Greater than or equal to 2 inches

1461856	601.002.003 Concrete, Class B		2.87	2.87	2							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	Average Strength(X)	(Fc+K2s)	X-(Fc+K1s)/1.4
-------------------	------------------------------	--------------	------------------------	------------------------	----------------	---------------------	-------------	-------------	------------------------	---------------------	----------	----------------

1461857	601.002.015 Concrete, Class K		3.35	3.35	0							
					MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA							

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

District: 06

Plant Name: WIC1.01.601 Weirton Ice & Coal @ Weirton, WV

Last Inspection: 04/04/2019

Sticker Expires: 10/4/2019

Standard Deviation: 915.76

Rating: B

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1455020	601.002.015 Concrete, Class K	08/05/2018	3.35	2.87	36	3000	1.5	3	1115.77	4673.66	< 6033.61	< 6347.31
MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1455021	601.002.003 Concrete, Class B	08/05/2018	2.87	2.87	36	3000	1.5	3	1115.77	4673.66	< 6033.61	< 6347.31
MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1455038	601.002.013 Concrete, Class H	10/21/2018	3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last One Year of Data Slump Greater than or equal to 2 inches												
1461844	601.002.013 Concrete, Class H		3.50	3.50	3							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1461858	601.002.015 Concrete, Class K		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last Two Years of Data Slump Greater than or equal to 2 inches												
1463244	601.002.003 Concrete, Class B		2.87	2.87	11	3000	1.588	3.51	974.31	4547.2 <	4816.36 <	6419.83
MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26												
Last One Year of Data Slump Greater than or equal to 2 inches												
1463244	601.002.003 Concrete, Class B		2.87	2.87	18	3000	1.533	3.175	800.01	4226.42 <	5319.44 <	5540.03
MAINTAIN CURRENT CEMENT FACTOR, PER SECTION 3.3 OF MP 711.03.26												
Last Three Months of Data Slump Greater than or equal to 2 inches												
1463244	601.002.003 Concrete, Class B		2.87	2.87	6							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1463245	601.002.022 Concrete, Class DC		3.35	3.35	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

PCC Plant Evaluation with Cement Factors

Effective Date: 10/22/2019

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1463263	601.002.022 Concrete, Class DC		3.73	3.73	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
Last One Year of Data Slump Greater than or equal to 2 inches												
1463264	601.002.022 Concrete, Class DC		4.26	4.26	1							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1463294	601.002.004 Concrete, Class B Modified		3.95	3.95	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												

<----- Evaluation of Cement Requirements ----->

Mix Design Number	Material Code / Class of Mix	Expired Date	Approved Cement Factor	Adjusted Cement Factor	Pieces of Data	Design Strength(Fc)	Factor (K1)	Factor (K2)	Standard Deviation (s)	(Fc+K1s)	Average Strength(X)	(Fc+K2s)
1463338	601.002.006 Concrete, Class B Mass, Modified		3.45	3.45	0							
MAINTAIN CURRENT CEMENT FACTOR, INSUFFICIENT AMOUNT OF DATA												