AWP Training Manual Section 4 Rev. 03-13-2024

Section 4: How to Delete a Sample Record

Applicable Roles:

- 1. Materials Regional Coordinators
- 2. District Materials Sup. & Office Coord.
- 3. District Lab Technician

4-1 DELETING A SAMPLE RECORD

Go to the Home Page.

Click on Sample Records.

Home V Previous V My Pages V		Actions
On this page: Construction Materials Materials Worksheets Ma	laterials Reference Data System Administration	
PROJECT Materials Regional Coordinators User	(Materials)	
✓ Materials	Construction	
Daily Source Reports	Change Order	
Mix Design	Contract Administration	
Sample Records	Contract Progress	
		(4-1)

This takes you to the Sample Record Overview Page.

In the Search Box Enter the Lab Reference Number or the Sample ID Number.

Press Enter.

 Sample Record Overvie 			201
Q C4231108	System Default Showing 1 of 1		
The previously highlighted row is r	at in the ourrent search results. Show previously highlighted row. 🗙		
The previously highlighted row is r	of in the current search results. Show previously highlighted row.		0 marked for detetion 0 c
The previously highlighted row is i Sample ID	of in the current search results. Show previously highlighted row. X Lab Reference Number	Sample Status	0 marked for deletion 0 c
The previously highlighted row is in Sample ID TBush202200227091538	ot in the current search results. Show previously highlighted row. X Lab Reference Number C4231108	Sample Status QC/QAD - Pass	0 marked for deletion 0 c

(4-2)

Section 4 (Page 1 of 2)

AWP Questions: dohawpmaterials@wv.gov Click on the $\mathbf{\nabla}$ (on the right) of the Sample Record you want to Delete.

Click on **Delete**.

Click Save.

If you are unable to delete, you may need to delete Sample Records Tests, or Destination Labs.

Sample Record Overview	V		
✓ Sample Record Overview			Save 🗸 🥐
Q C4231108	Sample Date Sort Showing 1 of 1		
			0 marked for deletion 0 changed
Sample ID	Lab Reference Number	Sample Status	•
TBush20230327091538	C4231108	QC/QAD - Pas	Actions 🗶
Material Code	Material Full Name	Sample Date	Сору
601.003.003.02	Concrete, Class B, With Fly Ash, Slag Cement, Natural SCM	03/21/2023	Delete
			Exclude from Search Results
			Open
			Tasks
			Authorize
			Split Sample Record
			Unauthorize
			Views

(4-3)

You are Done Deleting this Sample Record.

Section 4 (Page 2 of 2)

AWP Questions: dohawpmaterials@wv.gov