WV Parkways Authority Solicitation — RFQ Stainless Steel Dump Body

1.5 Ton Regular Cab 4X4 Truck with Stainless Steel Dump Body

Addendum	Number: 1	

The Purpose of this addendum is to modify the solicitation identified as ("Agency Solicitation") to reflect the change(s) identified and described below.

Applicable Addendum Category:		
	Modify bid opening date and time	
\checkmark	Modify specification of product or service being sought	
	Attachment of vendor questions and responses	
	Attachment of pre-bid sign-in sheet	
\checkmark	Correction of error	
	Other	

Description of Modification to Solicitation:

This Addendum issued to publish and distribute the attached documentation to the vendor community.

All references to a "1.5-ton" truck shall be understood and replaced with a "Class 5" truck. This correction reflects the intended vehicle class and capability required for the specified application. For reference, acceptable vehicle platforms include but are not limited to: Ford F-550, Ram 5500, Chevrolet Silverado 5500HD, International CV Series.

Additional Documentation: Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

Terms and Conditions:

- 1. All provision of the Agency Solicitation and other addenda not modified herein shall remain in full force and effect.
- Vendor should acknowledge receipt of all addenda issued for this Agency Solicitation by completing an Addendum Acknowledgement, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

ADDENDUM ACKNOWLEDGEMENT FORM

SOLICITATION NO.: 1.5 Ton Regular Cab 4X4 Truck with Stainless Steel Dump Body

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification. Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received: (Check the box next to each addendum to	received)
✓ Addendum No. 1 ☐ Addendum No. 2 ☐ Addendum No. 3 ☐ Addendum No. 4 ☐ Addendum No. 5	☐ Addendum No. 6 ☐ Addendum No. 7 ☐ Addendum No. 8 ☐ Addendum No. 9 ☐ Addendum No. 10
I further understand that any verbal repridiscussion held between Vendor's repre	receipt of addenda may be cause for rejection of this be resentation made or assumed to be made during any or esentatives and any state personnel is not binding. Only ided to the specifications by an official addendum is
Company	
Authorized Signature	
Date	
NOTE: This addendum acknowledgement	ent should be submitted with the bid to expedite

Revised 04/21/2021

document processing.

SPECIFICATIONS

- 1. **PURPOSE AND SCOPE:** The West Virginia Parkways Authority (WVPA) is soliciting bids to establish a contract for the one-time purchase of one (1) new one and a half (1.5) Ton Class 5 Regular Cab 4X4 Truck with Stainless Steel Dump Body per the specifications outlined below.
- **2. DEFINITIONS:** The terms listed below shall have the meanings assigned to them below. Additional definitions can be found in Section 2 of the General Terms and Conditions.
 - **2.1 "Contract Item"** means the list of items identified in Section 3.1, below and on the Pricing Page.
 - 2.2 "CA" means cab to axle.
 - **2.3 "GVWR"** means gross vehicle weight rating.
 - **2.4 "Horsepower (HP)"** means a unit of measurement that quantifies an engine's power output.
 - **2.5 "Pricing Page"** means the pages, attached as Exhibit A, upon which Vendor should list its proposed price for the Contract Items.
 - **2.6 "Solicitation"** means the official notice of an opportunity to supply the State with goods or services that is published by the West Virginia Parkways Authority Purchasing Division.
 - **2.7 "WVPA or "Agency"** means the West Virginia Parkways Authority.

3. GENERAL REQUIREMENTS:

3.1 Mandatory Contract Item Requirements: Contract Item must meet or exceed the mandatory requirements listed below.

3.1.1 General Requirements

3.1.1.1 Truck shall be new and of the current model year or newer, configured as a 1.5-ton, Class 5, 4x4, regular cab truck equipped with a stainless-steel dump body.

- **3.1.1.2** Truck shall have a GVWR of not less than 19,500 pounds, suitable to support the combined weight of the dump body, snowplow, spreader, and associated equipment while maintaining legal payload capacity.
- **3.1.1.3** Truck shall have a cab-to-axle (CA) measurement of eighty-four (84) inches.
- **3.1.1.4** Truck shall have a spare tire and wheel.

3.1.2 Engine

- **3.1.2.1** Shall have a minimum 6.6L turbocharged diesel engine.
- **3.1.2.2** Shall have a minimum 320 HP.
- **3.1.2.3** Shall have a minimum 700 lb-ft torque.
- **3.1.2.4** Shall have an engine heater.
- **3.1.2.5** Shall have largest cooling system manufacturer offers.

3.1.3 Transmission

- **3.1.3.1** Shall have automatic transmission with gear driven transfer case.
- **3.1.3.2** Shall have an external transmission cooler
- **3.1.3.3** Driveline shall have greaseable u-joints

3.1.4 Cab

- **3.1.4.1** Shall have standard regular cab with factory air conditioning.
- **3.1.4.2** Shall have power windows.
- **3.1.4.3** Shall have power locks.

- **3.1.4.4** Shall have power and heated mirrors.
- **3.1.4.5** Shall have keyless entry with two key fobs.
- **3.1.4.6** Shall have tilt wheel.
- **3.1.4.7** Shall have cruise control.
- **3.1.4.8** Shall have factory tinted windows.
- 3.1.4.9 Shall have AM/FM radio.
- **3.1.4.10** Shall have factory integrated trailer brake controller
- **3.1.4.11** Shall have factory integrated up-fitter switches.
- **3.1.4.12** Shall have gray or charcoal interior vinyl seats.
- **3.1.4.13** Shall have factory steps or running boards.
- **3.1.4.14** Exterior paint shall be color white.
- **3.1.4.15** Shall have cab mounted DEF filler in a location away from fuel filler.

3.1.5 Suspension

- **3.1.5.1** Shall be equipped with manufacturer's snowplow package.
- **3.1.5.2** Shall have straight frame with clean top rail.
- **3.1.5.3** Shall have dual wheels.
- **3.1.5.4** Shall have manual locking front hubs for four (4) wheel drive.
- **3.1.5.5** Shall have a trailer tow package.

- **3.1.5.6** Shall be equipped with all-season radial tires.
- **3.1.5.7** Shall have a locking rear differential.
- **3.1.5.8** Shall have single piece, non-welded frame rails.
- **3.1.5.9** Shall be equipped with manufacturer's heaviest duty brakes.

3.1.6 **Body**

- **3.1.6.1** Shall have 304 Stainless steel dump body to fit eighty-four (84) inch CA.
- **3.1.6.2** Shall have 11.5' long X 18" tall sides with 24" tall tailgate and straight tall head sheet to accommodate telescopic hoist.
- **3.1.6.3** Shall have 10 GA. 304 stainless steel body shell (2b bright finish unpainted).
- **3.1.6.4** Shall have 3/16" 304 1-piece seamless stainless-steel floor.
- **3.1.6.5** Shall have fixed bedsides.
- **3.1.6.6** Must be cross-member-less style body.
- **3.1.6.7** Must have full boxed body top rail.
- **3.1.6.8** Shall have oval recessed strobe lights two (2) mounted one on each side of front face of cab protector.
- **3.1.6.9** Shall have full depth rear corner posts.
- **3.1.6.10** Shall have double acting tailgate that is double walled and quick latch style.
- **3.1.6.11** Shall have manual tailgate release handle on driver's side front.

- **3.1.6.12** Shall have tailgate spreader chains and locks.
- **3.1.6.13** Cab shield shall be approximately twenty-two (22) inches long by eighty-two (82) inches wide.
- **3.1.6.14** Shall have gussets on top of sides to add wooden side boards.
- **3.1.6.15** Shall have body safety props.
- **3.1.6.16** Shall have rear mud flaps and anti-sail brackets.
- **3.1.6.17** Shall have one (1) M90-3.5-3 front mounted telescopic double acting hoist cylinder.
- **3.1.6.18** Shall have DewEze under hood fan belt driven hydraulic pump with control switch mounted on the dash.
- **3.1.6.19** Shall have body up warning light.
- **3.1.6.20** Shall have ninety-seven (97) decibel backup alarm.
- **3.1.6.21** Shall have HD hitch plate with class "V" 2 ½" receiver and 2" bushing.
- **3.1.6.22** Shall have seven-blade round trailer plug.
- **3.1.6.23** Shall be equipped with LED oval recessed backup, stop, turn taillights in rear corner post with rubber grommets and LED recess marker lights.
- **3.1.6.24** Hydraulic fluid reservoir and in cab hoist control do not need to be included as the WVPA will be installing its own hydraulic control system.

3.1.7 Warranty

- **3.1.7.1** Shall have three (3) years / 36,000 miles minimum bumper-to-bumper.
- **3.1.7.2** Shall have five (5) years / 100,000 miles minimum powertrain.

4. CONTRACT AWARD:

- **4.1 Contract Award:** The Contract is intended to provide the WVPA with a purchase price for the Contract Item. The Contract shall be awarded to the Vendor that provides the Contract Item meeting the required specifications for the lowest overall total cost as shown on the Pricing Page.
- **4.2 Pricing Page:** Vendor should complete the Pricing Page by entering the grand total into the unit price box. Unit pricing must include all fees, shipping or any other incidentals associated with the total cost of the item. Vendor should complete the Pricing Page in full as failure to complete the Pricing Page in its entirety may result in Vendor's bid being disqualified.

VENDORS MUST PROVIDE:

- Completed Pricing Page (Exhibit A).
- Detailed Specification Sheet or Manufacturer Cut Sheets demonstrating compliance with each requirement.
- Estimated delivery timeframe.
- Warranty documentation.
- Signed Agency terms and conditions.

Failure to provide complete documentation may result in disqualification of the bid.

5. PAYMENT:

5.1 Payment: Vendor shall accept payment in accordance with the payment procedures of the State of West Virginia.

6. DELIVERY AND RETURN:

- **6.1 Shipment and Delivery:** Vendor shall deliver the Contract Item within 150 working days after receiving a purchase order. Contract Items must be delivered to Agency at 265 Neptune Dr., Beckley, WV 25801.
- **6.2 Late Delivery:** WVPA must be notified in writing if the shipment of the Contract Items will be delayed for any reason. Any delay in delivery that could cause harm to an Agency will be grounds for cancellation of the Contract, and/or obtaining the Contract Items from a third party.
- **6.3 Delivery Payment/Risk of Loss:** Vendor shall deliver the Contract Items F.O.B. destination to the Agency's location.
- 6.4 Return of Unacceptable Items: If the Agency deems the Contract Items to be unacceptable, the Contract Items shall be returned to Vendor at Vendor's expense and with no restocking charge. Vendor shall either make arrangements for the return within five (5) days of being notified that items are unacceptable or permit the Agency to arrange for the return and reimburse Agency for delivery expenses. If the original packaging cannot be utilized for the return, Vendor will supply the Agency with appropriate return packaging upon request. All returns of unacceptable items shall be F.O.B. the Agency's location. The returned product shall either be replaced, or the Agency shall receive a full credit or refund for the purchase price, at the Agency's discretion.
- 6.5 Return Due to Agency Error: Items ordered in error by the Agency will be returned for credit within 30 days of receipt, F.O.B. Vendor's location. Vendor shall not charge a restocking fee if returned products are in a resalable condition. Items shall be deemed to be in a resalable condition if they are unused and in the original packaging. Any restocking fee for items not in a resalable condition shall be the lower of the Vendor's customary restocking fee or 5% of the total invoiced value of the returned items.

7. VENDOR DEFAULT:

- **7.1.** The following shall be considered a vendor default under this Contract.
 - **7.1.1.** Failure to provide Contract Items in accordance with the requirements contained herein.
 - **7.1.2.** Failure to comply with other specifications and requirements contained herein.

- **7.1.3.** Failure to comply with any laws, rules, and ordinances applicable to the Contract Services provided under this Contract.
- **7.1.4.** Failure to remedy deficient performance upon request.
- **7.1.5.** The following remedies shall be available to WVPA upon default.
- **7.2.** Immediate cancellation of the Contract.
 - **7.2.1.** Immediate cancellation of one or more release orders issued under this Contract.
 - **7.2.2.** Any other remedies available in law or equity.