



State of West Virginia
Request For Quotation

Procurement Folder : 474202

Document Description : 7718009 TEMPERATURE CONTROL WATER BATH

Procurement Type : Agency Purchase Order

Date Issued	Solicitation Closes	Solicitation No	Version	Phase
2018-07-20	2018-08-06 11:00:00	ARFQ 0803 DOT1900000004	1	Final

SUBMIT RESPONSES TO:	VENDOR
FINANCE & ADMINISTRATION DIVISION OF HIGHWAYS BLDG 5, RM A-220 1900 KANAWHA BLVD E CHARLESTON WV 25302 US	Vendor Name, Address and Telephone FISHER SCIENTIFIC CO LLC 4500 TURNBERRY DRIVE HANOVER, IL 60133 <i>1-800-766-7000</i>

FOR INFORMATION CONTACT THE
 Dusty J Smith
 (304) 558-9398
 dusty.j.smith@wv.gov

Signature X *[Handwritten Signature]* FEIN # *23-294-2737* DATE *8-4-18*

ADDITIONAL INFORMATION:

*****NOTICE*****

MAKE SURE YOU DOWNLOAD ALL INFORMATION
TERMS AND CONDITIONS-SPECIFICATIONS-PAFFIDAVIT
-ETHICS
PRICING PAGES
VENDOR PERPERENCE

INVOICE TO	SHIP TO
DIVISION OF HIGHWAYS MATERIALS, CONTROL, SOILS, & TESTING 190 DRY BRANCH DR CHARLESTON WV25306 US	DIVISION OF HIGHWAYS MATERIALS, CONTROL, SOILS, & TESTING 190 DRY BRANCH DR CHARLESTON WV 25306 US

Line	Commodity Line Description	Qty	Unit Issue	Unit Price	Total Price
1	TEMPERATURE CONTROL WATER BATH	2.00000	EA	3,099.38	6,198.76

Commodity Code	Manufacturer	Model #	Specification
41103702	Thermo Scientific	TSC IR89	Attachment.

Extended Description
TEMPERATURE CONTROL WATER BATH

SCHEDULE OF EVENTS

Line	Event	Event Date
1	Technical Question due by 10am	2018-07-30

Attached Quote 8216 - 3301 - 90 for details
* free shipping



Fisher Scientific

Part of Thermo Fisher Scientific

To: DUSTY SMITH

Date: 08/04/2018

Message: ANY FURTHER QUESTIONS PLEASE REACH OUT TO
YOUR FISHER SCIENTIFIC SALES REP CARLY NOLAN
CARLY.NOLAN@THERMOFISHER.COM
PHONE 412-3292845

Sales Quotation

*Quote Nbr	Creation Date	Due Date	Page
8216-3301-90	08/04/2018		1 of 1
Payment Terms		Delivery Terms	
NET 30 DAYS		DEST	
Valid To		Prepared By	
12/02/2018		BECK, JODY A.	
Customer Reference		Sales Representative	
RFQ BID ARFQ 0803 DOT1900000004,0		CARLY NOLAN	
To place an order	Ph: 800-766-7000	Fx: 800-926-1166	
Submitted To:		Customer Account: 445554-001	
DUSTY SMITH JODY.BECK@THERMOFISHER.COM 304-558-9398		STATE OF WEST VIRGINIA DOT/DIV OF HIGHWAYS 190 DRY BRANCH RD MCS & T CHARLESTON WV 25306-6616	



Part of Thermo Fisher Scientific

FISHER SCIENTIFIC COMPANY LLC
4500 TURNBERRY DRIVE
HANOVER PARK IL 60133-5491

Review and Place Order

Please note: This link initiates order review / placement through fishersci.com

***Please reference this Quote Number on all correspondence.**

Don't have a profile? Register on fishersci.com

For complete Terms and Conditions, please [click here.](#)

Nbr	Qty	UN	Catalog Number	Description	Unit Price	Extended Price
1	2	EA	TSCIR89	PRECISION 89L CIRCULATING BATH Bath, Water; Thermo Scientific; Precision Circulating Water Bath; Digital; 89L (23.5 gal.); Amb. plus 5C to 100C; 120V/230V, 50/60HZ Vendor Catalog # TSCIR89 This item is being sold as 1 per each GSA# GS07F161BA Medical Device	3,099.38	6,198.76

MERCHANDISE TOTAL

* Free Shipping

6,198.76

NOTES:

We now offer highly competitive financing with low monthly payments. Please contact your local sales representative for more information.

Tell us about your recent customer service experience by completing a short survey. This should take no longer than three minutes. Enter the link into your browser and enter the passcode: USA-PGH-CS2

<http://survey.medallia.com/fishersci>

Thermo Scientific™ Precision™ Circulating Water Baths **GSA/VA**

Achieve outstanding temperature uniformity for your samples with perimeter-directed water flow on Precision circulating water baths. Featuring advanced temperature controller.

Manufacturer: Thermo Scientific™ TSCIR89

Description

Thermo Scientific™ Precision™ circulating water baths are ideal when temperature uniformity and control are particularly critical, such as when working with enzymes and in serological applications. Available in three different models, these high performance baths feature a microprocessor control and include a removable stainless steel gable cover, diffuser tray, and rubber duck.

- Achieve enhanced temperature uniformity with perimeter-directed water flow
- Easily clean and maintain bath with coil-free internal design
- Optimize scheduling with auto-on and auto-off timers
- Accommodate taller labware with new hinged lid and extended height
- Help prevent bath overheating and damage with low-fluid protection
- Easily operate and monitor with icon-based graphical display
- Protect your work with audible alarms

This product(s) resides on a Fisher Scientific GSA or VA contract. If you are viewing this page as a nonregistered user, the price(s) displayed is List Price. To view your GSA or VA contract pricing, log in using your account number, or become a registered user by contacting one of our Customer Service teams. You can also view your contract price by searching for this item(s) on GSA Advantage. To place an order, contact Fisher Scientific Customer Service.

Specifications

Description	89L Circulating Water Bath	Dimensions (D x W x H) Interior	19 x 36 x 9.5 in.(483 x 914 x 241mm)
Display	Monochrome LCD	Temperature Presets	4
Temperature Uniformity	±0.05 °C	Temperature Range (Metric)	Amb. +5°C to 100°C
Heating Capacity	1500W	Volume (English) Max. Bath	23.5 gal.
Volume (Metric) Max. Bath	89L	Certifications/Compliance	UL, CE
Control	Digital	Electrical Requirements	Global Voltage 100-115V/200-230V, 50/60 Hz
Dimensions (L x W x H) Exterior	21.5 x 45.7 x 11.8 in. (546 x 1160 x 300mm)	Amperage	11.2-13.1 / 5.4-6.3 (120V/230V)
Model	Precision CIR 89	Includes	1 Stainless Steel Gable cover, 1 Diffuser Tray, and Rubber Duck
Material	304 Stainless Steel	Temperature Stability	±0.1 °C

DOT1900000004	Document Phase Final	Document Description 7718009 TEMPERATURE CONTROL WATER BATH	Page 3 of 3
---------------	--------------------------------	--	-----------------------

ADDITIONAL TERMS AND CONDITIONS

See attached document(s) for additional Terms and Conditions