



Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

**State of West Virginia  
 Solicitation Response**

**Proc Folder :** 658130  
**Solicitation Description :** ADDENDUM #1  
**Proc Type :** Agency Master Agreement

Date issued	Solicitation Closes	Solicitation Response	Version
	2019-12-16 14:30:00	SR 0803 ESR12091900000003483	1

<b>VENDOR</b>
VS0000020477 ROBERTS SERVICE CENTER JEFFREY L ROBERTS

**Solicitation Number:** ARFQ 0803 DOT2000000022

**Total Bid :** \$0.00      **Response Date:** 2019-12-13      **Response Time:** 10:53:43

**Comments:**

**FOR INFORMATION CONTACT THE BUYER**  
 Tina L Lewis  
 (304) 558-9398  
 tina.l.lewis@wv.gov

<b>Signature on File</b>	<b>FEIN #</b>	<b>DATE</b>
--------------------------	---------------	-------------

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	EQUIPMENT LEASE/RENTAL WITH OPERATOR	0.00000	EA	\$94.000000	\$0.00

Comm Code	Manufacturer	Specification	Model #
72141702			

**Extended Description :** EQUIPMENT LEASE/RENTAL WITH OPERATOR PER THE ATTACHED EXHIBIT B

## Vendor Should Type Pricing Page Schedule

10/22/2019

**Attachment A**

### Equipment Rental/Lease WITH Operator

ARQM DOT2000000005-6620C015

Equipment Description	WITH OPERATOR Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ WITH Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$/Day	\$/Week	\$/Month	1st Mile	Add. Mi.
<b>AERIAL BUCKET TRUCK</b> Highway Rated TRK. MTD Versalift SST-40-EIH or similar 45ft working ht. 1-1/2 man bucket min. Insulated articulating boom Boom Rotation @ level position. No CDL required							
<b>AERIAL BUCKET TRUCK</b> Highway Rated TRK. MTD 50' Reach Min. 43.5' Radius 360 degrees Boom Rotation @ level position							
<b>AERIAL BUCKET TRUCK</b> Highway Rated TRK. MTD 50' Reach Min. 43.5' Radius 360 degrees Boom Rotation @ level position							
<b>AERIAL PLATFORM TRUCK</b> Highway Rated TRK. MTD 40' Reach Min. 360 degrees Boom Rotation @ level position							
<b>AERIAL PLATFORM TRUCK</b> Highway Rated TRK. MTD 40' Reach Min. 360 degrees Boom Rotation @ level position							
<b>AERIAL PLATFORM TRUCK</b> Elliot Model L55-R or similar 55ft boom length min. Rear mounted turret							
<b>AERIAL PLATFORM TRUCK</b> Highway Rated TRK. MTD 55' Reach Min. 360 degrees Boom Rotation @ level position							
<b>AERIAL PLATFORM TRUCK</b> Elliott Model G50 or similar							
<b>AERIAL PLATFORM TRUCK</b> Elliott Model L55 or similar							

## Vendor Should Type Pricing Page Schedule

10/22/2019

**Attachment A**

### Equipment Rental/Lease WITH Operator

ARQM DOT2000000005-6620C015

Equipment Description	WITH OPERATOR Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ WITH Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
<b>AUGER</b> Track Mtd.							
<b>AUGER</b> Truck Mtd.							
<b>BACKHOE</b> Crawler Mech./Hyd. 0.75 Cyd. 24,000 lbs. - 28,000 lbs. Working Weight							
<b>BACKHOE</b> Crawler Mech./Hyd. 0.75 Cyd. 29,000 lbs. - 35,800 lbs. Working Weight							
<b>BACKHOE</b> Crawler Mech./Hyd. 1.00 Cyd. 36,000 lbs. - 40,000 lbs. Working Weight							
<b>BACKHOE</b> Crawler Mech./Hyd. 1.25 Cyd., 128 - 141 HP 42,700 lbs. - 45,900 lbs. Working Weight							
<b>BACKHOE (HY-RAM)</b> Crawler 2,000 ft./lbs. min. 24,400 lbs. - 35,800 lbs. Excavator Size							
<b>BACKHOE (HY-RAM)</b> Crawler 2,000 ft./lbs. min. 36,000 lbs. - 42,900 lbs. Excavator Size							
<b>BACKHOE (HY-RAM)</b> Crawler 2,000 ft./lbs. min. 43,000 lbs. - 60,000 lbs. Excavator Size							
<b>BACKHOE (HY-RAM)</b> Crawler 2,000 ft./lbs. min. 61,000 lbs. - 80,000 lbs. Excavator Size							
<b>BACKHOE</b> Crawler 1.25 Cyd. 128-141 HP 42,700 lbs - 75,900 lbs.							

## Vendor Should Type Pricing Page Schedule

10/22/2019

**Attachment A**

### Equipment Rental/Lease WITH Operator

ARQM DOT2000000005-6620C015

Equipment Description	WITH OPERATOR Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ WITH Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$/Day	\$/Week	\$/Month	1st Mile	Add. Mi.
<b>BACKHOE</b> Crawler with a thumb							
<b>BACKHOE LOADER</b> Rubber Tired 55-85 DHP							
<b>BACKHOE LOADER (HY-RAM)</b> Mtd. Hyd. Breaker 55-85 DHP D							
<b>BACKHOE LOADER (HO-RAM)</b> Mtd. Air Breaker 1,000 ft./lbs. min.							
<b>BACKHOE LOADER TRACTOR - Compact</b> Rubber Tired 20-30 HP max. height - 83"							
<b>BRUSH CHIPPER - up to 49 hp</b> Cutting size - 12" in diameter.							
<b>BRUSH CHIPPER - from 50 hp to 85 hp</b> Cutting size - 12" in diameter.							
<b>BULLDOZER</b> Crawler GD 65 -75 DHP D							
<b>BULLDOZER</b> Crawler GD 80 -90 DHP D							
<b>BULLDOZER</b> Crawler GD 100 -120 DHP D							
<b>BULLDOZER</b> Crawler GD 130 -140 DHP D							
<b>BULLDOZER</b> Crawler TC 150 - 250 EHP D							
<b>BULLDOZER</b> Crawler/Ripper TCP 181 - 250 EHP D							
<b>BULLDOZER</b> Crawler/Winch TCP 181 - 250 EHP D							
<b>CHIP SPREADER SP</b>							
<b>COLD MILLING - Stabilizer/Recycler</b>							

## Vendor Should Type Pricing Page Schedule

10/22/2019  
Attachment A

### Equipment Rental/Lease WITH Operator

ARQM DOT2000000005-6620C015

Equipment Description	WITH OPERATOR Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ WITH Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$/Day	\$/Week	\$/Month	1st Mile	Add. Mi.
BOMAG MPH 364 R-2 or similar							
<b>CONCRETE PUMP</b> Trl. Mtd. w/hoses, w/o boom							
<b>CONCRETE PUMP</b> Trk. Mtd. w/hoses, w/o boom, up to 30 meters							
<b>CONCRETE PUMP</b> Trk. Mtd. w/hoses, w/o boom, over 30 meters							
<b>CRANE 10 T Hyd.</b> Trk. Mtd. min. 18' Bed							
<b>CRANE 12 - 1/2 T Hyd.</b> Trk. Mtd. min. 18' Bed							
<b>CRANE 14 T Hyd.</b> Trk. Mtd. min. 18' Bed							
<b>CRANE 15 - 25 T</b> Hyd. Rough Terrain							
<b>CRANE 20 - 25 T</b> Cable D Crawler							
<b>CRANE 25 - 30 T</b> Cable, Trk. Mtd. G							
<b>CRANE 30 T Hyd.</b> Trk. Mtd. D							
<b>CRANE 35 T Hyd.</b> Trk. Mtd. D							
<b>CRANE 40 T Hyd.</b> Trk. Mtd. D							
<b>CRANE 50 T Hyd.</b> Trk. Mtd. D							
<b>CRANE 60 T Hyd.</b> Trk. Mtd. D							
<b>CRANE 75 T Hyd.</b> Trk. Mtd. D							

# Vendor Should Type Pricing Page Schedule

10/22/2019  
Attachment A

## Equipment Rental/Lease WITH Operator

ARQM DOT2000000005-6620C015

Equipment Description	WITH OPERATOR Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ WITH Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$/Day	\$/Week	\$/Month	1st Mile	Add. Mi.
CRANE 90 T Hyd. Trk. Mtd. D							
CRANE 100 T Hyd. Trk. Mtd. D							
CRANE 110 T Hyd. Trk. Mtd. D							
CRANE 120 T Hyd. Trk. Mtd. D							
CRANE 150 T Hyd. Trk. Mtd. D							
CRANE 165 T Hyd. Trk. Mtd. D							
CRANE 15 - 20 T Trk. Mtd. Boom							
CRANE 21 - 25 T Trk. Mtd. Boom							
CRANE 30 T <i>Teleboom SP</i>							
CRANE 35 T <i>Teleboom SP</i>							
CRANE 50 T <i>Teleboom SP</i>							
CULVERT CLEANER Trk. Mtd. min. 1,500 gal. tank , 1,400 PSI min.							
CULVERT CLEANER Trk. Mtd. 65 - 80 GPM 2,000 PSI min.							
CULVERT CLEANER Jetter and Vacuum Truck							
EQUIPMENT TRAILER 10,000 lbs or less, tilt style deck							

## Vendor Should Type Pricing Page Schedule

10/22/2019

**Attachment A**

### Equipment Rental/Lease WITH Operator

ARQM DOT2000000005-6620C015

Equipment Description	WITH OPERATOR Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ WITH Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$/Day	\$/Week	\$/Month	1st Mile	Add. Mi.
16ft - 18 ft length to attach to a pintle hitch							
<b>EQUIPMENT TRAILER</b> 12,000 lbs - 14,000 lbs, tilt style deck 16ft - 18 ft length to attach to a pintle hitch							
<b>EQUIPMENT TRAILER</b> 14,000 GVWR 16' + 2' dovetail, with 24" wide x 60" wide long stand-up ramps with support leg and stand-up bar, spring assisted							
<b>EXCAVATOR - TELEBOOM</b> Track Mtd. SP 0.5 Cyd. D							
<b>EXCAVATOR - TELEBOOM</b> Truck Mtd. SP 0.5 Cyd. D							
<b>EXCAVATOR</b> w/McMillen extreme duty earth auger or similar							
<b>EXCAVATOR</b> Mini-Hyd. Track Mtd. 2,600 lbs. max.							
<b>EXCAVATOR</b> Mini-Hyd. Track Mtd. 6,500 lbs. max.							
<b>EXCAVATOR - 1/8 Cyd. 30 HP</b> D Track Width 5' out-to-out							
<b>EXCAVATOR - 1/5 Cyd. 44 HP</b> 11,000 lbs. Track Width 6' out-to-out							
<b>EXCAVATOR - 1/4 Cyd. 55 HP</b> D 14,000 lbs. Bucket, Track Width 6' out-to-out							
<b>EXCAVATOR ATTACHMENT</b> Plate compactor for 15,000-20,000 lb excavator							
<b>EXCAVATOR ATTACHMENT</b> Hydraulic hammer for 15,000-20,000 lb excavator							
<b>FLATBED TRUCK</b> 1 Ton minimum with 22 ft. bed length minimum							
<b>FORKLIFT TRUCK</b>							

## Vendor Should Type Pricing Page Schedule

10/22/2019

**Attachment A**

### Equipment Rental/Lease WITH Operator

ARQM DOT2000000005-6620C015

Equipment Description	WITH OPERATOR Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ WITH Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Rough Terrain, 5 - 10 K lb. lift cap.							
<b>HAMMER (DELMAG) PILE-D.</b> D8-22							
<b>LOWBOY</b> with two drops in deck height - min 35 T							
<b>MANLIFT SP</b> 40 ft.							
<b>MANLIFT SP</b> 60 ft.							
<b>MANLIFT SP</b> 80 ft.							
<b>MANLIFT SP</b> 125 ft. minimum to 135 ft. maximum							
<b>MOTOR GRADER</b> 35,000-45,000 lbs. class							
<b>PATCH TRAILER</b> DuraPatcher or similar							
<b>PATCH TRUCK</b> DuraMAXX or similar							
<b>PAVER - HOT MIX ASPHALT</b> Rubber-tired Paver							
<b>PAVER - HOT MIX ASPHALT</b> Track Paver							
<b>RADIO REMOTE CONTROLLED TRACK LOADER</b> Min. 20HP - 44" max. overall height							
<b>ROCK WAGON</b> 20 -30 T							
<b>ROLLER</b> 5 Ton with 2 steel drums							
<b>ROLLER</b> 10-15 Tons with 2 steel drums							

## Vendor Should Type Pricing Page Schedule

10/22/2019

**Attachment A**

### Equipment Rental/Lease WITH Operator

ARQM DOT2000000005-6620C015

Equipment Description	WITH OPERATOR Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ WITH Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
<b>ROLLER</b> 5 - 6 T PNEUTR TOW/Trk. Mtd.							
<b>ROLLER</b> 10 T PNEUTR							
<b>ROLLER</b> 7-15 T PNEUTR, Articulated							
<b>ROLLER SP</b> PNEUTR - 10K GVW G							
<b>ROLLER SP</b> PNEUTR - 20K GVW G							
<b>ROLLER - TRENCH VIB</b> Dual Drum Approx. 10 HP, Appox. 2.5ft W x 8.3 ft L							
<b>ROLLER - VIB</b> SP 1 Drum 2XL 10 - 15 K GVW D							
<b>ROLLER - VIB</b> SP 1 Drum 2XL 10 - 20 K GVW D							
<b>SHADOW TRUCK w/Attenuator</b> min. 30,000 GVW							
<b>SHOULDER MAINTAINER SP</b> w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width, 1' to 6' and 6" to 12" depth							
<b>CAT RM500B Reclaimer Stabilizer or similar</b> 546 HP Width : 96" Max cutting Mixing Depth: 20" <span style="float: right;">Cutting/Mixing</span>							
<b>STABILIZER (BO-MAG) SP</b> 250 HP min.							
<b>STRAW / MULCH BLOWER</b> Trk. Mtd.							
<b>STREET SWEEPER SP</b> 3.0 Cyd. (min.)							

## Vendor Should Type Pricing Page Schedule

10/22/2019

**Attachment A**

### Equipment Rental/Lease WITH Operator

ARQM DOT2000000005-6620C015

Equipment Description	WITH OPERATOR Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ WITH Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
<b>STREET SWEEPER SP</b> 8.0 Cyd. (min.)							
<b>STREET SWEEPER</b> Trlr. Type							
<b>STREET SWEEPER - HYDROSTATIC</b> Elgin Pelican III or similar							
<b>STREET SWEEPER - Towable</b> Self-Propelled							
<b>STREET SWEEPER - Truck-Mounted</b> 4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & rear/center broom, 11,000 lbs - 33,000 lbs							
<b>TRACTOR</b> John Deere 6200 or similar							
Boom Mower Attachment to be used with the above Tractor							
Flail Mower Attachment to be used with the above Tractor							
Disc mower to be used with the above Tractor							
Sicklebar Mower Attachment to be used with the above Tractor							
<b>TRAILER</b> 6 tons with ramps, minimum 18' length, 8.5' width							
<b>TRAILER - LowBoy</b> 35 - 50 ton - pony motor, self contained hydraulics							
<b>TRENCH PAVER</b> Base Widening Machine							
<b>Truck (Box Delivery)</b> 24ft length box min. No CDL required							
<b>Truck (Dump)</b> 1-Axle							
<b>Truck (Dump)</b> 2-Axles							

## Vendor Should Type Pricing Page Schedule

10/22/2019

**Attachment A**

### Equipment Rental/Lease WITH Operator

ARQM DOT2000000005-6620C015

Equipment Description	WITH OPERATOR Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ WITH Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
<b>Truck (Dump)</b> 3-Axles							
TRUCK - Heavy Industrial 2 Axle Steel Bed							
TRUCK - Heavy Industrial 3 Axle Steel Bed	FREIGHTLINER	1FVMC5DE17HX30091	94				
TRUCK - Heavy Industrial 4 Axle Steel Bed							
TRUCK - Heavy Industrial 5 Axle Steel Bed							
TRUCK - Heavy Industrial 2 Axle Aluminum "V" Bed							
TRUCK - Heavy Industrial 3 Axle Aluminum "V" Bed	PETERBUILT	1NPTLP0X1DD177755	94				
TRUCK - Heavy Industrial 3 Axle Aluminum "V" Bed	PETERBUILT	1NPTLP0X7DD177758	94				
TRUCK - Heavy Industrial 4 Axle Aluminum "V" Bed							
TRUCK - Heavy Industrial 5 Axle Aluminum "V" Bed							
TRUCK - Water Tanker - min 1500 gallons	STERLING	2FZHZAAS52AK62791	94				
TRUCK - Water Tanker - min 1500 gallons	FORD	1FDZA90X6SVA58945	94				
TRUCK - Water Tanker - min 1500 gallons	PETERBUILT	1NPALUDX25D844226	94				
TRUCK - Water Tanker - min 1500 gallons	PETERBUILT	1NPAX90X2VD438092	94				
<b>UNDERBRIDGE INSPECTION UNIT</b> Small Bucket Type							

## Vendor Should Type Pricing Page Schedule

10/22/2019  
Attachment A

### Equipment Rental/Lease WITH Operator

ARQM DOT2000000005-6620C015

Equipment Description	WITH OPERATOR Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ WITH Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$/Day	\$/Week	\$/Month	1st Mile	Add. Mi.
30 ft. min. to 32 ft. max. horizontal reach (including operator AND driver)							
<b>UNDERBRIDGE INSPECTION UNIT</b> Small Bucket Type 33 ft. min. to 40 ft. max. horizontal reach (including operator AND driver)							
<b>UNDERBRIDGE INSPECTION UNIT</b> Medium Bucket Type 41 ft. min. to 52 ft. max. horizontal reach (including operator AND driver)							
<b>UNDERBRIDGE INSPECTION UNIT</b> Medium Bucket Type 53 ft. min. to 62 ft. max. horizontal reach (including operator AND driver)							
<b>UNDERBRIDGE INSPECTION UNIT</b> Large Bucket Type 63 ft. min. to 75 ft. max. horizontal reach (including operator AND driver)							
<b>UNDERBRIDGE PLATFORM</b> Trailer Mtd., Hyd. SP Min. 20 ft. horizontal reach							
<b>UNDERBRIDGE PLATFORM</b> Trailer Mtd., Hyd. SP Min. 30 ft. horizontal reach							
<b>UNDERBRIDGE PLATFORM</b> Trailer Mtd., Hyd. SP Min. 40 ft. horizontal reach							
<b>UNDERBRIDGE PLATFORM</b> Trailer Mtd., Hyd. SP Min. 50 ft. horizontal reach							
<b>UNDERBRIDGE PLATFORM</b> Trailer Mtd., Hyd. SP Min. 60 ft. horizontal reach							
<b>UNDERBRIDGE PLATFORM</b> Truck Mtd., Hyd. Min. 23 ft. horizontal reach (driver to be included)							

**Vendor Should Type Pricing Page Schedule**

10/22/2019  
Attachment A

**Equipment Rental/Lease WITH Operator**  
ARQM DOT2000000005-6620C015

Equipment Description	WITH OPERATOR Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ WITH Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$/Day	\$/Week	\$/Month	1st Mile	Add. Mi.
<b>VACUUM/SPRAY UNIT</b> Trk. Mtd. min. 1,000 gal. tank min. 60 gpm 4 ft. teleboom w/swivel/rotating hose reel							
<b>VACUUM/STREET SWEEPER</b> Self-Propelled, 4 Cyd., Gas, 5 ft wide path							
<b>VACUUM TRUCK/JETT-RODDER</b>							

# Equipment Rental/Lease WITH Operator

Attachment B Mandatory Information Form  
ARQM DOT200000005

**Base Location:**

The Vendor should identify their base location and any other potential base locations where the equipment bid may be delivered by the Vendor. The Vendor should provide the 911 address or the most recent physical street address, city and state for the base location(s). If the Vendor fails to provide the base location(s) on the Information Attachment Form, the Vendor's bid may be disqualified. If additional space is needed for additional base locations, you may duplicate this page. This list does not determine sole base locations for a Vendor, but provides a base for determining potential mileage.

Vendor Base Location:	
	5903 WV Highway 5W
	Glenville, WV 26351
Vendor Base Location:	
Vendor Base Location:	

**Counties Bid:**

Vendor should indicate the County, Counties or Statewide serviced by the Vendor for lease/rent of equipment to the WVDOH by placing an "X" or "✓" beside the County, Counties or Statewide. If the Vendor fails to indicate which County or Counties, it will be expected that the Vendor can service Statewide in the State of WV.

	STATEWIDE					
	Barbour			Kanawha		Pocahontas
	Berkeley		X	Lewis		Preston
	Boone			Lincoln		Putnam
X	Braxton			Logan		Raleigh
	Brooke			McDowell	X	Randolph
	Cabell			Marion	X	Ritchie
X	Calhoun			Marshall	X	Roane
X	Clay			Mason		Summers
X	Doddridge			Mercer		Taylor
	Fayette			Mineral		Tucker
X	Gilmer			Mingo		Tyler
	Grant			Monongalia	X	Upshur
	Greenbrier			Monroe		Wayne
	Hampshire			Morgan		Webster
	Hancock			Nicholas		Wetzel
	Hardy			Ohio	X	Wirt
X	Harrison			Pendleton		Wood
	Jackson			Pleasants		Wyoming
	Jefferson					