

Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

### State of West Virginia Solicitation Response

Proc Folder: 828216

Solicitation Description: Addendum #8

Aenhalt Dracarvation and Davament Markings

**Proc Type:** Agency Master Agreement

 Solicitation Closes
 Solicitation Response
 Version

 2021-02-08 14:30
 SR 0803 ESR02082100000005324
 1

**VENDOR** 

000000207833

HIGHWAY SAFETY INC

Solicitation Number: ARFQ 0803 DOT2100000027

Total Bid: 0 Response Date: 2021-02-08 Response Time: 14:15:00

Comments:

FOR INFORMATION CONTACT THE BUYER

Tina L Lewis 304-414-6859 tina.l.lewis@wv.gov

Vendor Signature X

FEIN#

DATE

All offers subject to all terms and conditions contained in this solicitation

Date Printed: Feb 10, 2021 FORM ID: WV-PRC-SR-001 2020/05

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	Highway and road resurfacing service	0.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
72141104				

**Commodity Line Comments:** Based on variances within quote, zeros were placed in Unit Price and Delivery Days. Was not able to submit with either place blank.

#### **Extended Description:**

Highway and road resurfacing service



### State of West Virginia **Agency Request for Quote**

**Proc Folder:** 

828216

**Reason for Modification:** 

Doc Description: Addendum #8

Addendum #8

To extend bid opening date to

Asphalt Preservation and Pavement Markings

02/08/2021 at 2:30PM

To Modify Contract Specification,

Sec.... See Page 2 for complete

**Proc Type:** 

Agency Master Agreement

info

Date Issued

Solicitation Closes

Version

2021-02-02

2021-02-08 14:30 ARFQ

Solicitation No

0803 DOT2100000027 10

#### **BID RECEIVING LOCATION**

FINANCE & ADMINISTRATION

**DIVISION OF HIGHWAYS** 

BLDG 5, RM A-220

1900 KANAWHA BLVD E

CHARLESTON

WV 25302

US

#### VENDOR

**Vendor Customer Code:** 

201833

Vendor Name: Highway Safety Inc Address: PDBox 908, Ceredo, WY 25507 Street: 1663 Waskers Branch Rd

State:

Country: 55

Zip: 25704

Principal Contact: 1150 P Booth

Vendor Contact Phone: 304-453-5636

**Extension:** 

FOR INFORMATION CONTACT THE BUYER

Tina L Lewis 304-414-6859 tina.l.lewis@wv.gov

Signature X

FEIN# 55-0719881

DATE

All offers subject to all terms and conditions contained in this solicitation

Date Printed: Feb 2, 2021

Page 1

FORM ID: WV-PRC-ARFQ-002 2020/05

#### **Reason for Modification:**

Addendum #8

To extend bid opening date to 02/08/2021 at 2:30PM

To Modify Contract Specification, Section 3.2.5 B

To answer vendor questions

To Revise Unit of Measure on the Pricing Pages, Contract Item Q-2

INVOICE TO  VARIOUS AGENCY LOCATIONS		SHIP TO	SHIP TO		
		VARIOUS AGENCY LOCATIONS			
AS INDICATED BY ORDER		AS INDICATED BY ORDER			
No City US	WV 99999	No City WV 99999	)		

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	Highway and road resurfacing service	0.00000	EA		

Comm Code	Manufacturer	Specification	Model #	
72141104				

#### **Extended Description:**

Highway and road resurfacing service

### SCHEDULE OF EVENTS

<u>Line</u>	Event	Event Date
1	TECHNICAL QUESTIONS DUE AT 10:00AM	2021-01-15

	Document Phase	Document Description	Page 3
DOT2100000027		Addendum #8 Asphalt Preservation and Pavement Markings	

ADDITIONAL TERMS AND CONDITIONS

See attached document(s) for additional Terms and Conditions

#### CERTIFICATION AND SIGNATURE PAGE

By signing below, or submitting documentation through the West Virginia Vendor Self Service Portal website, I certify that I have reviewed this Solicitation in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

Dighway Safety
(Full Company Name)
Kesen & Booth
(Authorized Signature)
Lisa P Booth President
(Print or Type Name and Title
of Signatory) 304-453-5636
(Phone Number)
304-453-5635
(Fax Number)
highway safety @ zoominternet net
(Email address)
2-4-21
(Date)

Form pre-approved by DOH legal division on July 12, 2016.
Attorney signature not required.

#### ADDENDUM ACKNOWLEDGEMENT FORM

#### SOLICITATION NO.: ARFQ DOT2100000027

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification. Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received: (Check the box next to each addendum)	received)
Addendum No. 1 Addendum No. 2 Addendum No. 3 Addendum No. 4 Addendum No. 5	Addendum No. 6 Addendum No. 7 Addendum No. 8 Addendum No. 9 Addendum No. 10
I further understand that any verbal reprediscussion held between Vendor's repre	receipt of addenda may be cause for rejection of this bid. resentation made or assumed to be made during any oral sentatives and any state personnel is not binding. Only ded to the specifications by an official addendum is
Company Para P Be	off.
Authorized Signature	
2-8-21	
Date	

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.

### REQUEST FOR QUOTATION

### Asphalt Preservation and Pavement Markings Materials, Equipment and Labor by Vendor

- **9.1.4** Failure to remedy deficient performance upon request.
- 9.2 The following remedies shall be available to Agency upon default.
  - **9.2.1** Immediate cancellation of the Contract.
  - **9.2.2** Immediate cancellation of one or more release orders issued under this Contract.
  - **9.2.3** Any other remedies available in law or equity.

#### 10. MISCELLANEOUS:

- 10.1 No Substitutions: Vendor shall supply only Contract Items submitted in response to the Solicitation unless a contract modification is approved in accordance with the provisions contained in this Contract.
- 10.2 Vendor Supply: Vendor must carry sufficient inventory of the Contract Items being offered to fulfill its obligations under this Contract. By signing its bid, Vendor certifies that it can supply the Contract Items contained in its bid response.
- 10.3 Reports: Vendor shall provide quarterly reports and annual summaries to the Agency showing the Agency's items purchased, quantities of items purchased, and total dollar value of the items purchased. Vendor shall also provide reports, upon request, showing the items purchased during the term of this Contract, the quantity purchased for each of those items, and the total value of purchases for each of those items. Failure to supply such reports may be grounds for cancellation of this Contract.
- 10.4 Contract Manager: During its performance of this Contract, Vendor must designate and maintain a primary Contract Manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract Manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract Manager and his or her contact information below.

Contract Manager: USa Y Booth
Telephone Number: 304-453-5636
Fax Number: 304-453-5635
Email Address: Manager: 150-6440 Zenom Intelligence (Intelligence (Int

Email Address: Mighway Safety O zoom internet net

Revised 10/27/2014 14

### STATE OF WEST VIRGINIA Purchasing Division

### **PURCHASING AFFIDAVIT**

**CONSTRUCTION CONTRACTS:** Under W. Va. Code § 5-22-1(i), the contracting public entity shall not award a construction contract to any bidder that is known to be in default on any monetary obligation owed to the state or a political subdivision of the state, including, but not limited to, obligations related to payroll taxes, property taxes, sales and use taxes, fire service fees, or other fines or fees.

**ALL CONTRACTS:** Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

**EXCEPTION:** The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

#### **DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (*W. Va. Code* §61-5-3) that: (1) for construction contracts, the vendor is not in default on any monetary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

WITNESS THE FOLLOWING SIG	SNATURE:	70			
Vendor's Name:	pway Sal	se get			
Authorized Signature:	sa & Boot	1h)	Date:	2-4-21	
State of					
County of	, to-wit:	, Yekn	10/1	, 202	
My Commission expires	ID-4	, 20 <u>25</u>			
AFFIX SEAL HERE	OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA Vicki Shoemaker PO Box 908 Ceretio WV 25507 My Commission Expires October 4,2025	OTARY PUBLIC		masing Affidavit (Revised 01)	(19/2018)

### West Virginia Ethics Commission



### **Disclosure of Interested Parties to Contracts**

Pursuant to W. Va. Code § 6D-1-2, a state agency may not enter into a contract, or a series of related contracts, that has/have an actual or estimated value of \$1 million or more until the business entity submits to the contracting state agency a Disclosure of Interested Parties to the applicable contract. In addition, the business entity awarded a contract is obligated to submit a supplemental Disclosure of Interested Parties reflecting any new or differing interested parties to the contract within 30 days following the completion or termination of the applicable contract.

For purposes of complying with these requirements, the following definitions apply:

"Business entity" means any entity recognized by law through which business is conducted, including a sole proprietorship, partnership or corporation, but does not include publicly traded companies listed on a national or international stock exchange.

"Interested party" or "Interested parties" means:

- (1) A business entity performing work or service pursuant to, or in furtherance of, the applicable contract, including specifically sub-contractors;
- (2) the person(s) who have an ownership interest equal to or greater than 25% in the business entity performing work or service pursuant to, or in furtherance of, the applicable contract. (This subdivision does not apply to a publicly traded company); and
- (3) the person or business entity, if any, that served as a compensated broker or intermediary to actively facilitate the applicable contract or negotiated the terms of the applicable contract with the state agency. (This subdivision does not apply to persons or business entities performing legal services related to the negotiation or drafting of the applicable contract.)

"State agency" means a board, commission, office, department or other agency in the executive, judicial or legislative branch of state government, including publicly funded institutions of higher education: Provided, that for purposes of W. Va. Code § 6D-1-2, the West Virginia Investment Management Board shall not be deemed a state agency nor subject to the requirements of that provision.

The contracting business entity must complete this form and submit it to the contracting state agency prior to contract award and to complete another form within 30 days of contract completion or termination.

This form was created by the State of West Virginia Ethics Commission, 210 Brooks Street, Suite 300, Charleston, WV 25301-1804. Telephone: (304)558-0664; fax: (304)558-2169; e-mail: ethics@wv.gov; website: www.ethics.wv.gov.

### West Virginia Ethics Commission

### **Disclosure of Interested Parties to Contracts**

(Required by W. Va. Code § 6D-1-2)

Na	nme of Contracting Business Entity: Mahway Saley Address: PO Box 908
	Ceredo, WV 25507
	ime of Authorized Agent: Lisa P Booth Address: Same -
Co	ontract Number: ARFQ 0803 DOT210000000 Contract Description: Aschalt Preservation
Go	overnmental agency awarding contract: State of WY Pavement Markings
	Check here if this is a Supplemental Disclosure
	at the Names of Interested Parties to the contract which are known or reasonably anticipated by the contracting business tity for each category below (attach additional pages if necessary):
1.	Subcontractors or other entities performing work or service under the Contract
	Check here if none, otherwise list entity/individual names below.
2.	Any person or entity who owns 25% or more of contracting entity (not applicable to publicly traded entities)
	☐ Check here if none, otherwise list entity/individual names below.
	Lisa P Booth
3.	Any person or entity that facilitated, or negotiated the terms of, the applicable contract (excluding legal services related to the negotiation or drafting of the applicable contract)
	☐ Check here if none, otherwise list entity/individual names below.
Sig	gnature:
No	otary Verification
Sta	ate of, County of:
Ι,	Lisa P Booth , the authorized agent of the contracting business
	tity listed above, being duly sworn, acknowledge that the Disclosure herein is being made under oath and under the nalty of perjury.
Tal	ken, sworn to and subscribed before me this day of
	Vich Xlia ma
Το	be completed by State Agency:  Notary Public's Signature  OFFICIAL SEAL
	te Received by State Agency:    OFFICIAL SEAL   NOTARY PUBLIC
Da	te submitted to Ethics Commission:
Go	vernmental agency submitting Disclosure: Ceredo WV 25507  My Commission Expires October 4,2025  Revised June 8, 2018

#### **SPECIFICATIONS**

- 1. PURPOSE AND SCOPE: The West Virginia Division of Highways is soliciting bids to establish an open-end contract for Asphalt Preservation and Pavement Markings for work on asphalt preventive maintenance and repair projects throughout the State of West Virginia which shall include materials, delivery, equipment and labor by the Vendor.
- 2. **DEFINITIONS:** The terms listed shall have the meanings assigned to them below. Additional definitions can be found in Section 2 of the General Terms and Conditions.
  - **2.1** "Contract Item" or "Contract Items" means the list of items identified in Section 3.2 below and on the Pricing Pages.
  - **2.2** "Contractor" or "Vendor" is an enterprise that contributes goods or services. Contractor or Vendor used in this Solicitation are interchangeable.
  - **2.3** "JMF" means Job Mix Formula.
  - 2.4 ASTM is an international standards organization that develops and publishes voluntary consensus technical standards for a wide range of materials, products, systems, and services. <a href="https://www.astm.org/">https://www.astm.org/</a>
  - 2.5 "Asphalt Preservation" means the application of specific asphalt emulsions, aggregates and other materials which are applied to the surface of existing highways and roads to prolong the lifespan of the asphalt pavements.
  - 2.6 "APL" or "Approved Source" means Approved Product List/Source. The WVDOH Materials Control, Soils and Testing Division (MCS&T) creates and maintains a list of certified manufacturers that meet acceptable level of quality. These lists are updated periodically (amended), and it is the Vendors responsibility to refer to the current lists. The most current APL/Sources are located at: <a href="https://transportation.wv.gov/highways/mcst/Pages/APL\_By\_Number.aspx">https://transportation.wv.gov/highways/mcst/Pages/APL\_By\_Number.aspx</a>.
  - 2.7 "Pricing Pages" means the schedule of prices and totals contained in wvOASIS or attached hereto as Attachment A (ATT A) and used to evaluate the Solicitation responses.
  - **2.8** "RPM" means Raised Pavement Markers, which is a device attached to the road and used as a positioning guide for drivers.
  - **2.9** "Solicitation" means the official notice of an opportunity to supply the State with goods or services.

Revised 10/27/2014 1 REVISED

- **2.10** "Standard Specs" means the West Virginia Department of Transportation, Division of Highways Standard Specifications, Roads and Bridges, adopted latest Standard Specs edition, including any Supplementals.
- **2.11** "SAMI" means Stress Absorbing Membrane Interlayer seal.
- **2.12** "HAM" means Hot-Applied Asphalt Mastic treatment.
- 2.13 "MUTCD" means the Manual on Uniform Traffic Control Devices.
- **2.14** "WVDOH" means the West Virginia Division of Highways.

#### 3. GENERAL REQUIREMENTS:

3.1 The following sections of the Standard Specs shall apply, but are not be limited, to the administration of this contract: Sections 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, as amended.

Materials and equipment used in performance of this contract shall conform, but are not limited to, the requirements of Sections 401, 405, 407, 408, 420, 636, 663, 702, 703, 705 and 715, as amended.

A hard copy of the current Standard Specs may be purchased at a cost of \$20.00 (\$15.00 for the 2017 book plus \$5.00 for the Supplemental Latest Edition) using the **Attachment B (ATT B)** Standard Specifications Order Form. The completed form should be submitted by email to <a href="mailto:DOTSpecifications@wv.gov">DOTSpecifications@wv.gov</a> or mailed to:

West Virginia Division of Highways Contract Administration Building 5, Room 840 1900 Kanawha Boulevard, East Charleston, West Virginia 25305

A free electronic copy of the Standard Specs and Supplemental Latest Edition may be obtained by sourcing:

http://transportation.wv.gov/highways/contractadmin/specifications/Pages/default.aspx

3.2 Contract Items and Mandatory Requirements: Vendors shall provide Agency with Contract Items on an open-end and continuing basis. Contract Items must meet or exceed the mandatory requirements as shown below.

While the Contract Items reference the subject WVDOH Standard Specification, all other relevant sections of the Standard Specs still apply. Where any conflict may exist

Revised 10/27/2014 2 REVISED

between this solicitation and the WVDOH Standard Specs, the WVDOH Standard Specs shall take precedence.

**NOTE:** It is the Vendor's responsibility to provide traffic control while performing their services, and during the curing period if necessary.

### 3.2.1 Pre-Paving Meeting

The Vendors for Asphalt Preservation applications shall attend an on-site prepaving meeting with the WVDOH District Engineer before beginning an asphalt preservation project to review and discuss the following:

- Detailed work schedule
- Traffic control plan
- Calibration of equipment
- JMF previously submitted to the WVDOH District Engineer
- Equipment inspection, including transport units

The pre-paving meeting shall be incidental and included in the cost of Mobilization.

- 3.2.2 Test Strips: The Vendor shall utilize test strips to demonstrate the mixing of materials and placement procedures of each mixing machine to be used on a project. Test strip shall be performed at the beginning of the first day of production and on the roadway to be treated. The completed test strip (minimum 500 feet length) shall be reviewed to detect and correct any variances in surface texture, material ratio(s) and finished surface appearance. Additionally, the test strip will be used to establish the target job application rate.
- 3.2.3 Materials and Equipment: All Materials and Equipment used for Asphalt Preservation shall meet or exceed the Standard Specs for the corresponding asphalt preservation method. Where an Approved Product List (APL) or Approved Source requirement exists within this contract or within the Standard Specs, it is the Vendors responsibility to ensure that approved sources are utilized. The APL's and Approved Sources which have been provided as attachments to this contract are subject to periodic updated. The most current APL and Approved Sources, as amended, can be reviewed at: https://transportation.wv.gov/highways/mcst/Pages/APL\_By\_Number.aspx.
- 3.2.4 Safety: In addition to the Vendor's established safety protocols and the WVDOH's established safety protocols outlined in the Standard Specs, the Vendor and the Vendor's staff shall adhere to all WVDOH's pandemic-response protocols while present at the WVDOH jobsite. Vendors may obtain

Revised 10/27/2014 3 REVISED

the WVDOH pandemic-response protocols by contacting the WVDOH District Engineer.

- 3.2.5 Maintaining Traffic: While undergoing improvement, the project site shall be kept open to traffic in such condition that both local and through traffic will be adequately and safely accommodated. Traffic control shall be the responsibility of the Vendor performing work. All improvement operations shall be scheduled to keep traffic delays to a minimum.
  - A. Surface Protection: Do not allow traffic on the mixture until it has cured sufficiently to prevent pickup by vehicle tires. The new surface must be able to carry normal traffic without damage within one hour of application. Protect the new surface from damage at intersections and driveways. Repair all damage to the mixture caused by traffic. All costs associated with this repair work will be borne by the Contractor.
  - **B.** Maintaining Traffic, Contract Item Q: Traffic Control services, including Pilot Truck and Driver, Traffic Control Devices, Flaggers, and/or Arrow Boards, are the responsibility of the Vendor performing work and shall be provided in accordance with Standard Specs Section **636**, and the *Manual on Temporary Traffic Control for Streets and Highways*, 2006 Edition, or as directed by the Engineer.

### 3.2.6 Surface Preparation

No Asphalt Preservation application shall be performed until breaks, holes, depressions, and other irregularities in the base or existing surface have been repaired, sealed, and cured sufficiently. The WVDOH will ensure that potholes and irregularities have been corrected prior to the start of scheduled Asphalt Preservation application.

Asphalt Preservation Vendors must ensure that the roadway is cleaned and appropriately prepared prior to the start of work, as required by the Standard Specs. Surface preparation shall be included in the bid price for each Asphalt Preservation Contract Item, except for the Contract Items listed below, which shall be bid individually.

- A. Eradication of Pavement Markings, Contract Item L: Pavement Markings shall be removed as required in the WVDOH Standard Specs, Section 405, 420, and 636, except when the project plans indicate an alternative.
- B. Crack Sealing, 1" or Less, Contract Item K: Crack Sealing for cracks requiring repair which measure 1" or less shall consist of cleaning and filling voids in asphalt or in concrete pavement in

Revised 10/27/2014 4 REVISED

accordance with requirements established in Attachment C (ATT C) Project Specific Special Provision Section 403, Crack Sealing in Asphalt. Crack Sealing shall be bid by the linear foot.

C. Hot-Applied Asphalt Mastic (HAM) Treatment, Contract Item E:
Cracks measuring larger than 1" shall require cleaning and the use of
Hot-Applied Asphalt Mastic (HAM) Treatment. HAM Treatment must
be applied in accordance with requirements established in Attachment
D (ATT D) - Project Specific Special Provision Section 403 HotApplied Asphalt Mastic (HAM) Treatment. Reference Attachment E
(ATT E), APL Products for Highway Maintenance. HAM Treatment
shall be bid by the pound.

### 3.2.7 Asphalt Preservation Applications

Reference Attachment F (ATT F), Approved A-1 Aggregate Sources, as amended, for all Asphalt Preservation Applications which utilize aggregates. Aggregate sources must be provided on the Pricing Pages, Attachment A (ATT A), in the Aggregate Hauling Surcharge Per County section, Contract Item R.

Reference Attachment G (ATT G), Certified Bituminous Material, as amended, for all Asphalt Preservation Applications which utilize emulsions or binders. Emulsion and Binder sources must be provided on the Pricing Pages, Attachment A (ATT A), in the applicable Asphalt Preservation Application section.

A. Chip Seal, Contract Item A: Vendor shall provide all materials, equipment, and labor for Chip Seal application in accordance with all requirements established in the WVDOH Standard Specs, Section 405. Chip Seal shall be bid by the square yard.

Cationic emulsified asphalt shall conform to the requirements of AASHTO M 208 per WVDOH Standard Specs, Section 705.11

Anionic emulsified asphalts shall conform to the requirements of AASHTO M 140, per WVDOH Standard Specs, Section **705.4**.

Polymer-modified cationic emulsified asphalt shall conform to the requirements of AASHTO M 316, Per WVDOH Standard Specs Section 705.12. A surcharge can be added for supplying Polymer Modified Cationic Emulsified Asphalt if requested on the Delivery Order.

Revised 10/27/2014 5 REVISED

- B. Fog Seal, Contract Item B: Vendor shall provide all materials, equipment, and labor for Fog Seal application in accordance with all requirements established in the WVDOH Standard Specs Sections 405 and 407. Fog Seal shall be bid by the square yard.
- C. Tack Coat, Contract Item C: Vendor shall provide all materials, equipment, and labor for Tack Coat application in accordance with all requirements established in the WVDOH Standard Specs, Sections 408 and 420. Tack Coat shall be bid by the square yard.
- D. Stress Absorbing Membrane Interlayer (SAMI), Contract Item D: Vendor shall provide material, equipment, and labor for placing SAMI seal as an interlayer between existing distressed pavements and a surface course of asphalt to reduce reflective cracking. When applied, SAMI should be provided by the Vendor providing the surface course of asphalt preservation, for which SAMI shall serve as an interlayer. SAMI Seal must be applied in accordance with requirements established in Attachment H (ATT H) Project Specific Special Provision Section 407 Asphalt Stress Absorbing Membrane Interlayer Fiber Sami Seal. SAMI seal shall be bid by the square yard.
- E. Asphalt Emulsion Slurry Seal Coat, Contract Item F: Vendor shall provide all materials, equipment, and labor for application of Asphalt Emulsion Slurry Seal Coat in accordance with requirements established in Attachment I (ATT I) Project Specific Special Provision 4 Section 425 Asphalt Emulsion Slurry Seal Coat. Asphalt Emulsion Slurry Seal Coat shall be bid by the square yard.
- F. Micro Surface Types 2FA & 3FA, Contract Item G: Vendor shall provide all materials, equipment, and labor for Micro Surface application in accordance with requirements established in the standards referenced in WVDOH Standard Specs, Section 420. Micro Surface, Single and Multiple Course, shall be bid by the square yard.
- G. Micro Surface Rut Fill, Contract Item H: Vendor shall provide all materials, equipment, and labor for Rut Fill application in accordance with all requirements established in the WVDOH Standards referenced in WVDOH Standard Specs Section 420 and shall be bid by the ton.

### 3.2.8 Pavement Markings

Upon completion of the Asphalt Preservation Application, pavement markings shall be installed at their original locations, except when the project plans indicate an alternative. Permanent painted line striping is not a Contract Item

Revised 10/27/2014 6 REVISED

within this contract. For the removal of pavement markings, reference Section 3.2.5.A Eradication of Pavement Markings.

A. Temporary Pavement Markings, Contract Item M: Temporary Pavement Markings and Temporary Raised Pavement Markers shall be installed in accordance with WVDOH Standard Specs, Sections 636 and 663. Temporary Pavement Markings Type VII-A, VII-B, and VII-C must be from an APL source, Attachment J (ATT J).

Temporary Pavement Markings shall be bid by the linear foot

Temporary Raised Pavement Markers (RPM) shall be bid by each RPM installed.

### B. Permanent Pavement Markings

- Type V Pre-Formed Pavement Markings, Installed, Contract Item N: Type V Pre-Formed Pavement Markings must be installed in accordance with WVDOH Standard Specs Sections 420, 663 and 715. All Type V Pre-Formed Pavement Markings must be produced by a certified manufacturer listed on the WVDOH Approved Product List (APL), as amended, Attachment K (ATT K), Type V Pavement Markings.
- Raised Pavement Markers (RPM), Installed, Contract Item O: RPM's must be stored and installed in accordance with Standard Specs Section 420, 663 and 715. RPM's shall be bid by each marker installed.

Reference Exhibit 1 (EXH 1) for additional RPM Type P and Type R details.

- All Type P-2 RPM's must be produced by a certified manufacturer listed on the APL, as amended, Type P-2 Raised Pavement Markers, Attachment L (ATT L).
- Type R-4 RPM's must meet all ASTM D4280 standards addressed in Standard Spec Section 715.40.6.2.
- 3.2.9 Surface Quality & Quality Control: The finished pavement surface and work shall meet all quality standards established in the Standard Specs for application. If the finished surface or work does not meet the quality standards established in the Standard Specs, work must stop immediately. The appropriate corrective action must be determined and then reviewed with the Engineer before resuming production.

Revised 10/27/2014 7 REVISED

3.2.10 Weather and Seasonal Limitations: Acceptable Air and pavement temperatures, rain and inclement weather restrictions and seasonal limitations can vary for each Asphalt Preservation method. Vendor must adhere to requirements established in the Standard Specs for the Asphalt Preservations method being applied. If weather restrictions or limitations are not available within the Standard Specs for the Asphalt Preservation application, the manufacturers recommended guidelines shall be followed with the prior approval of the WVDOH District Engineer.

### 3.2.11 Surcharges

Aggregate Hauling Surcharge per County, Contract Item R: The Vendor shall provide a per ton cost for Aggregate Hauling per County bid. This Contract Item is to fairly compensate the Vendors for hauling aggregate from Vendors storage site to a project site. The intent is for Vendors to determine the sources of aggregate for each county and to determine their cost to transport that aggregate to any location within the County being bid. The Vendor may use any distance in that calculation, but it is anticipated that an average distance from the aggregate source to a project site will be used. The WVDOH shall use the following formula when calculating the hauling surcharge, converting the per square yard of Chip Seal or SAMI to tons of aggregate required for SAMI and light, single, double, and triple course treatments:

Light Chip Seal:
Item A1 (Size of Project) $\times 0.01 = $ Tons of Aggregate
Single Chip Seal:
Item A2 (Size of Project) $\times 0.01 = $ Tons of Aggregate
Double Chip Seal:
Item A3 (Size of Project) x 0.0225 = Tons of Aggregate
Triple Chip Seal:
Item A4 (Size of Project) $\times 0.040 = $ Tons of Aggregate
SAMI:
Item D (Size of Project) $x 0.01 = $ Tons of Aggregate

3.2.12 Mobilization, Contract Items P: Mobilization will be requested when the Vendor is required to move his equipment from Vendor's Storage Site, to the WVDOH project site. Pricing for mobilization shall be bid per mile and will be calculated based on the Vendors Storage Location provided on Attachment A (ATT A). Mobilization bid in any form other than cost per mile will be grounds to disqualify the Vendor's bid. Vendor shall bid the cost of mobilization for the first mile and the cost for any additional miles after the first mile. Mobilization fees shall be calculated and paid one-way only by the WVDOH from the Vendor's Equipment Storage Location to the WVDOH

Revised 10/27/2014 8 REVISED

project site. When the Vendor has multiple projects or the equipment is traveling from WVDOH location or project to project, additional miles only will be paid from project to project or from the Vendor's Equipment Storage Location to the project, whichever is less mileage. The WVDOH will provide the location of the project site to the Vendor on a Delivery Order. **Contract Items P** is located within the Pricing Pages below each Contract Item allowing Mobilization.

The WVDOH shall source the WV Straight Line Diagrams for WV Primary Routes and WV Secondary Routes for the route from the Vendor's Equipment Storage Location to the WVDOH project site. The Diagrams are available in each WVDOH District Office and the WVDOH Central Office. WVDOH will determine the route to be taken due to bridge and/or road restrictions which shall have acceptable load limits for both roads and bridges.

Out-of-state delivery route mileage will be calculated by the WVDOH, the shortest route, by utilizing "Google Earth" or a similar source for routing from the Vendor's Equipment Storage Location to the WV State line at which time, the Diagrams will be sourced to the WVDOH project site.

4. MATERIALS ACCEPTANCE CRITERIA: Materials found not in compliance with the requirements of the Contract or if the work performed, visually appears to be unacceptable, by visual inspection of the WVDOH District Engineer, the work may be rejected, removed and replaced at the Contractor's expense except where Pay Adjustments are established in the Standard Specs.

#### 5. CONTRACT AWARD:

5.1 Contract Award: The Contract is intended to provide Agencies with a purchase price for Asphalt Preservation and Pavement Markings on all Contract items. Vendors should bid on the Contract Items which relate to their scope of work for each county in which they provide services; Vendors are not expected to provide every Contract Item, only those which they specialize in.

**EXAMPLE:** Vendor Blue may specialize in Micro Surfacing and Vendor Red may specialize in Chip Seal. Vendor Yellow may specialize in the Eradication and of Pavement Markings, and Vendor Green may specialize in the installation of pavement markings. Vendors should bid on those Contract items they wish to offer. Vendors may choose to only bid on a single Contract Item or may bid on a combination of multiple Contract Items.

A Contract shall be awarded to all responsible Vendors that provide the Contract Items which meet all required specifications of this contract.

Revised 10/27/2014 9 REVISED

5.2 Pricing Pages: The Pricing Pages contain a list of the Contract Items. Vendor may bid any or all Contract Items on the Pricing Pages, Attachment A (ATT A). Vendor should complete the Pricing Pages in their entirety for the Contract Items which they intend to bid. Failure to complete the Pricing Pages in their entirety may result in Vendor's bids being disqualified. No future use of the Contract or any individual item is guaranteed or implied.

Manufacturer/Source Name and Source Location should be provided within the Pricing Pages, or as a supplemental attachment where additional space if needed. Contract Items requiring use of Approved Product List (APL) or Approved Sources will be disqualified if the Manufacturer /Source Name and Source Location is not provided, or if the Source/Product is not an WVDOT Approved.

The APL is not intended to reflect preference or favor over any Vendor. Manufacturers capable of meeting the established level of quality may become "certified" in accordance with the procedures found in Materials Procedure 700.00.55 – Guidelines for Establishing and Maintaining Approved Lists of Materials and Sources: <a href="https://transportation.wv.gov/highways/mcst/Material%20Procedures/M7000055.PDF">https://transportation.wv.gov/highways/mcst/Material%20Procedures/M7000055.PDF</a>

Vendor should electronically enter the information into the Pricing Pages through wvOASIS, if available, or as an electronic document. In most cases, the Vendor can request an electronic copy of the Pricing Pages for bid purposes by sending an email request to the following address: <a href="mailto:Kristy.E.James@wv.gov">Kristy.E.James@wv.gov</a>.

5.3 Determining Low Bid Per Project: To determine the low bid Vendor for individual projects, the WVDOH District Engineer will determine the Vendors awarded for the county in which work will be performed. WVDOH will calculate the lowest overall total cost of the Contract Items needed for the project, including mobilization, and coordinate the execution of work with low-bid vendor. WVDOH will do this for each specialty of work needed for the overall project.

EXAMPLE: If Micro Surfacing services are needed for an Asphalt Preservation & Pavement Markings project, the District Engineer will determine the lowest bidder for each area of work relating for the project. The District Engineer will calculate the total for Micro Surfacing services, including mobilization and any anticipated surcharges, to determine the low bid Micro Surfacing Vendor. The District Engineer will contact the low bid Micro Surfacing Vendor. The WVDOH will repeat this process for any other services needed for this project. For this example, Vendor Blue for Micro Surfacing, Vendor Orange for Crack Sealing, Vendor Purple for Tack Coat, Vendor Yellow for the Eradication of Pavement Markings, and Vendor Green for the installation of Temporary and Permanent Pavement Markings.

If a low-bid Vendor is not available for the scheduled work, WVDOH will offer the work to the next low-bid Vendor for that Contract Item.

Revised 10/27/2014 10 REVISED

WVDOH reserves the right to request any one or combination of items for which bids are awarded at the lowest overall total as set forth in this section.

5.4 Contract Award Transition: Upon the award of this contract, whether the effective date or the completed and encumbered date or an established date by the WVDOH, the WVDOH Operations Division will announce the effective date of use of this contract to the Districts and the Vendors. Upon the announced effective date of use by the WVDOH Operations Division to the Districts and Vendors, any Delivery Order issued prior the award of the subject Asphalt Preservation and Pavement Markings Contract shall remain in effect and should not be cancelled until that Delivery Order is filled; however, after ten (10) working days of the Districts and Vendors notice, any Delivery Order that has not been completely filled by the Vendors shall NOT be completed, but a cancellation notice will be sent to that Vendor from the issuing District for cancellation of the balance of that Delivery Order only. No Delivery Orders from prior contracts should be held open by the District or the Vendor longer ten (10) working days after the notice to the Districts and the Vendors of the effective date of use of the new contracts.

This directive is issued to assist the Districts and the Vendors when fulfilling open Delivery Orders only. It is NOT issued to cause harm or to take contracts from one Vendor to give to another Vendor, but to establish a transition process from one contract into another contract.

#### 6. ORDERING AND PAYMENT:

- 6.1 Ordering: Vendor shall accept orders through wvOASIS, regular mail, facsimile, email, or any other written form of communication. Vendor may, but is not required to, accept on-line orders through a secure internet ordering portal/website. If the Vendor has the ability to accept on-line orders, it should include in its response a brief description of how Agencies may utilize the on-line ordering system. Vendor shall ensure that its on-line ordering system is properly secured prior to processing Agency orders on-line. Vendor shall maintain communication of its current phone numbers, fax numbers, e-mail addresses, location addresses, and all ordering/billing/ payment addresses with WVDOH and in wvOASIS as applicable.
- 6.2 Delivery Order: WVDOH will initiate the delivery order by identifying locations in need of repair. The delivery order will be generated by a WVDOH engineer or designee. The order should be completed on a WV-39 Blanket Release Order. The order should detail the need, location information of the repairs, type of repair required, and tentative start and end dates. Once complete, delivery orders shall be sent to the Vendor via email, fax, or postal mail. Any verbal communications to initiate a project from this contract are not acceptable as a delivery order.

Revised 10/27/2014 11 REVISED

- 6.3 Inspection and approval: The WVDOH will approve payment at such time as the repairs have been made according to the provisions of this agreement and have been verified by a WVDOH engineer or designee.
- 6.4 Payment: Vendor shall accept payment in accordance with the payment procedures of the State of West Virginia. The State of West Virginia currently utilizes a Purchasing Card (P-Card) program, administered under contract by a banking institution, to process payment for goods and services through state designated credit cards. Under this Contract, Vendor must accept payment by electronic funds transfer and P-Card. Electronic Funds Transfer for payment is available through the WV State Auditor's Office. The Vendor may visit the WV State Auditor's website (www.wvsao.gov) for all necessary forms and instructions. Payment method for each Delivery Order may be dictated at WVDOH's discretion.

#### 7. PROJECT ACCEPTANCE, DELIVERY AND RETURN:

- 7.1 Project Acceptance: Upon receipt of a Delivery Order, the Vendor shall advise the WVDOH, in writing, within five (5) calendar days of their acceptance of the project work of the Delivery Order. Failure on the Vendor's part to acknowledge acceptance of the project work may result in cancellation of the Delivery Order and re-award of the project to the next lowest bidder.
- 7.2 Delivery Time: All Delivery Orders shall specify a starting date and a completion date based on the Vendor's acceptance of the Delivery Order. If the work is not started by the Vendor by the specified starting date on the Delivery Order, the Delivery Order may be cancelled and issued to the next low bidder. If work is not completed by the completion date as specified on the Delivery Order, liquidated damages may be assessed in accordance with Standard Specs Section 108.7. Vendor shall ship all orders in accordance with the dates assigned to each project per the Deliver Order and shall not hold orders until a minimum delivery quantity is met. No Vendor is authorized to ship, nor is the WVDOH authorized to receive materials prior to the issuance of the Delivery Order.
- 7.3 Late Delivery: The Agency placing the order under this Contract must be notified in writing if orders will be delayed for any reason. Any delay in delivery that could cause harm to an Agency will be grounds for cancellation of the delayed order, and/or obtaining the items ordered from a third party.

Any Agency seeking to obtain items from a third party under this provision must first obtain approval of the DOH Finance & Administration Division, Procurement Section.

Revised 10/27/2014 12 REVISED

- 7.4 Delivery Payment/Risk of Loss: Standard order delivery shall be F.O.B. destination to the Agency's location. Vendor shall include the cost of standard order delivery charges in its bid pricing/discount and is not permitted to charge the Agency separately for such delivery.
- 7.5 Return of Unacceptable Items: If the Agency deems the Contract Items to be unacceptable, the Contract Items shall be returned to Vendor at Vendor's expense and with no restocking charge. Vendor shall either make arrangements for the return within five (5) days of being notified that items are unacceptable or permit the Agency to arrange for the return and reimburse Agency for delivery expenses. If the original packaging cannot be utilized for the return, Vendor will supply the Agency with appropriate return packaging upon request. All returns of unacceptable items shall be F.O.B. the Agency's location. The returned product shall either be replaced, or the Agency shall receive a full credit or refund for the purchase price, at the Agency's discretion.
- 7.6 Return Due to Agency Error: Items ordered in error by the Agency will be returned for credit within 30 days of receipt, F.O.B. Vendor's location. Vendor shall not charge a restocking fee if returned products are in a resalable condition. Items shall be deemed to be in a resalable condition if they are unused and in the original packaging. Any restocking fee for items not in a resalable condition shall be the lower of the Vendor's customary restocking fee or 5% of the total invoiced value of the returned items.

#### 8 VENDOR DEFAULT:

- 8.1 The following shall be considered a vendor default under this Contract.
  - **8.1.1** Failure to provide Contract Items in accordance with the requirements contained herein.
  - **8.1.2** Failure to comply with other specifications and requirements contained herein.
  - **8.1.3** Failure to comply with any laws, rules, and ordinances applicable to the Contract Services provided under this Contract.
  - **8.1.4** Failure to remedy deficient performance upon request.

Revised 10/27/2014 13 REVISED

- 8.2 The following remedies shall be available to Agency upon default.
  - **8.2.1** Immediate cancellation of the Contract.
  - **8.2.2** Immediate cancellation of one or more release orders issued under this Contract.
  - **8.2.3** Any other remedies available in law or equity.

#### 9. MISCELLANEOUS:

- **9.1 No Substitutions:** Vendor shall supply only Contract Items submitted in response to the Solicitation unless a contract modification is approved in accordance with the provisions contained in this Contract.
- **9.2 Vendor Supply:** Vendor must carry sufficient inventory of the Contract Items being offered to fulfill its obligations under this Contract. By signing its bid, Vendor certifies that it can supply the Contract Items contained in its bid response.
- 9.3 Reports: Vendor shall provide quarterly reports and annual summaries to the Agency showing the Agency's items purchased, quantities of items purchased, and total dollar value of the items purchased. Vendor shall also provide reports, upon request, showing the items purchased during the term of this Contract, the quantity purchased for each of those items, and the total value of purchases for each of those items. Failure to supply such reports may be grounds for cancellation of this Contract.
- 9.4 Contract Manager: During its performance of this Contract, Vendor must designate and maintain a primary Contract Manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract Manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract Manager and his or her contact information below.

Revised 10/27/2014 14 REVISED

#### **SPECIFICATIONS**

- 1. PURPOSE AND SCOPE: The West Virginia Division of Highways is soliciting bids to establish an open-end contract for Asphalt Preservation and Pavement Markings for work on asphalt preventive maintenance and repair projects throughout the State of West Virginia which shall include materials, delivery, equipment and labor by the Vendor.
- **2. DEFINITIONS:** The terms listed shall have the meanings assigned to them below. Additional definitions can be found in Section 2 of the General Terms and Conditions.
  - **2.1** "Contract Item" or "Contract Items" means the list of items identified in Section 3.2 below and on the Pricing Pages.
  - **2.2** "Contractor" or "Vendor" is an enterprise that contributes goods or services. Contractor or Vendor used in this Solicitation are interchangeable.
  - **2.3** "JMF" means Job Mix Formula.
  - **2.4 ASTM** is an international standards organization that develops and publishes voluntary consensus technical standards for a wide range of materials, products, systems, and services. <a href="https://www.astm.org/">https://www.astm.org/</a>
  - **2.5** "Asphalt Preservation" means the application of specific asphalt emulsions, aggregates and other materials which are applied to the surface of existing highways and roads to prolong the lifespan of the asphalt pavements.
  - 2.6 "APL" or "Approved Source" means Approved Product List/Source. The WVDOH Materials Control, Soils and Testing Division (MCS&T) creates and maintains a list of certified manufacturers that meet acceptable level of quality. These lists are updated periodically (amended), and it is the Vendors responsibility to refer to the current lists. The most current APL/Sources are located at: <a href="https://transportation.wv.gov/highways/mcst/Pages/APL">https://transportation.wv.gov/highways/mcst/Pages/APL</a> By Number.aspx.
  - 2.7 "Pricing Pages" means the schedule of prices and totals contained in wvOASIS or attached hereto as Attachment A (ATT A) and used to evaluate the Solicitation responses.
  - **2.8** "RPM" means Raised Pavement Markers, which is a device attached to the road and used as a positioning guide for drivers.
  - **2.9** "Solicitation" means the official notice of an opportunity to supply the State with goods or services.

Revised 10/27/2014 1 REVISED

- **2.10** "Standard Specs" means the West Virginia Department of Transportation, Division of Highways Standard Specifications, Roads and Bridges, adopted latest Standard Specs edition, including any Supplementals.
- **2.11** "SAMI" means Stress Absorbing Membrane Interlayer seal.
- **2.12** "HAM" means Hot-Applied Asphalt Mastic treatment.
- **2.13** "MUTCD" means the Manual on Uniform Traffic Control Devices.
- **2.14** "WVDOH" means the West Virginia Division of Highways.

### 3. GENERAL REQUIREMENTS:

3.1 The following sections of the Standard Specs shall apply, but are not be limited, to the administration of this contract: Sections 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, as amended.

Materials and equipment used in performance of this contract shall conform, but are not limited to, the requirements of Sections 401, 405, 407, 408, 420, 636, 663, 702, 703, 705 and 715, as amended.

A hard copy of the current Standard Specs may be purchased at a cost of \$20.00 (\$15.00 for the 2017 book plus \$5.00 for the Supplemental Latest Edition) using the **Attachment B (ATT B)** Standard Specifications Order Form. The completed form should be submitted by email to <a href="mailto:DOTSpecifications@wv.gov">DOTSpecifications@wv.gov</a> or mailed to:

West Virginia Division of Highways Contract Administration Building 5, Room 840 1900 Kanawha Boulevard, East Charleston, West Virginia 25305

A free electronic copy of the Standard Specs and Supplemental Latest Edition may be obtained by sourcing:

http://transportation.wv.gov/highways/contractadmin/specifications/Pages/default.aspx

3.2 Contract Items and Mandatory Requirements: Vendors shall provide Agency with Contract Items on an open-end and continuing basis. Contract Items must meet or exceed the mandatory requirements as shown below.

While the Contract Items reference the subject WVDOH Standard Specification, all other relevant sections of the Standard Specs still apply. Where any conflict may exist

Revised 10/27/2014 2 REVISED

between this solicitation and the WVDOH Standard Specs, the WVDOH Standard Specs shall take precedence.

**NOTE:** It is the Vendor's responsibility to provide traffic control while performing their services, and during the curing period if necessary.

### 3.2.1 Pre-Paving Meeting

The Vendors for Asphalt Preservation applications shall attend an on-site prepaving meeting with the WVDOH District Engineer before beginning an asphalt preservation project to review and discuss the following:

- Detailed work schedule
- Traffic control plan
- Calibration of equipment
- JMF previously submitted to the WVDOH District Engineer
- Equipment inspection, including transport units

The pre-paving meeting shall be incidental and included in the cost of Mobilization.

- 3.2.2 Test Strips: The Vendor shall utilize test strips to demonstrate the mixing of materials and placement procedures of each mixing machine to be used on a project. Test strip shall be performed at the beginning of the first day of production and on the roadway to be treated. The completed test strip (minimum 500 feet length) shall be reviewed to detect and correct any variances in surface texture, material ratio(s) and finished surface appearance. Additionally, the test strip will be used to establish the target job application rate.
- 3.2.3 Materials and Equipment: All Materials and Equipment used for Asphalt Preservation shall meet or exceed the Standard Specs for the corresponding asphalt preservation method. Where an Approved Product List (APL) or Approved Source requirement exists within this contract or within the Standard Specs, it is the Vendors responsibility to ensure that approved sources are utilized. The APL's and Approved Sources which have been provided as attachments to this contract are subject to periodic updated. The most current APL and Approved Sources, as amended, can be reviewed at: <a href="https://transportation.wv.gov/highways/mcst/Pages/APL">https://transportation.wv.gov/highways/mcst/Pages/APL</a> By Number.aspx.
- **3.2.4 Safety:** In addition to the Vendor's established safety protocols and the WVDOH's established safety protocols outlined in the Standard Specs, the Vendor and the Vendor's staff shall adhere to all WVDOH's pandemic-response protocols while present at the WVDOH jobsite. Vendors may obtain

Revised 10/27/2014 3 REVISED

the WVDOH pandemic-response protocols by contacting the WVDOH District Engineer.

- 3.2.5 Maintaining Traffic: While undergoing improvement, the project site shall be kept open to traffic in such condition that both local and through traffic will be adequately and safely accommodated. Traffic control shall be the responsibility of the Vendor performing work. All improvement operations shall be scheduled to keep traffic delays to a minimum.
  - A. Surface Protection: Do not allow traffic on the mixture until it has cured sufficiently to prevent pickup by vehicle tires. The new surface must be able to carry normal traffic without damage within one hour of application. Protect the new surface from damage at intersections and driveways. Repair all damage to the mixture caused by traffic. All costs associated with this repair work will be borne by the Contractor.
  - **B.** Maintaining Traffic, Contract Item Q: Traffic Control services, including Pilot Truck and Driver, Traffic Control Devices, Flaggers, and/or Arrow Boards, are the responsibility of the Vendor performing work and shall be provided in accordance with Standard Specs Section **636**, and the *Manual on Temporary Traffic Control for Streets and Highways*, 2006 Edition, or as directed by the Engineer.

All Traffic Control Devices shall be accounted for and paid per Section 636.23 of the Standard Specs.

### 3.2.6 Surface Preparation

No Asphalt Preservation application shall be performed until breaks, holes, depressions, and other irregularities in the base or existing surface have been repaired, sealed, and cured sufficiently. The WVDOH will ensure that potholes and irregularities have been corrected prior to the start of scheduled Asphalt Preservation application.

Asphalt Preservation Vendors must ensure that the roadway is cleaned and appropriately prepared prior to the start of work, as required by the Standard Specs. Surface preparation shall be included in the bid price for each Asphalt Preservation Contract Item, except for the Contract Items listed below, which shall be bid individually.

A. Eradication of Pavement Markings, Contract Item L: Pavement Markings shall be removed as required in the WVDOH Standard Specs, Section 405, 420, and 636, except when the project plans indicate an alternative.

Revised 10/27/2014 4 REVISED

- B. Crack Sealing, 1" or Less, Contract Item K: Crack Sealing for cracks requiring repair which measure 1" or less shall consist of cleaning and filling voids in asphalt or in concrete pavement in accordance with requirements established in Attachment C (ATT C) Project Specific Special Provision Section 403, Crack Sealing in Asphalt. Crack Sealing shall be bid by the linear foot.
- C. Hot-Applied Asphalt Mastic (HAM) Treatment, Contract Item E: Cracks measuring larger than 1" shall require cleaning and the use of Hot-Applied Asphalt Mastic (HAM) Treatment. HAM Treatment must be applied in accordance with requirements established in Attachment D (ATT D) Project Specific Special Provision Section 403 Hot-Applied Asphalt Mastic (HAM) Treatment. Reference Attachment E (ATT E), APL Products for Highway Maintenance. HAM Treatment shall be bid by the pound.

### 3.2.7 Asphalt Preservation Applications

Reference Attachment F (ATT F), Approved A-1 Aggregate Sources, as amended, for all Asphalt Preservation Applications which utilize aggregates. Aggregate sources must be provided on the Pricing Pages, Attachment A (ATT A), in the Aggregate Hauling Surcharge Per County section, Contract Item R.

Reference Attachment G (ATT G), Certified Bituminous Material, as amended, for all Asphalt Preservation Applications which utilize emulsions or binders. Emulsion and Binder sources must be provided on the Pricing Pages, Attachment A (ATT A), in the applicable Asphalt Preservation Application section.

A. Chip Seal, Contract Item A: Vendor shall provide all materials, equipment, and labor for Chip Seal application in accordance with all requirements established in the WVDOH Standard Specs, Section 405. Chip Seal shall be bid by the square yard.

Cationic emulsified asphalt shall conform to the requirements of AASHTO M 208 per WVDOH Standard Specs, Section **705.11** 

Anionic emulsified asphalts shall conform to the requirements of AASHTO M 140, per WVDOH Standard Specs, Section **705.4**.

Polymer-modified cationic emulsified asphalt shall conform to the requirements of AASHTO M 316, Per WVDOH Standard Specs Section 705.12. A surcharge can be added for supplying Polymer

Revised 10/27/2014 5 REVISED

Modified Cationic Emulsified Asphalt if requested on the Delivery Order.

- **B.** Fog Seal, Contract Item B: Vendor shall provide all materials, equipment, and labor for Fog Seal application in accordance with all requirements established in the WVDOH Standard Specs Sections 405 and 407. Fog Seal shall be bid by the square yard.
- C. Tack Coat, Contract Item C: Vendor shall provide all materials, equipment, and labor for Tack Coat application in accordance with all requirements established in the WVDOH Standard Specs, Sections 408 and 420. Tack Coat shall be bid by the square yard.
- Vendor shall provide material, equipment, and labor for placing SAMI seal as an interlayer between existing distressed pavements and a surface course of asphalt to reduce reflective cracking. When applied, SAMI should be provided by the Vendor providing the surface course of asphalt preservation, for which SAMI shall serve as an interlayer. SAMI Seal must be applied in accordance with requirements established in Attachment H (ATT H) Project Specific Special Provision Section 407 Asphalt Stress Absorbing Membrane Interlayer Fiber Sami Seal. SAMI seal shall be bid by the square yard.
- E. Asphalt Emulsion Slurry Seal Coat, Contract Item F: Vendor shall provide all materials, equipment, and labor for application of Asphalt Emulsion Slurry Seal Coat in accordance with requirements established in Attachment I (ATT I) Project Specific Special Provision 4 Section 425 Asphalt Emulsion Slurry Seal Coat. Asphalt Emulsion Slurry Seal Coat shall be bid by the square yard.
- F. Micro Surface Types 2FA & 3FA, Contract Item G: Vendor shall provide all materials, equipment, and labor for Micro Surface application in accordance with requirements established in the standards referenced in WVDOH Standard Specs, Section 420. Micro Surface, Single and Multiple Course, shall be bid by the square yard.
- G. Micro Surface Rut Fill, Contract Item H: Vendor shall provide all materials, equipment, and labor for Rut Fill application in accordance with all requirements established in the WVDOH Standards referenced in WVDOH Standard Specs Section 420 and shall be bid by the ton.

#### 3.2.8 Pavement Markings

Revised 10/27/2014 6 REVISED

Upon completion of the Asphalt Preservation Application, pavement markings shall be installed at their original locations, except when the project plans indicate an alternative. Permanent painted line striping is not a Contract Item within this contract. For the removal of pavement markings, reference Section 3.2.5.A Eradication of Pavement Markings.

A. Temporary Pavement Markings, Contract Item M: Temporary Pavement Markings and Temporary Raised Pavement Markers shall be installed in accordance with WVDOH Standard Specs, Sections 636 and 663. Temporary Pavement Markings Type VII-A, VII-B, and VII-C must be from an APL source, Attachment J (ATT J).

Temporary Pavement Markings shall be bid by the linear foot

Temporary Raised Pavement Markers (RPM) shall be bid by each RPM installed.

### B. Permanent Pavement Markings

- Type V Pre-Formed Pavement Markings, Installed, Contract Item N: Type V Pre-Formed Pavement Markings must be installed in accordance with WVDOH Standard Specs Sections 420, 663 and 715. All Type V Pre-Formed Pavement Markings must be produced by a certified manufacturer listed on the WVDOH Approved Product List (APL), as amended, Attachment K (ATT K), Type V Pavement Markings.
- Raised Pavement Markers (RPM), Installed, Contract Item O: RPM's must be stored and installed in accordance with Standard Specs Section 420, 663 and 715. RPM's shall be bid by each marker installed.

Reference **Exhibit 1 (EXH 1)** for additional RPM Type P and Type R details.

- All Type P-2 RPM's must be produced by a certified manufacturer listed on the APL, as amended, Type P-2 Raised Pavement Markers, Attachment L (ATT L).
- Type R-4 RPM's must meet all ASTM D4280 standards addressed in Standard Spec Section 715.40.6.2.
- **3.2.9 Surface Quality & Quality Control:** The finished pavement surface and work shall meet all quality standards established in the Standard Specs for application. If the finished surface or work does not meet the quality standards

Revised 10/27/2014 7 REVISED

established in the Standard Specs, work must stop immediately. The appropriate corrective action must be determined and then reviewed with the Engineer before resuming production.

3.2.10 Weather and Seasonal Limitations: Acceptable Air and pavement temperatures, rain and inclement weather restrictions and seasonal limitations can vary for each Asphalt Preservation method. Vendor must adhere to requirements established in the Standard Specs for the Asphalt Preservations method being applied. If weather restrictions or limitations are not available within the Standard Specs for the Asphalt Preservation application, the manufacturers recommended guidelines shall be followed with the prior approval of the WVDOH District Engineer.

### 3.2.11 Surcharges

Aggregate Hauling Surcharge per County, Contract Item R: The Vendor shall provide a per ton cost for Aggregate Hauling per County bid. This Contract Item is to fairly compensate the Vendors for hauling aggregate from Vendors storage site to a project site. The intent is for Vendors to determine the sources of aggregate for each county and to determine their cost to transport that aggregate to any location within the County being bid. The Vendor may use any distance in that calculation, but it is anticipated that an average distance from the aggregate source to a project site will be used. The WVDOH shall use the following formula when calculating the hauling surcharge, converting the per square yard of Chip Seal or SAMI to tons of aggregate required for SAMI and light, single, double, and triple course treatments:

Light Chip Seal:
Item A1 (Size of Project) $\times 0.01 = $ Tons of Aggregate
Single Chip Seal:
Item A2 (Size of Project) $\times 0.01 = $ Tons of Aggregate
Double Chip Seal:
Item A3 (Size of Project) x 0.0225 = Tons of Aggregate
Triple Chip Seal:
Item A4 (Size of Project) $\times 0.040 = $ Tons of Aggregate
SAMI:
Item D (Size of Project) $\times 0.01 = $ Tons of Aggregate

3.2.12 Mobilization, Contract Items P: Mobilization will be requested when the Vendor is required to move his equipment from Vendor's Storage Site, to the WVDOH project site. Pricing for mobilization shall be bid per mile and will be calculated based on the Vendors Storage Location provided on Attachment A (ATT A). Mobilization bid in any form other than cost per mile will be grounds to disqualify the Vendor's bid. Vendor shall bid the cost of

Revised 10/27/2014 8 REVISED

mobilization for the first mile and the cost for any additional miles after the first mile. Mobilization fees shall be calculated and paid one-way only by the WVDOH from the Vendor's Equipment Storage Location to the WVDOH project site. When the Vendor has multiple projects or the equipment is traveling from WVDOH location or project to project, additional miles only will be paid from project to project or from the Vendor's Equipment Storage Location to the project, whichever is less mileage. The WVDOH will provide the location of the project site to the Vendor on a Delivery Order. **Contract Items P** is located within the Pricing Pages below each Contract Item allowing Mobilization.

The WVDOH shall source the WV Straight Line Diagrams for WV Primary Routes and WV Secondary Routes for the route from the Vendor's Equipment Storage Location to the WVDOH project site. The Diagrams are available in each WVDOH District Office and the WVDOH Central Office. WVDOH will determine the route to be taken due to bridge and/or road restrictions which shall have acceptable load limits for both roads and bridges.

Out-of-state delivery route mileage will be calculated by the WVDOH, the shortest route, by utilizing "Google Earth" or a similar source for routing from the Vendor's Equipment Storage Location to the WV State line at which time, the Diagrams will be sourced to the WVDOH project site.

4. MATERIALS ACCEPTANCE CRITERIA: Materials found not in compliance with the requirements of the Contract or if the work performed, visually appears to be unacceptable, by visual inspection of the WVDOH District Engineer, the work may be rejected, removed and replaced at the Contractor's expense except where Pay Adjustments are established in the Standard Specs.

#### 5. CONTRACT AWARD:

5.1 Contract Award: The Contract is intended to provide Agencies with a purchase price for Asphalt Preservation and Pavement Markings on all Contract items. Vendors should bid on the Contract Items which relate to their scope of work for each county in which they provide services; Vendors are not expected to provide every Contract Item, only those which they specialize in.

**EXAMPLE:** Vendor Blue may specialize in Micro Surfacing and Vendor Red may specialize in Chip Seal. Vendor Yellow may specialize in the Eradication and of Pavement Markings, and Vendor Green may specialize in the installation of pavement markings. Vendors should bid on those Contract items they wish to offer. Vendors may choose to only bid on a single Contract Item or may bid on a combination of multiple Contract Items.

Revised 10/27/2014 9 REVISED

A Contract shall be awarded to all responsible Vendors that provide the Contract Items which meet all required specifications of this contract.

5.2 Pricing Pages: The Pricing Pages contain a list of the Contract Items. Vendor may bid any or all Contract Items on the Pricing Pages, Attachment A (ATT A). Vendor should complete the Pricing Pages in their entirety for the Contract Items which they intend to bid. Failure to complete the Pricing Pages in their entirety may result in Vendor's bids being disqualified. No future use of the Contract or any individual item is guaranteed or implied.

Manufacturer/Source Name and Source Location should be provided within the Pricing Pages, or as a supplemental attachment where additional space if needed. Contract Items requiring use of Approved Product List (APL) or Approved Sources will be disqualified if the Manufacturer /Source Name and Source Location is not provided, or if the Source/Product is not an WVDOT Approved.

The APL is not intended to reflect preference or favor over any Vendor. Manufacturers capable of meeting the established level of quality may become "certified" in accordance with the procedures found in Materials Procedure 700.00.55 – Guidelines for Establishing and Maintaining Approved Lists of Materials and Sources: <a href="https://transportation.wv.gov/highways/mcst/Material%20Procedures/M7000055.PDF">https://transportation.wv.gov/highways/mcst/Material%20Procedures/M7000055.PDF</a>

Vendor should electronically enter the information into the Pricing Pages through wvOASIS, if available, or as an electronic document. In most cases, the Vendor can request an electronic copy of the Pricing Pages for bid purposes by sending an email request to the following address: <a href="mailto:Kristy.E.James@wv.gov">Kristy.E.James@wv.gov</a>.

5.3 Determining Low Bid Per Project: To determine the low bid Vendor for individual projects, the WVDOH District Engineer will determine the Vendors awarded for the county in which work will be performed. WVDOH will calculate the lowest overall total cost of the Contract Items needed for the project, including mobilization, and coordinate the execution of work with low-bid vendor. WVDOH will do this for each specialty of work needed for the overall project.

**EXAMPLE:** If Micro Surfacing services are needed for an Asphalt Preservation & Pavement Markings project, the District Engineer will determine the lowest bidder for each area of work relating for the project. The District Engineer will calculate the total for Micro Surfacing services, including mobilization and any anticipated surcharges, to determine the low bid Micro Surfacing Vendor. The District Engineer will contact the low bid Micro Surfacing Vendor. The WVDOH will repeat this process for any other services needed for this project. For this example, Vendor Blue for Micro Surfacing, Vendor Orange for Crack Sealing, Vendor Purple for Tack Coat, Vendor Yellow for the Eradication of Pavement Markings, and Vendor Green for the installation of Temporary and Permanent Pavement Markings.

Revised 10/27/2014 10 REVISED

If a low-bid Vendor is not available for the scheduled work, WVDOH will offer the work to the next low-bid Vendor for that Contract Item.

WVDOH reserves the right to request any one or combination of items for which bids are awarded at the lowest overall total as set forth in this section.

5.4 Contract Award Transition: Upon the award of this contract, whether the effective date or the completed and encumbered date or an established date by the WVDOH, the WVDOH Operations Division will announce the effective date of use of this contract to the Districts and the Vendors. Upon the announced effective date of use by the WVDOH Operations Division to the Districts and Vendors, any Delivery Order issued prior the award of the subject Asphalt Preservation and Pavement Markings Contract shall remain in effect and should not be cancelled until that Delivery Order is filled; however, after ten (10) working days of the Districts and Vendors notice, any Delivery Order that has not been completely filled by the Vendors shall NOT be completed, but a cancellation notice will be sent to that Vendor from the issuing District for cancellation of the balance of that Delivery Order only. No Delivery Orders from prior contracts should be held open by the District or the Vendor longer ten (10) working days after the notice to the Districts and the Vendors of the effective date of use of the new contracts.

This directive is issued to assist the Districts and the Vendors when fulfilling open Delivery Orders only. It is NOT issued to cause harm or to take contracts from one Vendor to give to another Vendor, but to establish a transition process from one contract into another contract.

#### 6. ORDERING AND PAYMENT:

6.1 Ordering: Vendor shall accept orders through wvOASIS, regular mail, facsimile, email, or any other written form of communication. Vendor may, but is not required to, accept on-line orders through a secure internet ordering portal/website. If the Vendor has the ability to accept on-line orders, it should include in its response a brief description of how Agencies may utilize the on-line ordering system. Vendor shall ensure that its on-line ordering system is properly secured prior to processing Agency orders on-line. Vendor shall maintain communication of its current phone numbers, fax numbers, e-mail addresses, location addresses, and all ordering/billing/ payment addresses with WVDOH and in wvOASIS as applicable.

Revised 10/27/2014 11 REVISED

- 6.2 Delivery Order: WVDOH will initiate the delivery order by identifying locations in need of repair. The delivery order will be generated by a WVDOH engineer or designee. The order should be completed on a WV-39 Blanket Release Order. The order should detail the need, location information of the repairs, type of repair required, and tentative start and end dates. Once complete, delivery orders shall be sent to the Vendor via email, fax, or postal mail. Any verbal communications to initiate a project from this contract are not acceptable as a delivery order.
- **6.3 Inspection and approval:** The WVDOH will approve payment at such time as the repairs have been made according to the provisions of this agreement and have been verified by a WVDOH engineer or designee.
- 6.4 Payment: Vendor shall accept payment in accordance with the payment procedures of the State of West Virginia. The State of West Virginia currently utilizes a Purchasing Card (P-Card) program, administered under contract by a banking institution, to process payment for goods and services through state designated credit cards. Under this Contract, Vendor must accept payment by electronic funds transfer and P-Card. Electronic Funds Transfer for payment is available through the WV State Auditor's Office. The Vendor may visit the WV State Auditor's website (www.wvsao.gov) for all necessary forms and instructions. Payment method for each Delivery Order may be dictated at WVDOH's discretion.

Revised 10/27/2014 12 REVISED

### 7. PROJECT ACCEPTANCE, DELIVERY AND RETURN:

- 7.1 Project Acceptance: Upon receipt of a Delivery Order, the Vendor shall advise the WVDOH, in writing, within five (5) calendar days of their acceptance of the project work of the Delivery Order. Failure on the Vendor's part to acknowledge acceptance of the project work may result in cancellation of the Delivery Order and re-award of the project to the next lowest bidder.
- 7.2 Delivery Time: All Delivery Orders shall specify a starting date and a completion date based on the Vendor's acceptance of the Delivery Order. If the work is not started by the Vendor by the specified starting date on the Delivery Order, the Delivery Order may be cancelled and issued to the next low bidder. If work is not completed by the completion date as specified on the Delivery Order, liquidated damages may be assessed in accordance with Standard Specs Section 108.7. Vendor shall ship all orders in accordance with the dates assigned to each project per the Deliver Order and shall not hold orders until a minimum delivery quantity is met. No Vendor is authorized to ship, nor is the WVDOH authorized to receive materials prior to the issuance of the Delivery Order.
- 7.3 Late Delivery: The Agency placing the order under this Contract must be notified in writing if orders will be delayed for any reason. Any delay in delivery that could cause harm to an Agency will be grounds for cancellation of the delayed order, and/or obtaining the items ordered from a third party.

Any Agency seeking to obtain items from a third party under this provision must first obtain approval of the DOH Finance & Administration Division, Procurement Section.

Revised 10/27/2014 13 REVISED

- 7.4 Delivery Payment/Risk of Loss: Standard order delivery shall be F.O.B. destination to the Agency's location. Vendor shall include the cost of standard order delivery charges in its bid pricing/discount and is not permitted to charge the Agency separately for such delivery.
- 7.5 Return of Unacceptable Items: If the Agency deems the Contract Items to be unacceptable, the Contract Items shall be returned to Vendor at Vendor's expense and with no restocking charge. Vendor shall either make arrangements for the return within five (5) days of being notified that items are unacceptable or permit the Agency to arrange for the return and reimburse Agency for delivery expenses. If the original packaging cannot be utilized for the return, Vendor will supply the Agency with appropriate return packaging upon request. All returns of unacceptable items shall be F.O.B. the Agency's location. The returned product shall either be replaced, or the Agency shall receive a full credit or refund for the purchase price, at the Agency's discretion.
- 7.6 Return Due to Agency Error: Items ordered in error by the Agency will be returned for credit within 30 days of receipt, F.O.B. Vendor's location. Vendor shall not charge a restocking fee if returned products are in a resalable condition. Items shall be deemed to be in a resalable condition if they are unused and in the original packaging. Any restocking fee for items not in a resalable condition shall be the lower of the Vendor's customary restocking fee or 5% of the total invoiced value of the returned items.

#### 8 VENDOR DEFAULT:

- **8.1** The following shall be considered a vendor default under this Contract.
  - **8.1.1** Failure to provide Contract Items in accordance with the requirements contained herein.
  - 8.1.2 Failure to comply with other specifications and requirements contained herein.
  - **8.1.3** Failure to comply with any laws, rules, and ordinances applicable to the Contract Services provided under this Contract.
  - **8.1.4** Failure to remedy deficient performance upon request.

Revised 10/27/2014 14 REVISED

### REQUEST FOR QUOTATION

### Asphalt Preservation and Pavement Markings Materials, Equipment and Labor by Vendor

- 8.2 The following remedies shall be available to Agency upon default.
  - **8.2.1** Immediate cancellation of the Contract.
  - 8.2.2 Immediate cancellation of one or more release orders issued under this Contract.
  - **8.2.3** Any other remedies available in law or equity.

### 9. MISCELLANEOUS:

- 9.1 No Substitutions: Vendor shall supply only Contract Items submitted in response to the Solicitation unless a contract modification is approved in accordance with the provisions contained in this Contract.
- 9.2 Vendor Supply: Vendor must carry sufficient inventory of the Contract Items being offered to fulfill its obligations under this Contract. By signing its bid, Vendor certifies that it can supply the Contract Items contained in its bid response.
- 9.3 Reports: Vendor shall provide quarterly reports and annual summaries to the Agency showing the Agency's items purchased, quantities of items purchased, and total dollar value of the items purchased. Vendor shall also provide reports, upon request, showing the items purchased during the term of this Contract, the quantity purchased for each of those items, and the total value of purchases for each of those items. Failure to supply such reports may be grounds for cancellation of this Contract.
- 9.4 Contract Manager: During its performance of this Contract, Vendor must designate and maintain a primary Contract Manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract Manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract Manager and his or her contact information below.

Lisa P Booth
304-453-5636
4-453-5635
hway salety @ Toom internet re

#### **SPECIFICATIONS**

- 1. PURPOSE AND SCOPE: The West Virginia Division of Highways is soliciting bids to establish an open-end contract for Asphalt Preservation and Pavement Markings for work on asphalt preventive maintenance and repair projects throughout the State of West Virginia which shall include materials, delivery, equipment and labor by the Vendor.
- 2. **DEFINITIONS:** The terms listed shall have the meanings assigned to them below. Additional definitions can be found in Section 2 of the General Terms and Conditions.
  - 2.1 "Contract Item" or "Contract Items" means the list of items identified in Section 3.2 below and on the Pricing Pages.
  - **2.2** "Contractor" or "Vendor" is an enterprise that contributes goods or services. Contractor or Vendor used in this Solicitation are interchangeable.
  - 2.3 "JMF" means Job Mix Formula.
  - 2.4 ASTM is an international standards organization that develops and publishes voluntary consensus technical standards for a wide range of materials, products, systems, and services. <a href="https://www.astm.org/">https://www.astm.org/</a>
  - 2.5 "Asphalt Preservation" means the application of specific asphalt emulsions, aggregates and other materials which are applied to the surface of existing highways and roads to prolong the lifespan of the asphalt pavements.
  - 2.6 "APL" or "Approved Source" means Approved Product List/Source. The WVDOH Materials Control, Soils and Testing Division (MCS&T) creates and maintains a list of certified manufacturers that meet acceptable level of quality. These lists are updated periodically (amended), and it is the Vendors responsibility to refer to the current lists. The most current APL/Sources are located at: <a href="https://transportation.wv.gov/highways/mcst/Pages/APL">https://transportation.wv.gov/highways/mcst/Pages/APL</a> By Number.aspx.
  - 2.7 "Pricing Pages" means the schedule of prices and totals contained in wvOASIS or attached hereto as Attachment A (ATT A) and used to evaluate the Solicitation responses.
  - **2.8** "RPM" means Raised Pavement Markers, which is a device attached to the road and used as a positioning guide for drivers.
  - **2.9** "Solicitation" means the official notice of an opportunity to supply the State with goods or services.

Revised 10/27/2014 1 REVISED

- **2.10** "Standard Specs" means the West Virginia Department of Transportation, Division of Highways Standard Specifications, Roads and Bridges, adopted latest Standard Specs edition, including any Supplementals.
- **2.11** "SAMI" means Stress Absorbing Membrane Interlayer seal.
- **2.12** "HAM" means Hot-Applied Asphalt Mastic treatment.
- **2.13** "MUTCD" means the Manual on Uniform Traffic Control Devices.
- **2.14** "WVDOH" means the West Virginia Division of Highways.

#### 3. GENERAL REQUIREMENTS:

3.1 The following sections of the Standard Specs shall apply, but are not be limited, to the administration of this contract: Sections 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, as amended.

Materials and equipment used in performance of this contract shall conform, but are not limited to, the requirements of Sections 401, 405, 407, 408, 420, 636, 663, 702, 703, 705 and 715, as amended.

A hard copy of the current Standard Specs may be purchased at a cost of \$20.00 (\$15.00 for the 2017 book plus \$5.00 for the Supplemental Latest Edition) using the **Attachment B (ATT B)** Standard Specifications Order Form. The completed form should be submitted by email to <a href="mailto:DOTSpecifications@wv.gov">DOTSpecifications@wv.gov</a> or mailed to:

West Virginia Division of Highways Contract Administration Building 5, Room 840 1900 Kanawha Boulevard, East Charleston, West Virginia 25305

A free electronic copy of the Standard Specs and Supplemental Latest Edition may be obtained by sourcing:

http://transportation.wv.gov/highways/contractadmin/specifications/Pages/default.aspx

3.2 Contract Items and Mandatory Requirements: Vendors shall provide Agency with Contract Items on an open-end and continuing basis. Contract Items must meet or exceed the mandatory requirements as shown below.

While the Contract Items reference the subject WVDOH Standard Specification, all other relevant sections of the Standard Specs still apply. Where any conflict may exist

Revised 10/27/2014 2 REVISED

between this solicitation and the WVDOH Standard Specs, the WVDOH Standard Specs shall take precedence.

**NOTE:** It is the Vendor's responsibility to provide traffic control while performing their services, and during the curing period if necessary.

#### 3.2.1 Pre-Paving Meeting

The Vendors for Asphalt Preservation applications shall attend an on-site prepaving meeting with the WVDOH District Engineer before beginning an asphalt preservation project to review and discuss the following:

- Detailed work schedule
- Traffic control plan
- Calibration of equipment
- JMF previously submitted to the WVDOH District Engineer
- Equipment inspection, including transport units

The pre-paving meeting shall be incidental and included in the cost of Mobilization.

- 3.2.2 Test Strips: The Vendor shall utilize test strips to demonstrate the mixing of materials and placement procedures of each mixing machine to be used on a project. Test strip shall be performed at the beginning of the first day of production and on the roadway to be treated. The completed test strip (minimum 500 feet length) shall be reviewed to detect and correct any variances in surface texture, material ratio(s) and finished surface appearance. Additionally, the test strip will be used to establish the target job application rate.
- 3.2.3 Materials and Equipment: All Materials and Equipment used for Asphalt Preservation shall meet or exceed the Standard Specs for the corresponding asphalt preservation method. Where an Approved Product List (APL) or Approved Source requirement exists within this contract or within the Standard Specs, it is the Vendors responsibility to ensure that approved sources are utilized. The APL's and Approved Sources which have been provided as attachments to this contract are subject to periodic updated. The most current APL and Approved Sources, as amended, can be reviewed at: <a href="https://transportation.wv.gov/highways/mcst/Pages/APL">https://transportation.wv.gov/highways/mcst/Pages/APL</a> By Number.aspx.
- **3.2.4 Safety:** In addition to the Vendor's established safety protocols and the WVDOH's established safety protocols outlined in the Standard Specs, the Vendor and the Vendor's staff shall adhere to all WVDOH's pandemic-response protocols while present at the WVDOH jobsite. Vendors may obtain

Revised 10/27/2014 3 REVISED

the WVDOH pandemic-response protocols by contacting the WVDOH District Engineer.

- 3.2.5 Maintaining Traffic: While undergoing improvement, the project site shall be kept open to traffic in such condition that both local and through traffic will be adequately and safely accommodated. Traffic control shall be the responsibility of the Vendor performing work. All improvement operations shall be scheduled to keep traffic delays to a minimum.
  - A. Surface Protection: Do not allow traffic on the mixture until it has cured sufficiently to prevent pickup by vehicle tires. The new surface must be able to carry normal traffic without damage within one hour of application. Protect the new surface from damage at intersections and driveways. Repair all damage to the mixture caused by traffic. All costs associated with this repair work will be borne by the Contractor.
  - **B.** Maintaining Traffic, Contract Item Q: Traffic Control services, including Pilot Truck and Driver, Traffic Control Devices, Flaggers, and/or Arrow Boards, are the responsibility of the Vendor performing work and shall be provided in accordance with Standard Specs Section **636**, and the *Manual on Temporary Traffic Control for Streets and Highways*, 2006 Edition, or as directed by the Engineer.

All Traffic Control Devices shall be accounted for and paid per Section 636.23 of the Standard Specs.

#### 3.2.6 Surface Preparation

No Asphalt Preservation application shall be performed until breaks, holes, depressions, and other irregularities in the base or existing surface have been repaired, sealed, and cured sufficiently. The WVDOH will ensure that potholes and irregularities have been corrected prior to the start of scheduled Asphalt Preservation application.

Asphalt Preservation Vendors must ensure that the roadway is cleaned and appropriately prepared prior to the start of work, as required by the Standard Specs. Surface preparation shall be included in the bid price for each Asphalt Preservation Contract Item, except for the Contract Items listed below, which shall be bid individually.

A. Eradication of Pavement Markings, Contract Item L: Pavement Markings shall be removed as required in the WVDOH Standard Specs, Section 405, 420, and 636, except when the project plans indicate an alternative.

Revised 10/27/2014 4 REVISED

- B. Crack Sealing, 1" or Less, Contract Item K: Crack Sealing for cracks requiring repair which measure 1" or less shall consist of cleaning and filling voids in asphalt or in concrete pavement in accordance with requirements established in Attachment C (ATT C) Project Specific Special Provision Section 403, Crack Sealing in Asphalt. Crack Sealing shall be bid by the linear foot.
- C. Hot-Applied Asphalt Mastic (HAM) Treatment, Contract Item E: Cracks measuring larger than 1" shall require cleaning and the use of Hot-Applied Asphalt Mastic (HAM) Treatment. HAM Treatment must be applied in accordance with requirements established in Attachment D (ATT D) Project Specific Special Provision Section 403 Hot-Applied Asphalt Mastic (HAM) Treatment. Reference Attachment E (ATT E), APL Products for Highway Maintenance. HAM Treatment shall be bid by the pound.

### 3.2.7 Asphalt Preservation Applications

Reference Attachment F (ATT F), Approved A-1 Aggregate Sources, as amended, for all Asphalt Preservation Applications which utilize aggregates. Aggregate sources must be provided on the Pricing Pages, Attachment A (ATT A), in the Aggregate Hauling Surcharge Per County section, Contract Item R.

Reference Attachment G (ATT G), Certified Bituminous Material, as amended, for all Asphalt Preservation Applications which utilize emulsions or binders. Emulsion and Binder sources must be provided on the Pricing Pages, Attachment A (ATT A), in the applicable Asphalt Preservation Application section.

A. Chip Seal, Contract Item A: Vendor shall provide all materials, equipment, and labor for Chip Seal application in accordance with all requirements established in the WVDOH Standard Specs, Section 405. Chip Seal shall be bid by the square yard.

Cationic emulsified asphalt shall conform to the requirements of AASHTO M 208 per WVDOH Standard Specs, Section 705.11

Anionic emulsified asphalts shall conform to the requirements of AASHTO M 140, per WVDOH Standard Specs, Section **705.4**.

Polymer-modified cationic emulsified asphalt shall conform to the requirements of AASHTO M 316, Per WVDOH Standard Specs Section 705.12. A surcharge can be added for supplying Polymer

Revised 10/27/2014 5 REVISED

Modified Cationic Emulsified Asphalt if requested on the Delivery Order.

- B. Fog Seal, Contract Item B: Vendor shall provide all materials, equipment, and labor for Fog Seal application in accordance with all requirements established in the WVDOH Standard Specs Sections 405 and 407. Fog Seal shall be bid by the square yard.
- C. Tack Coat, Contract Item C: Vendor shall provide all materials, equipment, and labor for Tack Coat application in accordance with all requirements established in the WVDOH Standard Specs, Sections 408 and 420. Tack Coat shall be bid by the square yard.
- D. Stress Absorbing Membrane Interlayer (SAMI), Contract Item D: Vendor shall provide material, equipment, and labor for placing SAMI seal as an interlayer between existing distressed pavements and a surface course of asphalt to reduce reflective cracking. When applied, SAMI should be provided by the Vendor providing the surface course of asphalt preservation, for which SAMI shall serve as an interlayer. SAMI Seal must be applied in accordance with requirements established in Attachment H (ATT H) Project Specific Special Provision Section 407 Asphalt Stress Absorbing Membrane Interlayer Fiber Sami Seal. SAMI seal shall be bid by the square yard.
- E. Asphalt Emulsion Slurry Seal Coat, Contract Item F: Vendor shall provide all materials, equipment, and labor for application of Asphalt Emulsion Slurry Seal Coat in accordance with requirements established in Attachment I (ATT I) Project Specific Special Provision 4 Section 425 Asphalt Emulsion Slurry Seal Coat. Asphalt Emulsion Slurry Seal Coat shall be bid by the square yard.
- F. Micro Surface Types 2FA & 3FA, Contract Item G: Vendor shall provide all materials, equipment, and labor for Micro Surface application in accordance with requirements established in the standards referenced in WVDOH Standard Specs, Section 420. Micro Surface, Single and Multiple Course, shall be bid by the square yard.
- G. Micro Surface Rut Fill, Contract Item H: Vendor shall provide all materials, equipment, and labor for Rut Fill application in accordance with all requirements established in the WVDOH Standards referenced in WVDOH Standard Specs Section 420 and shall be bid by the ton.

### 3.2.8 Pavement Markings

Revised 10/27/2014 6 REVISED

Upon completion of the Asphalt Preservation Application, pavement markings shall be installed at their original locations, except when the project plans indicate an alternative. Permanent painted line striping is not a Contract Item within this contract. For the removal of pavement markings, reference Section 3.2.5.A Eradication of Pavement Markings.

A. Temporary Pavement Markings, Contract Item M: Temporary Pavement Markings and Temporary Raised Pavement Markers shall be installed in accordance with WVDOH Standard Specs, Sections 636 and 663. Temporary Pavement Markings Type VII-A, VII-B, and VII-C must be from an APL source, Attachment J (ATT J).

Temporary Pavement Markings shall be bid by the linear foot

Temporary Raised Pavement Markers (RPM) shall be bid by each RPM installed.

#### B. Permanent Pavement Markings

- Type V Pre-Formed Pavement Markings, Installed, Contract Item N: Type V Pre-Formed Pavement Markings must be installed in accordance with WVDOH Standard Specs Sections 420, 663 and 715. All Type V Pre-Formed Pavement Markings must be produced by a certified manufacturer listed on the WVDOH Approved Product List (APL), as amended, Attachment K (ATT K), Type V Pavement Markings.
- Raised Pavement Markers (RPM), Installed, Contract Item O: RPM's must be stored and installed in accordance with Standard Specs Section 420, 663 and 715. RPM's shall be bid by each marker installed.

Reference Exhibit 1 (EXH 1) for additional RPM Type P and Type R details.

- All Type P-2 RPM's must be produced by a certified manufacturer listed on the APL, as amended, Type P-2 Raised Pavement Markers, Attachment L (ATT L).
- Type R-4 RPM's must meet all ASTM D4280 standards addressed in Standard Spec Section 715.40.6.2.
- 3.2.9 Surface Quality & Quality Control: The finished pavement surface and work shall meet all quality standards established in the Standard Specs for application. If the finished surface or work does not meet the quality standards

Revised 10/27/2014 7 REVISED

established in the Standard Specs, work must stop immediately. The appropriate corrective action must be determined and then reviewed with the Engineer before resuming production.

3.2.10 Weather and Seasonal Limitations: Acceptable Air and pavement temperatures, rain and inclement weather restrictions and seasonal limitations can vary for each Asphalt Preservation method. Vendor must adhere to requirements established in the Standard Specs for the Asphalt Preservations method being applied. If weather restrictions or limitations are not available within the Standard Specs for the Asphalt Preservation application, the manufacturers recommended guidelines shall be followed with the prior approval of the WVDOH District Engineer.

### 3.2.11 Surcharges

Aggregate Hauling Surcharge per County, Contract Item R: The Vendor shall provide a per ton cost for Aggregate Hauling per County bid. This Contract Item is to fairly compensate the Vendors for hauling aggregate from Vendors storage site to a project site. The intent is for Vendors to determine the sources of aggregate for each county and to determine their cost to transport that aggregate to any location within the County being bid. The Vendor may use any distance in that calculation, but it is anticipated that an average distance from the aggregate source to a project site will be used. The WVDOH shall use the following formula when calculating the hauling surcharge, converting the per square yard of Chip Seal or SAMI to tons of aggregate required for SAMI and light, single, double, and triple course treatments:

Light Chip Seal:
Item A1 (Size of Project) $\times 0.01 = $ Tons of Aggregate
Single Chip Seal:
Item A2 (Size of Project) x 0.01 = Tons of Aggregate
Double Chip Seal:
Item A3 (Size of Project) x 0.0225 = Tons of Aggregate
Triple Chip Seal:
Item A4 (Size of Project) x 0.040 = Tons of Aggregate
SAMI:
Item D (Size of Project) x 0.01 = Tons of Aggregate

3.2.12 Mobilization, Contract Items P: Mobilization will be requested when the Vendor is required to move his equipment from Vendor's Storage Site, to the WVDOH project site. Pricing for mobilization shall be bid per mile and will be calculated based on the Vendors Storage Location provided on Attachment A (ATT A). Mobilization bid in any form other than cost per mile will be grounds to disqualify the Vendor's bid. Vendor shall bid the cost of

Revised 10/27/2014 8 REVISED

mobilization for the first mile and the cost for any additional miles after the first mile. Mobilization fees shall be calculated and paid one-way only by the WVDOH from the Vendor's Equipment Storage Location to the WVDOH project site. When the Vendor has multiple projects or the equipment is traveling from WVDOH location or project to project, additional miles only will be paid from project to project or from the Vendor's Equipment Storage Location to the project, whichever is less mileage. The WVDOH will provide the location of the project site to the Vendor on a Delivery Order. **Contract Items P** is located within the Pricing Pages below each Contract Item allowing Mobilization.

The WVDOH shall source the WV Straight Line Diagrams for WV Primary Routes and WV Secondary Routes for the route from the Vendor's Equipment Storage Location to the WVDOH project site. The Diagrams are available in each WVDOH District Office and the WVDOH Central Office. WVDOH will determine the route to be taken due to bridge and/or road restrictions which shall have acceptable load limits for both roads and bridges.

Out-of-state delivery route mileage will be calculated by the WVDOH, the shortest route, by utilizing "Google Earth" or a similar source for routing from the Vendor's Equipment Storage Location to the WV State line at which time, the Diagrams will be sourced to the WVDOH project site.

4. MATERIALS ACCEPTANCE CRITERIA: Materials found not in compliance with the requirements of the Contract or if the work performed, visually appears to be unacceptable, by visual inspection of the WVDOH District Engineer, the work may be rejected, removed and replaced at the Contractor's expense except where Pay Adjustments are established in the Standard Specs.

#### 5. CONTRACT AWARD:

**5.1 Contract Award:** The Contract is intended to provide Agencies with a purchase price for Asphalt Preservation and Pavement Markings on all Contract items. Vendors should bid on the Contract Items which relate to their scope of work for each county in which they provide services; Vendors are not expected to provide every Contract Item, only those which they specialize in.

**EXAMPLE:** Vendor Blue may specialize in Micro Surfacing and Vendor Red may specialize in Chip Seal. Vendor Yellow may specialize in the Eradication and of Pavement Markings, and Vendor Green may specialize in the installation of pavement markings. Vendors should bid on those Contract items they wish to offer. Vendors may choose to only bid on a single Contract Item or may bid on a combination of multiple Contract Items.

Revised 10/27/2014 9 REVISED

A Contract shall be awarded to all responsible Vendors that provide the Contract Items which meet all required specifications of this contract.

5.2 Pricing Pages: The Pricing Pages contain a list of the Contract Items. Vendor may bid any or all Contract Items on the Pricing Pages, Attachment A (ATT A). Vendor should complete the Pricing Pages in their entirety for the Contract Items which they intend to bid. Failure to complete the Pricing Pages in their entirety may result in Vendor's bids being disqualified. No future use of the Contract or any individual item is guaranteed or implied.

Manufacturer/Source Name and Source Location should be provided within the Pricing Pages, or as a supplemental attachment where additional space if needed. Contract Items requiring use of Approved Product List (APL) or Approved Sources will be disqualified if the Manufacturer /Source Name and Source Location is not provided, or if the Source/Product is not an WVDOT Approved.

The APL is not intended to reflect preference or favor over any Vendor. Manufacturers capable of meeting the established level of quality may become "certified" in accordance with the procedures found in Materials Procedure 700.00.55 – Guidelines for Establishing and Maintaining Approved Lists of Materials and Sources: <a href="https://transportation.wv.gov/highways/mcst/Material%20Procedures/M7000055.PDF">https://transportation.wv.gov/highways/mcst/Material%20Procedures/M7000055.PDF</a>

Vendor should electronically enter the information into the Pricing Pages through wvOASIS, if available, or as an electronic document. In most cases, the Vendor can request an electronic copy of the Pricing Pages for bid purposes by sending an email request to the following address: <a href="mailto:Kristy.E.James@wv.gov">Kristy.E.James@wv.gov</a>.

5.3 Determining Low Bid Per Project: To determine the low bid Vendor for individual projects, the WVDOH District Engineer will determine the Vendors awarded for the county in which work will be performed. WVDOH will calculate the lowest overall total cost of the Contract Items needed for the project, including mobilization, and coordinate the execution of work with low-bid vendor. WVDOH will do this for each specialty of work needed for the overall project.

EXAMPLE: If Micro Surfacing services are needed for an Asphalt Preservation & Pavement Markings project, the District Engineer will determine the lowest bidder for each area of work relating for the project. The District Engineer will calculate the total for Micro Surfacing services, including mobilization and any anticipated surcharges, to determine the low bid Micro Surfacing Vendor. The District Engineer will contact the low bid Micro Surfacing Vendor. The WVDOH will repeat this process for any other services needed for this project. For this example, Vendor Blue for Micro Surfacing, Vendor Orange for Crack Sealing, Vendor Purple for Tack Coat, Vendor Yellow for the Eradication of Pavement Markings, and Vendor Green for the installation of Temporary and Permanent Pavement Markings.

Revised 10/27/2014 10 REVISED

If a low-bid Vendor is not available for the scheduled work, WVDOH will offer the work to the next low-bid Vendor for that Contract Item.

WVDOH reserves the right to request any one or combination of items for which bids are awarded at the lowest overall total as set forth in this section.

5.4 Contract Award Transition: Upon the award of this contract, whether the effective date or the completed and encumbered date or an established date by the WVDOH, the WVDOH Operations Division will announce the effective date of use of this contract to the Districts and the Vendors. Upon the announced effective date of use by the WVDOH Operations Division to the Districts and Vendors, any Delivery Order issued prior the award of the subject Asphalt Preservation and Pavement Markings Contract shall remain in effect and should not be cancelled until that Delivery Order is filled; however, after ten (10) working days of the Districts and Vendors notice, any Delivery Order that has not been completely filled by the Vendors shall NOT be completed, but a cancellation notice will be sent to that Vendor from the issuing District for cancellation of the balance of that Delivery Order only. No Delivery Orders from prior contracts should be held open by the District or the Vendor longer ten (10) working days after the notice to the Districts and the Vendors of the effective date of use of the new contracts.

This directive is issued to assist the Districts and the Vendors when fulfilling open Delivery Orders only. It is NOT issued to cause harm or to take contracts from one Vendor to give to another Vendor, but to establish a transition process from one contract into another contract.

#### 6. ORDERING AND PAYMENT:

6.1 Ordering: Vendor shall accept orders through wvOASIS, regular mail, facsimile, email, or any other written form of communication. Vendor may, but is not required to, accept on-line orders through a secure internet ordering portal/website. If the Vendor has the ability to accept on-line orders, it should include in its response a brief description of how Agencies may utilize the on-line ordering system. Vendor shall ensure that its on-line ordering system is properly secured prior to processing Agency orders on-line. Vendor shall maintain communication of its current phone numbers, fax numbers, e-mail addresses, location addresses, and all ordering/billing/ payment addresses with WVDOH and in wvOASIS as applicable.

Revised 10/27/2014 11 REVISED

- 6.2 Delivery Order: WVDOH will initiate the delivery order by identifying locations in need of repair. The delivery order will be generated by a WVDOH engineer or designee. The order should be completed on a WV-39 Blanket Release Order. The order should detail the need, location information of the repairs, type of repair required, and tentative start and end dates. Once complete, delivery orders shall be sent to the Vendor via email, fax, or postal mail. Any verbal communications to initiate a project from this contract are not acceptable as a delivery order.
- **6.3** Inspection and approval: The WVDOH will approve payment at such time as the repairs have been made according to the provisions of this agreement and have been verified by a WVDOH engineer or designee.
- 6.4 Payment: Vendor shall accept payment in accordance with the payment procedures of the State of West Virginia. The State of West Virginia currently utilizes a Purchasing Card (P-Card) program, administered under contract by a banking institution, to process payment for goods and services through state designated credit cards. Under this Contract, Vendor must accept payment by electronic funds transfer and P-Card. Electronic Funds Transfer for payment is available through the WV State Auditor's Office. The Vendor may visit the WV State Auditor's website (www.wvsao.gov) for all necessary forms and instructions. Payment method for each Delivery Order may be dictated at WVDOH's discretion.

Revised 10/27/2014 12 REVISED

### 7. PROJECT ACCEPTANCE, DELIVERY AND RETURN:

- 7.1 Project Acceptance: Upon receipt of a Delivery Order, the Vendor shall advise the WVDOH, in writing, within five (5) calendar days of their acceptance of the project work of the Delivery Order. Failure on the Vendor's part to acknowledge acceptance of the project work may result in cancellation of the Delivery Order and re-award of the project to the next lowest bidder.
- 7.2 Delivery Time: All Delivery Orders shall specify a starting date and a completion date based on the Vendor's acceptance of the Delivery Order. If the work is not started by the Vendor by the specified starting date on the Delivery Order, the Delivery Order may be cancelled and issued to the next low bidder. If work is not completed by the completion date as specified on the Delivery Order, liquidated damages may be assessed in accordance with Standard Specs Section 108.7. Vendor shall ship all orders in accordance with the dates assigned to each project per the Deliver Order and shall not hold orders until a minimum delivery quantity is met. No Vendor is authorized to ship, nor is the WVDOH authorized to receive materials prior to the issuance of the Delivery Order.
- 7.3 Late Delivery: The Agency placing the order under this Contract must be notified in writing if orders will be delayed for any reason. Any delay in delivery that could cause harm to an Agency will be grounds for cancellation of the delayed order, and/or obtaining the items ordered from a third party.

Any Agency seeking to obtain items from a third party under this provision must first obtain approval of the DOH Finance & Administration Division, Procurement Section.

Revised 10/27/2014 13 REVISED

- 7.4 Delivery Payment/Risk of Loss: Standard order delivery shall be F.O.B. destination to the Agency's location. Vendor shall include the cost of standard order delivery charges in its bid pricing/discount and is not permitted to charge the Agency separately for such delivery.
- 7.5 Return of Unacceptable Items: If the Agency deems the Contract Items to be unacceptable, the Contract Items shall be returned to Vendor at Vendor's expense and with no restocking charge. Vendor shall either make arrangements for the return within five (5) days of being notified that items are unacceptable or permit the Agency to arrange for the return and reimburse Agency for delivery expenses. If the original packaging cannot be utilized for the return, Vendor will supply the Agency with appropriate return packaging upon request. All returns of unacceptable items shall be F.O.B. the Agency's location. The returned product shall either be replaced, or the Agency shall receive a full credit or refund for the purchase price, at the Agency's discretion.
- 7.6 Return Due to Agency Error: Items ordered in error by the Agency will be returned for credit within 30 days of receipt, F.O.B. Vendor's location. Vendor shall not charge a restocking fee if returned products are in a resalable condition. Items shall be deemed to be in a resalable condition if they are unused and in the original packaging. Any restocking fee for items not in a resalable condition shall be the lower of the Vendor's customary restocking fee or 5% of the total invoiced value of the returned items.

#### **8 VENDOR DEFAULT:**

- 8.1 The following shall be considered a vendor default under this Contract.
  - **8.1.1** Failure to provide Contract Items in accordance with the requirements contained herein.
  - 8.1.2 Failure to comply with other specifications and requirements contained herein.
  - **8.1.3** Failure to comply with any laws, rules, and ordinances applicable to the Contract Services provided under this Contract.
  - **8.1.4** Failure to remedy deficient performance upon request.

Revised 10/27/2014 14 REVISED

#### REQUEST FOR QUOTATION

### Asphalt Preservation and Pavement Markings Materials, Equipment and Labor by Vendor

- **8.2** The following remedies shall be available to Agency upon default.
  - **8.2.1** Immediate cancellation of the Contract.
  - **8.2.2** Immediate cancellation of one or more release orders issued under this Contract.
  - **8.2.3** Any other remedies available in law or equity.

#### 9. **MISCELLANEOUS:**

- **9.1 No Substitutions:** Vendor shall supply only Contract Items submitted in response to the Solicitation unless a contract modification is approved in accordance with the provisions contained in this Contract.
- **9.2 Vendor Supply:** Vendor must carry sufficient inventory of the Contract Items being offered to fulfill its obligations under this Contract. By signing its bid, Vendor certifies that it can supply the Contract Items contained in its bid response.
- 9.3 Reports: Vendor shall provide quarterly reports and annual summaries to the Agency showing the Agency's items purchased, quantities of items purchased, and total dollar value of the items purchased. Vendor shall also provide reports, upon request, showing the items purchased during the term of this Contract, the quantity purchased for each of those items, and the total value of purchases for each of those items. Failure to supply such reports may be grounds for cancellation of this Contract.
- 9.4 Contract Manager: During its performance of this Contract, Vendor must designate and maintain a primary Contract Manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract Manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract Manager and his or her contact information below.

Contract Manager: 150 P BOOTH
Telephone Number: 304-453-5636
Fax Number: 304-453-5635
Email Address: highway 52 Cety 8 2000 internet net

Revised 10/27/2014 15 REVISED

Asphalt Preservation and Pavement Markings, Materials, Equipment and Labor by Vendor - by Location per County

VENDORS NAME SHALL BE ENTERED HERE. BY THE VENDOR:

Highway Safety, Inc.

50.001 - 100.000

INSTRUCTIONS FOR VENDORS: For bidding, Vendor shall mark with an "X" the Counties that correspond with the pricing on this page. If Vendor has different pricing per county, Vendor shall complete Attachment A spreadsheet for each pricing per county set. If additional space for Name/Location of Material Supplier/Source is needed, please include a separate attachment listing the additional sources, and referencing them to the corresponding Contract Item # X Raleigh Barbour Doddridge Marshall Morgan Berkeley Fayette Jackson Mason Nicholas Randolph X Wayne Jefferson McDowell Gilmer Ohio Ritchie Webster Boone Wetzel Braxton Grant **X** Kanawha Pendleton Roane х Mercer Lewis
X Lincoln
X Logan Wirt Brooke Greenbrier /lineral Pleasants Summers Hampshire ingo Taylor X Wyoming Calhour ancock reston Tucker //onongalia Tyler Contract Item Unit of **Extended Description** Name/Location of Material Supplier/Source Vendor's Storage Location Measure Size of Project List Price \* For Asphalt Preservation, list emulsion/binder sources below and list Chip Seal Less than 20,000 20,000 - 50,000 Chip Seal, Light 100,001 or greate Less than 20,000 20,000 - 50,000 Chip Seal, Single 50.001 - 100.000 20,000 - 50,000 Chip Seal, Double SY 100,001 or greate Less than 20.000 Chip Seal, Triple 50,001 - 100,000 100,001 or greate Light (A-1) Surcharge for Polymer Modified Cationic Single (A-2) Emulsified Asphalt, riple (A-4) Mobilization for First Mile, Chip Sea Mobilization for each Additional Mile, Chip P2-A Mile Seal Fog Seal Less than 20,000 20,000 - 50,000 Fog Seal 50,001 - 100,000 00.001 or greater Mobilization for First Mile, Fog Seal Mile Mobilization for each Additional Mile, Fog Ś P2-B Mile Tack Coat Less than 20,000 20,000 - 50,000 Tack Coat 0,001 - 100,000 00,001 or greate Mobilization for First Mile, Fog Seal Mobilization for each Additional Mile, Fog Ś P2-C Mile Seal Stress Absort ng Membrane Interlayer (SAMI). SAMI (Stress Absorbing Membrane Less than 20,000 nterlayer) 20,000 - 50,000 SY (Interlayer only; not intended as a stand-50,001 - 100,000 alone application) 100,001 or greater Mobilization for First Mile, SAMI P1-D Mile Mobilization for each Additional Mile, SAMI Mile \$ Hot Applied Mastic (HAM) Hot Applied Mastic (HAM) POUND Mobilization for First Mile, Hot Applied P1-E Mile Mobilization for each Additional Mile, Hot \$ P2-E Mile Applied Mastic (HAM) sphalt Emulsion Slurry Seal Coat ess than 20,000 20.000 - 50.000 Asphalt Emulsion Slurry Seal Coat SY 50,001 - 100,000 Mobilization for First Mile, Asphalt Emulsio P1-F Mile \$ Slurry Seal Coat Mobilization for each Additional Mile, P2-F Mile Asphalt Emulsion Slurry Seal Coat Micro Surface Less than 20,000 Micro Surface - Type 2FA - Single Course 50,001 - 100,000 00,001 or great Less than 20,000 20.000 - 50.000 Micro Surface - Type 2FA - Multiple Course 50,001 - 100,000 100,001 or greate Less than 20,000

Micro Surface - Type 3FA - Single Course

Asphalt Preservation and Pavement Markings, Materials, Equipment and Labor by Vendor - by Location per County

VENDORS NAME SHALL BE ENTERED HERE, BY THE VENDOR:

Highway Safety, Inc.

INSTRUCTIONS FOR VENDORS: For bidding, Vendor shall mark with an "X" the Counties that correspond with the pricing on this page.

If Vendor has different pricing per county, Vendor shall complete Attachment A spreadsheet for each pricing per county set. If additional space for Name/Location of Material Supplier/Source is needed, please include a separate attachment listing the additional sources, and referencing them to the corresponding Contract Item #.

			needed,	plea	se include a separate attachment listing the addition	nal sc	urces, and referencing	them	to the corresponding	g Co	ntract Item #.		
		Barbour	Doddridge		Harrison		Marshall		Morgan	Х	Raleigh		Upshur
		Berkeley	Fayette		Jackson	Х	Mason		Nicholas		Randolph	Х	Wayne
	Х	Boone	Gilmer		Jefferson	Х	McDowell		Ohio		Ritchie		Webster
		Braxton	Grant	Х	Kanawha	Х	Mercer		Pendleton		Roane		Wetzel
		Brooke	Greenbrier		Lewis		Mineral		Pleasants		Summers		Wirt
	Х	Cabell	Hampshire	Х	Lincoln	х	Mingo		Pocahontas		Taylor		Wood
		Calhoun	Hancock	Х	Logan		Monongalia		Preston		Tucker	Х	Wyoming
	Х	Clay	Hardy		Marion		Monroe	Χ	Putnam		Tyler		<u>-</u> '
											_		
n											Unit of		

Chameleining Rines    Waters Farlant 60, Putriletgon, WV   Waters Sardant 60, Putriletgon, WV   Waters Sardant 60, Putriletgon, WV   Sardant 60, Putriletg		X Cabell	Hampshire	X Lincoln	х	Mingo		Pocahontas		Taylor	Wood			
Control Home   Collected Fourights		<del></del>		<del></del>			_				X Wyoming			
Extended Poorpright   Comment of Manuel Supplier Suppli		Clay	Hardy	Marion	<u> </u>	Monroe	Х	Putnam		Tyler				
Continue - Type 37A - Antigra Cours	Contract Item	n				1				Unit of	I			
Cart March Carloss - Type 37.4 - Multiple Course   Carloss - Multiple Course   Carlo			escription	Name/Location of Material Supplier/Source	•	Vendor's S	Stora	ge Location			Size of Proje	ct	Li	st Price
1000   1000											100,001 or greater			
Moto Surface - Type And - Motor Surface - State - St														
Micro Surfax - 3 Wos, Single Caure	G-4	Micro Surface - Type 3F	A - Multiple Course							SY				
Section   Sect														
More Surface - 29 Voide, Single Course														
More Surface, Note He	G 5	Micro Surfaco - 2' Wido	Single Course							cv				
Mode Surface, Rule Fill	0.0	IVIICIO SUITUCC S VVIUC	, single course							31				
Motor Soft Face, Bull Fill														
Mode														
Mobilization for First Mile, Muror Surface	Н	Micro Surface, Rut Fill								Ton				
	D1 C	Mobilization for First M	lile Micro Surface							Milo		ć		
Coast Scripting 1-10	F1-G	IVIODINZUCION TOT THIS CIV	ine, where surface							IVIIIC		٠		
Code Scaling, 1" or Less	P2.G	Mobilization for each A	dditional Mile, Micro							Milo		¢		
## Mobilisation for Frast Mile										IVIIIC		,		
Crack Sealing, 1" or Less	Crack Sealing, 1	1" or Less				1								
Modification for Friend Mills														
Machibitation for Price Mole   Machibitation for Price Mole   Machibitation for Price Mole   Machibitation for Price Mole   Machibitation for Price Model (Mole)   S	K	Crack Sealing, 1" or Les	S							LF				
Mobilisation for each Additional Mole, Crank   Society														
Control (Name of Powerett Marking)   Englishment of Powerett Marking (Inc.)	P1-K							-		Mile		\$		
Contaction (Decompt and Personnel Marking)   Endication of Thermopisatic Markings (Line	P2-K		dditional Mile, Crack					- <b>-</b>		Mile		Ś		
translation of Thermoplastic Makrises, Lillon		_								IVIIIC		,		
Line	Eradication (Ren	emoval) of Pavement Marking	js	I										
Company   Parent Marking   National Program   National National Program   National Nationa						4129 Washington S	t Ch	arleston WV 16	563					
Contraction of Temporary Powement Marking - Paint   Ennis-Paint / Greensboro, NC   4129 Washington St, Charleston, WV 1663   Each   5   5   5   5   5   5   5   5   5	L-1	-	walks, stop bars and	Highway Safety, Inc,					505	LF		\$		5.00
L1 (Symbols such as arrows and railroad crossing markings) L2 Fadication of Raised Pavement L3 Markers L429 Washington N. C., Charleston, W. 1684 Washes Struck Nd, Huntrington, W. L52, 500.00  Mile		channelizing lines)					.,	,						
Construction of Parts   Cons		Eradication of Thermop	olastic Markings			4120 Washington S	+ C	arleston W/V 16	562					
Crossing markings	L-2		s and railroad	Highway Safety, Inc,					503	Each		\$		500.00
P1							- '							
Page	L-3		avement							Each		\$		
Post   Modelitation for each Additional Mile,   September   Sept	D4.1		tile							2.61				42.500.00
Part   French   Province   Prov	PI-L	1								iville				\$2,500.00
Temporary Pewment Marking, Installed   Senis-Paint   Greensboro, NC   Walker Branch Rd, Huntington, WF   F   S   2.55   Walker Branch Rd, Huntington, WF   F   S   3.45   Walkers Branch Rd, Huntington, WF   F   S   3.45   Walkers Branch Rd, Huntington, WF   F   S   3.45   Walkers Branch Rd, Huntington, WF   S   7.00   Walkers Branch Rd, Huntington, WF	P2-L		duitional wille,							Mile				\$425.00
Maintainstant   Marking - Paint   Ennis-Paint   Ennis-Paint   Greensboro, NC   4129 Washington St., Charleston, W 1663   Walker Branch Al, Huntington, W 1673   Walker Branch Ad, Huntington, W 1674   Walker Branch Ad, Huntington, W 1675   Walker Branc	Temporary Pay	_												
M2   Temporary Pawement Marking Type VII-A   Construction 200 Fol Tape / Fenton, MO   4129 Washington Charleston, WO   163   LF   S   2.55			Aarking - Daint	Ennis Paint / Greenshore, NC		4129 Washington S	t , Ch	arleston, WV 16	563	16		ć		0.27
M3 Temporary Pavement Marking - Type VII-B  M4 Temporary Pavement Marking - Type VII-C  M4 Temporary Pavement Marking - Type VII-C  M5 Temporary Pavement Marking - Type VII-C  M6 Temporary Pavement Marking - Type VII-C  M6 Temporary Pavement Marking - Type VII-C  M7 Temporary Pavement Marking - Type VII-C  M6 Temporary Pavement Marking - Type VII-C  M7 Temporary Pavement Marking - Type VII-C  M7 Temporary Pavement Marking - Type VII-C  M8 Temporary Pavement Marking - Type VII-C  M8 Temporary Pavement Marking - Type VII-C  M8 Mobilization for Fast Mile  M8 Mobilization for Fast Marking - Marking	With	remporary ravements	viarking raint	Emilia Fame, Greensboro, Ne								7		0.27
Mail	M-2	Temporary Pavement N	Marking Type VII-A	Construction 200 Fol Tape / Fenton, MO					563	LF		\$		2.55
May   Temporary Pavement Marking - Type VII-C   3M / St Paul, MN   4129 Washington St, Charleston, WV   1661   5   4.25									563					
Mailer   Temporary Passenett Warking   Type VirC   San / St Paul, NM   Walkers Branch Rd, Huntington, W   Dailer   San / St Paul, NM   Walkers Branch Rd, Huntington, W   Dailer   San / St Paul, NM   San / St Paul, NM   Dailer   San / Sa	M-3	Temporary Pavement N	viarking - Type VII-B	Advance Traffic Markings /Roanoke K, NC		Walkers Branch	Rd,	Huntington, WV		LF		\$		3.45
Mobilization for First Mile	M-4	Temporary Pavement N	Marking - Type VII-C	3M / St Paul, MN					563	LF		\$		4.25
P18 Mobilization for First Mile									563					
Mobilization for Each Additional Mile, Temp   Pavement Markings	M-5	Temporary Raised Pave	ement Marker	Ennis-Stimsonite / Greensboro, NC						Each		\$		29.00
Type V Pro-Formed Pavement Markings  N=1 4" Longitudinal Line, White - Installed  Ennis-Flint / Greensboro, NC  N=2 4" Longitudinal Line, White, with Black Contrast - Installed  Ennis-Flint / Greensboro, NC  N=3 4" Longitudinal Line, White, with Black Contrast - Installed  Ennis-Flint / Greensboro, NC  N=3 4" Longitudinal Line, White, with Black Contrast - Installed  Ennis-Flint / Greensboro, NC  N=3 4" Longitudinal Line, White, with Black Contrast - Installed  Ennis-Flint / Greensboro, NC  N=4 4" Longitudinal Line, White, with Black Contrast - Installed  Ennis-Flint / Greensboro, NC  N=4 4" Longitudinal Line, Blue - Installed  Ennis-Flint / Greensboro, NC  N=4 4" Longitudinal Line, Blue - Installed  Ennis-Flint / Greensboro, NC  N=5 4" Longitudinal Line, Black - Installed  Ennis-Flint / Greensboro, NC  N=5 4" Longitudinal Line, Black - Installed  Ennis-Flint / Greensboro, NC  N=6 4" SKID RESISTANCE ENHANCED Longitudinal Line, Blue - Installed  Ennis-Flint / Greensboro, NC  N=7 5" Longitudinal Line, White - Installed  Ennis-Flint / Greensboro, NC  N=8 6" Longitudinal Line, White with Black Contrast - Installed  Ennis-Flint / Greensboro, NC  N=8 6" Longitudinal Line, White with Black Contrast - Installed  Ennis-Flint / Greensboro, NC  N=8 6" Longitudinal Line, White with Black Contrast - Installed Ennis-Flint / Greensboro, NC  N=9 6" Longitudinal Line, White with Black Contrast - Installed Ennis-Flint / Greensboro, NC  N=10 6" Longitudinal Line, White with Black Contrast - Installed Ennis-Flint / Greensboro, NC  N=10 6" Longitudinal Line, Grey- Installed Ennis-Flint / Greensboro, NC  N=10 6" Longitudinal Line, Grey- Installed Ennis-Flint / Greensboro, NC  N=10 6" Longitudinal Line, Grey- Installed Ennis-Flint / Greensboro, NC  N=10 6" Longitudinal Line, Grey- Installed Ennis-Flint / Greensboro, NC  N=10 0" Longitudinal Line, White with Black Contrast - Installed Ennis-Flint / Greensboro, NC  N=10 0" Longitudinal Line, Grey- Installed Ennis-Flint / Greensboro, NC  N=10 0" Longitudinal Line, White with Black Contr	P1-M	Mobilization for First M	lile							Mile		\$		2,500.00
Type VPErFormed Pavement Markings, Installed  N=1 4" Longitudinal Line, White - Installed Ennis-Flint / Greensboro, NC 4129 Washington St, Charleston, WV 1663 Walkers Branch Rd, Huntington, WV 1663 Walkers Branch	P2-M		dditional Mile, Temp					- <b>-</b>		Mile		Ś		425.00
N-1		•												
N-1   A" Longitudinal Line, White, with Black Contrast - Installed   Ennis-Flint / Greensboro, NC   High Spanning tons St., Charleston, WV 1663   LF   S 11.00	Type V Pre-Form	med Pavement Markings, Ins	stalled	1		4130 Washington S	+ Ck	arlastan MA/ 16	:63					
A" Longitudinal Line, White, with Black Contrast - Installed Ennis-Flint / Greensboro, NC Walkers Branch Rd, Huntington, WV  A" Longitudinal Line, Yellow - Installed Ennis-Flint / Greensboro, NC 4129 Washington St, Charleston, WV 1663 Walkers Branch Rd, Huntington, WV  A" Longitudinal Line, Blue - Installed Ennis-Flint / Greensboro, NC 4129 Washington St, Charleston, WV 1663 Walkers Branch Rd, Huntington, WV  A" Longitudinal Line, Blue - Installed Ennis-Flint / Greensboro, NC 4129 Washington St, Charleston, WV 1663 Walkers Branch Rd, Huntington, WV  A" Longitudinal Line, Blue - Installed Ennis-Flint / Greensboro, NC 4129 Washington St, Charleston, WV 1663 Walkers Branch Rd, Huntington, WV  A" SKID RESISTANCE ENHANCED Longitudinal Line, Blue - Installed Ennis-Flint / Greensboro, NC 4129 Washington St, Charleston, WV 1663 Walkers Branch Rd, Huntington, WV  B" C" Longitudinal Line, White - Installed Ennis-Flint / Greensboro, NC 4129 Washington St, Charleston, WV 1663 Walkers Branch Rd, Huntington, WV  B" C" Longitudinal Line, White with Black Ennis-Flint / Greensboro, NC 4129 Washington St, Charleston, WV 1663 Walkers Branch Rd, Huntington, WV  B" C" Longitudinal Line, White with Black Ennis-Flint / Greensboro, NC 4129 Washington St, Charleston, WV 1663 Walkers Branch Rd, Huntington, WV  B" C" Longitudinal Line, White with Black Ennis-Flint / Greensboro, NC 4129 Washington St, Charleston, WV 1663 Walkers Branch Rd, Huntington, WV  B" C" Longitudinal Line, White with Black Ennis-Flint / Greensboro, NC 4129 Washington St, Charleston, WV 1663 Walkers Branch Rd, Huntington, WV  B" C" Longitudinal Line, Grey- Installed Ennis-Flint / Greensboro, NC 4129 Washington St, Charleston, WV 1663 Walkers Branch Rd, Huntington, WV  B" C" Longitudinal Line, White with Black Ennis-Flint / Greensboro, NC 4129 Washington St, Charleston, WV 1663 Walkers Branch Rd, Huntington, WV  B" L" S" Longitudinal Line, White with Black Ennis-Flint / Greensboro, NC 4129 Washington St, Charleston, WV 1663 Walkers Branch Rd, Huntington, WV  B" L" S"	N-1	4" Longitudinal Line, W	hite - Installed	Ennis-Flint / Greensboro, NC					202	LF		\$		7.00
Contrast - Installed Emis-Filit / Greensboro, N.C Walkers Branch Rd, Huntington, WV LF	P1 0	4" Longitudinal Line, W	hite, with Black	Ennic Flint / Communication					563	15				11.00
N3 4* Longitudinal Line, Yellow - Installed Ennis-Flint / Greensboro, NC Walkers Branch Rd, Huntington, WV LF	N-2			ennis-riint / Greensboro, NC		Walkers Branch	Rd,	Huntington, WV		LF		\$		11.00
Nº4 4" Longitudinal Line, Blue - Installed	N-3	4" Longitudinal Line. Ye	ellow - Installed	Ennis-Flint / Greensboro, NC					563	LF		Ś		7.00
N-5 4" Longitudinal Line, Blue - Installed Ennis-Flint / Greensboro, NC 4129 Washington St., Charleston, WV 1663 Walkers Branch Rd, Huntington, WV 1663 Walkers Branch Rd, Hun									562					
N5 4" Longitudinal Line, Black - Installed Ennis-Flint / Greensboro, NC Walkers Branch Rd, Huntington, WV LF	N-4	4" Longitudinal Line, Bli	ue - Installed	Ennis-Flint / Greensboro, NC					.03	LF		\$		7.50
## SKID RESISTANCE ENHANCED Longitudinal Line, Blue - Installed	N.C	4" Longitudinal Line Bl	ack - Installed	Ennis Elint / Croonshore NC					563	15				7.50
Line, Blue - Installed  Line, Blue - Installed  Ennis-Flint / Greensboro, NC  Walkers Branch Rd, Huntington, WV  4129 Washington St, Charleston, WV 1663 Walkers Branch Rd, Huntington, WV  Malkers Branch Rd, Huntington, WV  Mal	N-5	<u> </u>		Ennis-Filint / Greensboro, NC						LF		\$		7.50
Makers Branch Rd, Huntington, WV   LF   S   8.00	N-6		HANCED Longitudinal	Ennis-Flint / Greensboro, NC					563	LF		\$		7.75
N-9 6" Longitudinal Line, White - Installed Ennis-Flint / Greensboro, NC Walkers Branch Rd, Huntington, WV LF S 12.00  N-9 6" Longitudinal Line, Black - Installed Ennis-Flint / Greensboro, NC Walkers Branch Rd, Huntington, WV 1663 Walkers Branch Rd, Hu		Line, Blue - Installed							562					
Second Contrast - Installed   Ennis-Flint / Greensboro, NC   Second Contrast - Installed   E	N-7	6" Longitudinal Line, W	hite - Installed	Ennis-Flint / Greensboro, NC					503	LF		\$		8.00
N-9 6" Longitudinal Line, Black - Installed Ennis-Flint / Greensboro, NC 4129 Washington St, Charleston, WV 1663 Walkers Branch Rd, Huntington, WV 1663 Walkers Branch Rd, Hun	N O	6" Longitudinal Line, W	hite with Black	Ennis Flint / Croonshore NC					563	15		ć		12.00
N-10 6" Longitudinal Line, Yellow - Installed Ennis-Flint / Greensboro, NC Walkers Branch Rd, Huntington, WV LF	IN-8	Contrast - Installed		Ellilis-Filit / Greensbord, NC						LF		۶	'	12.00
N-10 6" Longitudinal Line, Yellow - Installed Ennis-Flint / Greensboro, NC 4129 Washington St, Charleston, WV 1663 Walkers Branch Rd, Huntington, WV 1663	N-9	6" Longitudinal Line, Bla	ack - Installed	Ennis-Flint / Greensboro, NC		-			563	LF		\$		9.00
N-10 6 Longitudinal Line, Yeilow - Installed Ennis-Flint / Greensboro, N.C Walkers Branch Rd, Huntington, WV  10 6" Longitudinal Line, Grey- Installed Ennis-Flint / Greensboro, N.C Walkers Branch Rd, Huntington, WV  11 8" Longitudinal Line, White - Installed Ennis-Flint / Greensboro, N.C Walkers Branch Rd, Huntington, WV  12 8" Longitudinal Line, White - Installed Ennis-Flint / Greensboro, N.C Walkers Branch Rd, Huntington, WV  13 8" Longitudinal Line, White with Black Contrast - Installed Ennis-Flint / Greensboro, N.C Walkers Branch Rd, Huntington, WV  14 129 Washington St., Charleston, WV 1663 Walkers Branch Rd, Huntington, WV  15 9.00  16 Walkers Branch Rd, Huntington, WV  17 Walkers Branch Rd, Huntington, WV  18 Washington St., Charleston, WV 1663 Walkers Branch Rd, Huntington, WV  19 Washington St., Charleston, WV 1663 Walkers Branch Rd, Huntington, WV  10 Walkers Branch Rd, Huntington, WV									563					
N-11 6" Longitudinal Line, Grey- Installed Ennis-Flint / Greensboro, NC 4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV  N-12 8" Longitudinal Line, White - Installed Ennis-Flint / Greensboro, NC 4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV  N-13 8" Longitudinal Line, White with Black Contrast - Installed Ennis-Flint / Greensboro, NC 4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WY 1663 Walkers Branch Rd, Huntington, WY 1663 Walkers Branch	N-10	6" Longitudinal Line, Ye	llow - Installed	Ennis-Flint / Greensboro, NC					505	LF		\$		8.00
N-12 8" Longitudinal Line, White - Installed Ennis-Flint / Greensboro, NC 4129 Washington St., Charleston, WV 1663 Walkers Branch Rd, Huntington, WV 1663	A1 11	6" Longitudinal Line Co	roy Installed	Ennis Elint / Croonshore NC					563	15				0.00
N-12 8" Longitudinal Line, White - Installed Ennis-Flint / Greensboro, NC Walkers Branch Rd, Huntington, WV LF \$ 10.00  Walkers Branch Rd, Huntington, WV 1663  Contrast - Installed Ennis-Flint / Greensboro, NC Walkers Branch Rd, Huntington, WV 1663  Walkers Branch Rd, Huntington, WV LF \$ 13.25	N-11	o Longitudinai Line, Gr	ey- mstaned	EIIIIS-FIIIIL/ Greensboro, NC						LF .		\$		9.00
8" Longitudinal Line, White with Black Contrast - Installed Contrast - Installed Ennis-Flint / Greensboro, NC Walkers Branch Rd, Huntington, WV 1663 Walkers Branch Rd, Huntington, WV 167 State	N-12	8" Longitudinal Line, W	hite - Installed	Ennis-Flint / Greensboro, NC					563	LF		\$		10.00
N-13 Contrast - Installed Ennis-Hint / Greensboro, NC Walkers Branch Rd, Huntington, WV LF \$ 13.25														
	NI 12	8" Longitudinal Line W	hite with Black			4129 Washington C	t . C*	narleston W/V 14						
8" Longitudinal Line, Yellow - Installed Ennis-Flint / Greensboro, NC Page 1 of 5 with the past 1 of 1 of 5 with the past 1 of 1 of 5 with the past 1 of 5 with 1 of	14-13		hite with Black	Ennis-Flint / Greensboro, NC					063	LF		\$		13.25
N-14 8" Longitudinal Line, Yellow - Installed Ennis-Flint / Greensboro, NC Page of 5 Walkers Branch Rd, Huntington, WV LF \$ 10.00	N-13	Contrast - Installed		Ennis-Flint / Greensboro, NC Ennis-Flint / Greensboro, NC	D	Walkers Branch	Rd,	Huntington, WV		LF LF				13.25

Asphalt Preservation and Pavement Markings, Materials, Equipment and Labor by Vendor - by Location per County

VENDORS NAME SHALL BE ENTERED HERE, BY THE VENDOR:

Highway Safety, Inc.

INSTRUCTIONS FOR VENDORS: For bidding, Vendor shall mark with an "X" the Counties that correspond with the pricing on this page.

If Vendor has different pricing per county, Vendor shall complete Attachment A spreadsheet for each pricing per county set. If additional space for Name/Location of Material Supplier/Source is needed, please include a separate attachment listing the additional sources, and referencing them to the corresponding Contract Item #.

1		1	L	ė-	L	_	1				L	_	
		Barbour	Doddridge		Harrison		Marshall		Morgan	Х	Raleigh		Upshur
		Berkeley	Fayette		Jackson	Х	Mason		Nicholas		Randolph	Х	Wayne
	Х	Boone	Gilmer		Jefferson	Х	McDowell		Ohio		Ritchie		Webster
		Braxton	Grant	Х	Kanawha	Х	Mercer		Pendleton		Roane		Wetzel
		Brooke	Greenbrier		Lewis		Mineral		Pleasants		Summers		Wirt
	х	Cabell	Hampshire	х	Lincoln	Х	Mingo		Pocahontas		Taylor		Wood
		Calhoun	Hancock	х	Logan		Monongalia		Preston		Tucker	Х	Wyoming
	Х	Clay	Hardy		Marion		Monroe	Х	Putnam		Tyler		

Contract Item #	Extended Description	Name/Location of Material Supplier/Source*	Vendor's Storage Location	Unit of Measure	Size of Project	List Price
N-15	12" Longitudinal Line, White - Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	LF		\$ 14.00
N-16	12" SKID RESISTANCE ENHANCED Longitudinal Line, White - Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	LF		\$ 17.00
N-17	12" Longitudinal Line, Yellow - Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	LF		\$ 14.00
N-18	12" Longitudinal Line, Black - Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	LF		\$ 17.25
N-19	12" Longitudinal Line, Grey- Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	LF		\$ 17.25
N-20	24" Longitudinal Line, White - Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	LF		\$ 26.00
N-21	Straight Arrow 12" @ Bottom of Shaft 3'-3" x 9'-10" - Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	Each		\$ 265.00
N-22	Straight Arrow with Black Contrast 12" at Bottom of Shaft, 3'3" x 9'10" - Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	Each		\$ 325.00
N-23	Curved Arrow, Left, 12" at Bottom of Shaft, 6'- 3" x 8-2" - Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	Each		\$ 300.00
N-24	Curved Arrow, Left with Black Contrast, 12" at Bottom of Shaft, 6'-3" x 8'-2" - Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	Each		\$ 375.00
N-25	Curved Arrow, Right, 12" at Bottom of Shaft, 6'-3" x 8-2" - Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	Each		\$ 300.00
N-26	Curved Arrow, Right, with Black Contrast, 12" at Bottom of Shaft, 6'-3" x 8'-2" - Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	Each		\$ 400.00
N-27	Combination Arrow 12" at Bottom of Shaft, 7'-4" x 13'-1" (Left or Right, Specified at Time of Order) - Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	Each		\$ 335.00
N-28	Combination Arrow with Black Contrast 12" at Bottom of Shaft, 7'-4" x 13'-1" (Left or Right, Specified at Time of Order) - Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	Each		\$ 415.00
N-29	"ONLY" 6'-8" x 8'-0" - Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	Each		\$ 360.00
N-30	"STOP" 7'-4" x 8'-0" - Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	Each		\$ 360.00
N-31	"AHEAD" 8'-10" x 8'-0" - Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	Each		\$ 450.00
N-32	"SCHOOL" 11'-4" x 8'-0" - Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	Each		\$ 540.00
N-33	"SCHOOL" 14'-6" x 10'-0" - Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	Each		\$ 630.00
N-34	Right Side Lane Drop Arrow (Points to the Left) - Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	Each		\$ 650.00
N-35	Left Side Lane Drop Arrow (Points to the Right) - Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	Each		\$ 650.00
N-36	Railroad Crossing R's 12'x78", "X" 16", "20" height, 42" Width - Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	Each		\$ 825.00
N-37	White Handicap Symbol with Blue Background, 48" square - Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	Each		\$ 410.00
N-38	Yield Line Triangle, 24" x 36" - Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	Each		\$ 45.00
N-39	Freeway Ramp Wrong Way Arrow 8' wide - Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	Each		\$ 600.00
N-40	SKID RESISTANCE ENHANCED Bicycle with Rider and Helmet Symbol, 24" x 48". Bicycle to Point to the Left - Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	Each		\$ 215.00
N-41	Shared Lane Bike Symbol 9'-4" x 3'4" SKID RESISTANCE ENHANCED - Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	Each		\$ 295.00
N-42	One Head Roundabout Arrow, White, Left - Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	Each		\$ 750.00
N-43	One Head Roundabout Arrow, White, Straight - Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	Each		\$ 750.00
N-44	Two Head Roundabout Arrow, White, Left/ Right - Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	Each		\$ 805.00
N-45	Two Head Roundabout Arrow, White, Left/ Straight - Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	Each		\$ 805.00
N-46	Two Head Roundabout Arrow, White, Right/Straight - Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	Each		\$ 805.00
N-47	Three Head Roundabout Arrow, White, Left/Right/Straight - Installed	Ennis-Flint / Greensboro, NC	4129 Washington St , Charleston, WV 1663 Walkers Branch Rd, Huntington, WV	Each		\$ 855.00
P1-N	Mobilization for First Mile			Mile		\$2,500
P2-N	Mobilization for Each Additional Mile, Type V Pavement Markings	<del></del>		Mile		\$ 425.00

Raised Pavement Markings, Installed

Asphalt Preservation and Pavement Markings, Materials, Equipment and Labor by Vendor - by Location per County

VENDORS NAME SHALL BE ENTERED HERE BY THE VENDOR-

Highway Safety, Inc.

\$

\$

Ton

Ton

Ton

INSTRUCTIONS FOR VENDORS: For bidding, Vendor shall mark with an "X" the Counties that correspond with the pricing on this page. If Vendor has different pricing per county, Vendor shall complete Attachment A spreadsheet for each pricing per county set. If additional space for Name/Location of Material Supplier/Source is needed, please include a separate attachment listing the additional sources, and referencing them to the corresponding Contract Item # Barbour Doddridge Marshall Morgan Berkeley Fayette Jackson Mason Nicholas Randolph X Wayne Jefferson McDowell Ritchie Webster Gilmer Ohio Boone Wetzel Braxton Grant **X** Kanawha Mercer Pendleton Roane х Lewis X Lincoln lineral Wirt Brooke Greenbrier Pleasants Summers Hampshire ingo Taylor X Wyoming Calhour lancock Logan reston Tucker //onongalia х Tyle Contract Item Unit of Vendor's Storage Location Measure Size of Project List Price 4129 Washington St , Charleston, WV 1663 0-1 Type P-2 Raised Pavement Marker - Installed Ennis-Paint / Greensboro, NC Each 49.00 Walkers Branch Rd, Huntington, WV 4129 Washington St , Charleston, WV 1663 0-2 Type R-4 Raised Pavement Marker - Installed Ennis-Stimsonite / Greensboro, NC Fach 29.00 Mile ,500.00 Mobilization for Each Additional Mile, RPMs 425.00 Maintaining Traffic by Vendo 0-1 Pilot Truck and Driver Dav Ś 4129 Washington St , Charleston, WV 1663 Traffic Control Devices Traffix / San Clemente, CA Q-2 Unit \$2.25 Walkers Branch Rd, Huntington, WV Q-3 Flagger Hour 4129 Washington St , Charleston, WV 1663 0-4 Arrow Board Work Area Protection / St. Charles, IL Day \$30 Walkers Branch Rd, Huntington, WV Aggregate Hauling Surcharge Per County: Contract Item Unit of Measure List Price Extended Description Vendor's Storage Location Size of Project Name/Location of Quarry/Source Aggregate Hauling Surcharge: R-1 Ton **Barbour County** Aggregate Hauling Surcharge: Berkeley R-2 \$ Ton County Aggregate Hauling Surcharge: R-3 Ton Ś Boone County Aggregate Hauling Surcharge: \$ R-4 Ton Braxton County Aggregate Hauling Surcharge: \$ R-5 Ton Brooke County Aggregate Hauling Surcharge: R-6 Ton \$ Cabell County Aggregate Hauling Surcharge: \$ R-7 Ton Calhoun County Aggregate Hauling Surcharge: R-8 Ton \$ Clay County Aggregate Hauling Surcharge: Doddridge \$ R-9 Ton County Aggregate Hauling Surcharge: \$ R-10 Ton Fayette County Aggregate Hauling Surcharge: Ton \$ Gilmer County
Aggregate Hauling Surcharge: \$ R-12 Ton **Grant County** Aggregate Hauling Surcharge: Greenbrier R-13 Ton \$ County Aggregate Hauling Surcharge: Hampshire \$ R-14 Ton County Aggregate Hauling Surcharge: Hancock \$ R.15 Ton County Aggregate Hauling Surcharge: R-16 Ton Hardy County Aggregate Hauling Surcharge: Harrison \$ R-17 Ton County Aggregate Hauling Surcharge: Ton Jackson County Aggregate Hauling Surcharge: Jefferson R-19 \$ Ton County Aggregate Hauling Surcharge: Kanawha \$ R-20 Ton County Aggregate Hauling Surcharge: R-21 Ton ewis County Aggregate Hauling Surcharge: \$ R-22 Ton Aggregate Hauling Surcharge R-23 Ton Logan County Aggregate Hauling Surcharge: \$ R-24 Ton Marion County Aggregate Hauling Surcharge: Marshall R-25 Ton \$ County Aggregate Hauling Surcharge R-26 Ton Mason County Aggregate Hauling Surcharge: McDowell \$ R-27 Ton County Aggregate Hauling Surcharge: R-28 Ton \$

Page 4 of 5

Mercer County
Aggregate Hauling Surcharge:

Aggregate Hauling Surcharge: Monongalia

Mineral County
Aggregate Hauling Surcharge:

Mingo County

County

R-29

R-30

R-31

Asphalt Preservation and Pavement Markings, Materials, Equipment and Labor by Vendor - by Location per County

VENDORS NAME SHALL BE ENTERED HERE, BY THE VENDOR:

Highway Safety, Inc.

INSTRUCTIONS FOR VENDORS: For bidding, Vendor shall mark with an "X" the Counties that correspond with the pricing on this page.

If Vendor has different pricing per county, Vendor shall complete Attachment A spreadsheet for each pricing per county set. If additional space for Name/Location of Material Supplier/Source is needed, please include a separate attachment listing the additional sources, and referencing them to the corresponding Contract Item #.

Ī		Barbour	Doddridge		Harrison		Marshall		Morgan	Х	Raleigh		Upshur
ſ		Berkeley	Fayette		Jackson	х	Mason		Nicholas		Randolph	Х	Wayne
I	Х	Boone	Gilmer		Jefferson	Х	McDowell		Ohio		Ritchie		Webster
I		Braxton	Grant	Х	Kanawha	Х	Mercer		Pendleton		Roane		Wetzel
I		Brooke	Greenbrier		Lewis		Mineral		Pleasants		Summers		Wirt
ſ	х	Cabell	Hampshire	х	Lincoln	х	Mingo		Pocahontas		Taylor		Wood
ſ		Calhoun	Hancock	х	Logan		Monongalia		Preston		Tucker	Х	Wyoming
ſ	х	Clay	Hardy		Marion		Monroe	Χ	Putnam		Tyler		

	T		ī		I	
Contract Item #	Extended Description	Name/Location of Material Supplier/Source*	Vendor's Storage Location	Unit of Measure	Size of Project	List Price
R-32	Aggregate Hauling Surcharge: Monroe County			Ton		\$
R-33	Aggregate Hauling Surcharge: Morgan County			Ton		\$
R-34	Aggregate Hauling Surcharge: Nicholas County			Ton		\$
R-35	Aggregate Hauling Surcharge: Ohio County			Ton		\$
R-36	Aggregate Hauling Surcharge: Pendleton County			Ton		\$
R-37	Aggregate Hauling Surcharge: Pleasants County			Ton		\$
R-38	Aggregate Hauling Surcharge: Pocahontas County			Ton		\$
R-39	Aggregate Hauling Surcharge: Preston County			Ton		\$
R-40	Aggregate Hauling Surcharge: Putnam County			Ton		\$
R-41	Aggregate Hauling Surcharge: Raleigh County			Ton		\$
R-42	Aggregate Hauling Surcharge: Randolph County			Ton		\$
R-43	Aggregate Hauling Surcharge: Ritchie County			Ton		\$
R-44	Aggregate Hauling Surcharge: Roane County			Ton		\$
R-45	Aggregate Hauling Surcharge: Summers County			Ton		\$
R-46	Aggregate Hauling Surcharge: Taylor County			Ton		\$
R-47	Aggregate Hauling Surcharge: Tucker County			Ton		\$
R-48	Aggregate Hauling Surcharge: Tyler County			Ton		\$
R-49	Aggregate Hauling Surcharge: Upshur County			Ton		\$
R-50	Aggregate Hauling Surcharge: Wayne County			Ton		\$
R-51	Aggregate Hauling Surcharge: Webster County			Ton		\$
R-52	Aggregate Hauling Surcharge: Wetzel County			Ton		\$
R-53	Aggregate Hauling Surcharge: Wirt County			Ton		\$
R-54	Aggregate Hauling Surcharge: Wood County			Ton		\$
R-55	Aggregate Hauling Surcharge: Wyoming County			Ton		\$