



Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

**State of West Virginia
Solicitation Response**

Proc Folder: 970940
Solicitation Description: EQUIPMENT LEASE/RENTAL WITH OPERATOR-6622C020
Proc Type: Agency Master Agreement

Solicitation Closes	Solicitation Response	Version
2022-01-24 14:30	SR 0803 ESR01112200000004123	1

VENDOR
VS0000005125
Harcon Corporation

Solicitation Number: ARFQ 0803 DOT2200000017
Total Bid: 0
Response Date: 2022-01-11
Response Time: 13:10:55
Comments:

FOR INFORMATION CONTACT THE BUYER

Kristine E James
304-414-7104
kristy.e.james@wv.gov

Vendor Signature X **FEIN#** **DATE**

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	EQUIPMENT LEASE/RENTAL WITH OPERATOR	0.00000	EA	4200.000000	0.00

Comm Code	Manufacturer	Specification	Model #
72141702			

Commodity Line Comments: See Attachments for pricing.

Extended Description:

EQUIPMENT LEASE/RENTAL WITH OPERATOR PER THE ATTACHED EXHIBIT B

DOT6622C020 - Attachment A - Equipment Rental Lease WITH Operator

Attention Bidders - Please enter your name in the block→

Requested Contract Items Vendor's Pricing shall include All Support Vehicles needed for Equipment Operation such as water, transport, other ancillary vehicles, etc.	Counties serviced - Enter each County name (write "ALL" for statewide availability)	Equipment Rental Without Delivery/WITH Operator			Equipment Delivery Fee	
		\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
BACKHOE Crawler Mech./Hyd. 0.75 Cyd. 24,000 lbs. - 28,000 lbs. Working Weight						
BACKHOE Crawler Mech./Hyd. 0.75 Cyd. 29,000 lbs. - 35,800 lbs. Working Weight						
BACKHOE Crawler Mech./Hyd. 1.00 Cyd. 36,000 lbs. - 40,000 lbs. Working Weight						
BACKHOE Crawler Mech./Hyd. 1.25 Cyd., 128 - 141 HP 42,700 lbs. - 45,900 lbs. Working Weight						
BACKHOE (HY-RAM) Crawler 2,000 ft./lbs. min. 24,400 lbs. - 35,800 lbs. Excavator Size						
BACKHOE (HY-RAM) Crawler 2,000 ft./lbs. min. 36,000 lbs. - 42,900 lbs. Excavator Size						
BACKHOE (HY-RAM) Crawler 2,000 ft./lbs. min. 43,000 lbs. - 60,000 lbs. Excavator Size						
BACKHOE (HY-RAM) Crawler 2,000 ft./lbs. min. 61,000 lbs. - 80,000 lbs. Excavator Size						
BACKHOE Crawler 1.25 Cyd. 128-141 HP 42,700 lbs - 75,900 lbs.						
BACKHOE Crawler with a thumb						
BACKHOE LOADER Rubber Tired 55-85 DHP						
BACKHOE LOADER (HY-RAM) Mtd. Hyd. Breaker 55-85 DHP D						
BACKHOE LOADER (HO-RAM) Mtd. Air Breaker 1,000 ft./lbs. min.						
BACKHOE LOADER TRACTOR - Compact Rubber Tired 20-30 HP max. height - 83"						
BULLDOZER Crawler GD 65 -75 DHP D						
BULLDOZER Crawler GD 80 -90 DHP D						
BULLDOZER Crawler GD 100 -120 DHP D						
BULLDOZER Crawler GD 130 -140 DHP D						
BULLDOZER Crawler TC 150 - 250 EHP D						
BULLDOZER Crawler/Ripper TCP 181 - 250 EHP D						
BULLDOZER Crawler/Winch TCP 181 - 250 EHP D						
EXCAVATOR - TELEBOOM Track Mtd. SP 0.5 Cyd. D						
EXCAVATOR - TELEBOOM Truck Mtd. SP 0.5 Cyd. D						
EXCAVATOR with Auger Drive, 48"long, 6" to 36" Standard Bits, Track Mounted for Light - Moderate Ground Conditions						
EXCAVATOR Mini-Hyd. Track Mtd. 6,500 lbs. max.						
EXCAVATOR 1/8 Cyd. 30 HP D Track Width 5' out-to-out						
EXCAVATOR - 1/5 Cyd. 44 HP 11,000 lbs. Track Width 6' out-to-out						
EXCAVATOR - 1/4 Cyd. 55 HP D 14,000 lbs. Bucket, Track Width 6' out-to-out						
EXCAVATOR WITH AUGER DRIVE, 48"long, 6" to 18" Rock Track Mounted for solid and fracturable rock, asphalt,						
EXCAVATOR ATTACHMENT Plate compactor for 15,000-20,000 lb excavator						
EXCAVATOR ATTACHMENT Hydraulic hammer for 15,000-20,000 lb excavator						

DOT6622C020 Equipment Lease/Rental WITH Operator ATTACHMENT A - PRICING PAGE

Attention Bidders - Enter your name in the block →

Item #	Requested Contract Items. Vendor's Pricing shall include All Support Vehicles needed for Equipment Operation such as water, transport, other ancillary vehicles, etc.	Counties serviced - Enter each County name (write "ALL" for statewide)	Equipment Lease/Rental Rate			Equipment	
			Price / Day up to 10 hrs	Price / Week up to 50 hrs	Price / Month up to 176 hrs	Delivery Fee	
						With Operator	Vendor Pricing
1	Catepillar RM 500 Reclaimer or Equal min. 500 hp, Self-propelled capable of cutting thru & pulverizing existing roadway pavement. base, subbase, to depths of 16" min., variable speed 8 ft. cutting drum						
1-A	Overtime Rate Cat. RM 500 Reclaimer or Equal - Hour 11 through Hour 18 (1.40)						
1-B	Overtime Rate Cat. RM 500 Reclaimer or Equal - Hour 19 to Hour 24 (1.60)						
1-C	Overtime Rate Cat. RM 500 Reclaimer or Equal - Hour 51 through 74 (1.30)						
1-D	Overtime Rate Cat. RM 500 Reclaimer or Equal - Hour 75 to Hour 99 (1.50)						
2	Cement Spreader - Mechanical Style for Dry Cement Placement Capable of a maximum application rate of 90 pounds per square yard (90 lbs/SY). Shall be equipped with a self-contained vacuum system to minimize creation of dust						
2-A	Overtime Rate Mech.Cement Spreader - Hour 11 through Hour 18 (1.40)						
2-B	Overtime Rate Mech. Cement Spreader - Hour 19 to Hour 24 (1.60)						
2-C	Overtime Rate Mech. Cement Spreader - Hour 51 through 74 (1.30)						
2-D	Overtime Rate Mech. Cement Spreader - Hour 75 to Hour 99 (1.50)						
2-E	Dry Portland Cement Type 1 - for use in the Cement Spreader - Per Ton Shall have min. cement content of 150 +/- 5 pous per cy & conform to ASTM C150						
3	Slurry Cement Spreader Shall apply slurry within 15 minutues of tanker truck arrival & disperse portland cement slurry uniformly over entire placement area and not allow the slurry to pool or run off.						
3-A	Overtime Rate Slurry Cement Spreader - Hour 11 through Hour 18 (1.40)						
3-B	Overtime Rate Slurry Cement Spreader - Hour 19 to Hour 24 (1.60)						
3-C	Overtime Rate Slurry Cement Spreader - Hour 51 through 74 (1.30)						
3-D	Overtime Rate Slurry Cement Spreader - Hour 75 to Hour 99 (1.50)						
4	Compactor - Vibratory Padfoot Roller Shall be able to obtain 98% of the required density based on the mix design. Shall provide at least 52,000 lbs of centrifugal force for breakdown compaction.						
4-A	Overtime Rate V. Padfoot Roller Compactor - Hour 11 through Hour 18 (1.40)						
4-B	Overtime Rate V. Padfoot Roller Compactor - Hour 19 to Hour 24 (1.60)						
4-C	Overtime Rate V. Padfoot Roller Compactor - Hour 51 through 74 (1.30)						
4-D	Overtime Rate V. Padfoot Roller Compactor - Hour 75 to Hour 99 (1.50)						
5	Compactor - Smooth Drum Vibratory Roller (Single or Tandem) Shall be able to obtain 98% of the required density based on the mix design & provide at minimum effective weight of 12 ton for finish rolling.						
5-A	Overtime Rate Smooth Drum VR Compactor - Hour 11 through Hour 18 (1.40)						
5-B	Overtime Rate Smooth Drum VR Compactor - Hour 19 to Hour 24 (1.60)						
5-C	Overtime Rate Smooth Drum VRCompactor - Hour 51 through 74 (1.30)						
5-D	Overtime Rate Smooth Drum VR Compactor - Hour 75 to Hour 99 (1.50)						
6	Compactor - Pneumatic Tired Roller Compactor shall be able to obtain 98% of required density based on mix design, 50 tons effective weight operate on two axles- rear tire group will NOT follow in tracks of front tire group; 60" rolling width min. and compression 325 lbs per inch width tire tread						
6-A	Overtime Rate PT Roller Compactor - Hour 11 through Hour 18 (1.40)						
6-B	Overtime Rate PT Roller Compactor - Hour 19 to Hour 24 (1.60)						
6-C	Overtime Rate P. Tired Roller Compactor - Hour 51 through 74 (1.30)						
6-D	Overtime Rate P. Tired Roller Compactor - Hour 75 to Hour 99 (1.50)						
7	Tanker Truck with Recirculating Pump and/or Agitation System Shall haul & disperse portland cement slurry into slurry cement spreader within 45 minutes of first contact of cement with water.						
7-A	Overtime Rate Tanker Truck - Hour 11 through Hour 18 (1.40)						
7-B	Overtime Rate Tanker Truck - Hour 19 to Hour 24 (1.60)						
7-C	Overtime Rate Tanker Truck - Hour 51 through 74 (1.30)						
7-D	Overtime Rate Tanker Truck - Hour 75 to Hour 99 (1.50)						
7-E	Portland Cement Type 1 Slurry for use in the Cement Spreader -Per Tanker Shall have a min. content of 150 +/- 5 pous per cy & conform to ASTM C150						

DOT6622C020 - Attachment A - Equipment Rental Lease WITH Operator

Attention Bidders - Please enter your name in the block→

Requested Contract Items Vendor's Pricing shall include All Support Vehicles needed for Equipment Operation such as water, transport, other ancillary	Counties serviced - Enter each County name (write "ALL" for statewide availability)	Equipment Rental Without Delivery/WITH Operator			Equipment Delivery Fee	
		\$/Day	\$/Week	\$/Month	1st Mile	Add. Mi.
AERIAL BUCKET TRUCK Highway Rated TRK. MTD Versalift SST-40-EIH or similar. 45ft working ht. 1-1/2 man bucket min. Insulated articulating boom Rotation @ level position. No CDL required						
AERIAL BUCKET TRUCK Highway Rated TRK. MTD 50' Reach Min. 43.5' Radius 360 degrees Boom Rotation @ level position						
AERIAL BUCKET TRUCK Highway Rated TRK. MTD 50' Reach Min. 43.5' Radius 360 degrees Boom Rotation @ level position						
AERIAL PLATFORM TRUCK Highway Rated TRK. MTD 40' Reach Min. 360 degrees Boom Rotation @ level position						
AERIAL PLATFORM TRUCK Highway Rated TRK. MTD 40' Reach Min. 360 degrees Boom Rotation @ level position						
AERIAL PLATFORM TRUCK Elliot Model L55-R or similar 55ft boom length min. Rear mounted turret						
AERIAL PLATFORM TRUCK Highway Rated TRK. MTD 55' Reach Min. 360 degrees Boom Rotation @ level position						
AERIAL PLATFORM TRUCK Elliott Model G50 or similar						
AERIAL PLATFORM TRUCK Elliott Model L55 or similar						
CRAWLER CRANE - 40 T						
CRAWLER CRANE 70 T						
CRAWLER CRANE 90 - 109 T						
CRAWLER CRANE 20 - 34 T						
CRAWLER CRANE 35 - 75 T						
TRUCK MOUNTED CRANE 10-14 T 18' Bed minimum						
Truck Mounted with 18' Bed minimum						
TRUCK MOUNTED CRANE 15-29 T 18' Bed minimum						
TRUCK MOUNTED CRANE 30 - 49 T						
TRUCK MOUNTED CRANE 50 - 89 T						
TRUCK MOUNTED CRANE 50 - 89 T						
All Terrain CRANE 35 - 75 T						
All Terrain CRANE 90- 119 T						
All Terrain CRANE 120- 149 T						
All Terrain CRANE 150- 169 T						
Rough Terrain CRANE 15 - 25 T Hyd.						

DOT6622C020 - Attachment A - Equipment Rental Lease WITH Operator

Attention Bidders - Please enter your name in the block→

		Harcon Corporation					
		Equipment Rental Without Delivery/ WITH Operator			Equipment Delivery Fee		
Requested Contract Items Vendor's Pricing shall include All Support Vehicles needed for Equipment Operation such as water, transport, other ancillary vehicles, etc.	Counties serviced - Enter each County name (write "ALL" for statewide availability)	\$/Day (8 hrs.)	\$/Week (58 hr. days)	\$/Month (20 8-hr. days)	1st Mile	Add. Mi.	
							MOTORIZED BOSUNS CHAIRS with Support Crew of Mobile Vertical Inspection Platform MoVIP or equal max vertical drop 250 ft Approx wt 16 tons
HP35 Hydra Platform or equal (MOT NOT INCL.) Less than 10 tons. 180° platform rotation		ALL	Priced per location and duration of project.				
Safety Boat with operator, Total Wt capacity of approx. 1500 lbs (passenger wt)		ALL	\$4,200.00	\$17,250.00	\$64,000.00	\$3.13	\$3.13
Boat WITH Bucket/Manlift, Harcon or equal intended for bridge inspection/maintenance. Working Bucket/manlift arm with vertical reach of 50' and lateral		ALL	\$4,200.00	\$17,250.00	\$64,000.00	\$3.13	\$3.13
Aquatic Bucket/Manlift Vehicle Bridge Tracker		ALL	\$4,200.00	\$17,250.00	\$64,000.00	\$3.13	\$3.13
T40 or equal with working ht 40'		ALL	\$4,200.00	\$17,250.00	\$64,000.00	\$3.13	\$3.13
T44 or equal with working ht 44'		ALL	\$4,200.00	\$17,250.00	\$64,000.00	\$3.13	\$3.13
Aquatic Bucket/Manlift Vehicle. for example, Bridge reach 60' above the water and 30' lateral reach		ALL	\$4,200.00	\$17,250.00	\$64,000.00	Over-sized, permitted load. Priced per location	
T63 or equal		ALL	\$4,200.00	\$17,250.00	\$64,000.00		
HRT40 HIGH RAIL TRACKER 40' or equal 40' working height		ALL	\$4,200.00	\$17,250.00	\$64,000.00	\$3.13	\$3.13
Sidetracker or Harcon equal Weight less than 3000 lbs. Basket rating 220 lb Max reach 12'. Track width Min. 27.8" Track Width		ALL	\$3,900.00	\$16,500.00	\$60,000.00	\$3.13	\$3.13
MANLIFT SP 40 FT							
MANLIFT SP 30 FT							
MANLIFT SP 80FT							
MANLIFT SP 125 FT.. minimum to 135 FT. max							
UNDERBRIDGE INSPECTION UNIT Small Bucket Type 30 FT. min. to 32 FT. max. Horiz. (including operator AND driver)							
UNDERBRIDGE INSPECTION UNIT Small Bucket Type. 33 FT. min. to 40 FT. max. Horiz. (including operator AND driver)							
UNDERBRIDGE INSPECTION UNIT Medium Bucket Type. 41 FT. min. to 52 FT. max. Horiz. (including operator AND driver)							
UNDERBRIDGE INSPECTION UNIT Medium Bucket Type. 53 FT. min. to 62 FT. max. Horiz. (including operator AND driver)							
UNDERBRIDGE INSPECTION UNIT Large Bucket Type 63 FT. min. to 75 FT. max. Horiz. (including Operator AND Driver)							
UNDERBRIDGE PLATFORM (MOT NOT INCL.) Trailer Mtd., Hyd. SP Min. 20 FT. Horiz. reach		ALL	\$4,200.00	\$17,250.00	\$64,000.00	\$3.13	\$3.13
UNDERBRIDGE PLATFORM (MOT NOT INCL.) Trailer Mtd., Hyd. SP Min. 30 FT. Horiz. reach		ALL	\$4,200.00	\$17,250.00	\$64,000.00	\$3.13	\$3.13
UNDERBRIDGE PLATFORM Trailer Mtd., Hyd. SP Min. 40 FT. Horiz. reach							
UNDERBRIDGE PLATFORM Trailer Mtd., Hyd. SP Min. 50 FT. Horiz. reach							
UNDERBRIDGE PLATFORM Trailer Mtd., Hyd. SP Min. 60 FT. Horiz. reach							
UNDERBRIDGE PLATFORM, with driver Truck Mtd., Hyd. Min. 23 FT. Horiz. reach							

DOT6622C020 - Attachment A - Equipment Rental Lease WITH Operator

Attention Bidders - Enter your name in the block→

Requested Contract Items Vendor's Pricing shall include All Support Vehicles needed for Equipment Operation such as water, transport, other ancillary vehicles, etc.	Counties serviced - Enter each County name (write "ALL" for statewide availability)	Equipment Rental Without Delivery/WITH Operator			Equipment Delivery Fee	
		\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
CULVERT CLEANER Trk. Mtd. min. 1,500 gal. tank , 1,400 PSI min.						
CULVERT CLEANER Trk. Mtd. 65 - 80 GPM 2,000 PSI min.						
CULVERT CLEANER Jetter and Vacuum Truck						
STREET SWEEPER SP 3.0 Cyd. (min.) - Operator to dispose of collected waste at location determined by Agency.						
STREET SWEEPER SP 8.0 Cyd. (min.) Operator to dispose of collected waste at location determined by Agency.						
STREET SWEEPER 1 trailer 1 ype - Operator to dispose of collected waste at location determined by Agency.						
STREET SWEEPER - HYDROSTATIC Elgin Pelican III or similar - Operator to dispose of collected waste at location determined by Agency.						
STREET SWEEPER - Towable Self-Propelled - Operator to dispose of collected waste at location determined by Agency.						
STREET SWEEPER - Truck-Mounted 4.0 C.Y. Min. hopper cap water-spray system for dust control -Operator to dispose of collected waste at location determined by Agency. Side/curb & rear/center broom, 11,000 - 33,000 lbs						
VACUUM/STREET SWEEPER Self-Propelled, 4 Cyd., Gas, 5 ft wide path - Operator to dispose of collected waste at location determined by Agency.						
VACUUM TRUCK/JETT-RODDER 1" hose - 65-85 GPM @3,000 PSI - Operator to dispose of collected waste at location determined by Agency.						
VACUUM/SPRAY UNIT Trk. Mtd. min. 1,000 gal. tank min. 60 gpm 4 ft. teleboom w/swivel/rotating hose reel - Operator to dispose of collected waste at location determined by Agency.						

DOT6622C020 - Attachment A - Equipment Rental Lease WITH Operator

Attention Bidders - Enter your name in the block→

Requested Contract Items Vendor's Pricing shall include All Support Vehicles needed for Equipment Operation such as water, transport, other ancillary vehicles, etc.	Counties serviced - Enter each County name (write "ALL" for statewide availability)	Equipment Rental Without Delivery/with Operation Rates			Equipment Delivery Fee	
		\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
RECLAIMER STABILIZER CAT RM500B or similar						
PLANER/COLD PLANER BOMAG 500 or 600 or similar						
STABILIZER BOMAG, 250 HP or similar						
STABILIZER/Recycler, COLD MILLING MACHINE						
BOMAG MPH 364 R-2 or similar.						
PAVER - HOT MIX ASPHALT Rubber-tired Paver						
PAVER - HOT MIX ASPHALT Track Paver						
SHOULDER PAVER ROAD WIDENER SP w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width, 1' to 6' and 6" to 12" depth 5 Ton with 2 steel drums						
ROLLER, VIBRATORY SMOOTH DRUM 5 T, with Double Drums						
ROLLER, VIBRATORY SMOOTH DRUM Up to 10 T, Dual Drums						
ROLLER, VIBRATORY SMOOTH DRUM 11 T to 16 T DUAL DRUMS						
ROLLER, PNEUMATIC TIRED 5T to 30T, Articulated, Steered						
ROLLER - TRENCH VIBRATORY Tandem Axle, BOMAG BMP8500 or equal						
ROLLER - TRENCH VIBRATORY						
WACKER RTL82-SC3 or Equal						
ROLLER, VIBRATORY SINGLE DRUM SP 1 Drum 2XL 10 - 15 K GVW D						
ROLLER, VIBRATORY SINGLE DRUM SP 2XL 16 - 20 K GVW D						
ROLLER, VIBRATORY with Water 8-12 Ton SP with Tires, SINGLE DRUM						
ROLLER, VIBRATORY with Water DUAL DRUM						

DOT6622C020 - Attachment A - Equipment Rental Lease WITH Operator

Attention Bidders - Please enter your name in the block→

Requested Contract Items Vendor's Pricing shall include All Support Vehicles needed for Equipment Operation such as water, transport, other ancillary vehicles, etc.	each County name (write "ALL" for statewide availability)	Equipment Rental Without Delivery/WITH Operator			Equipment Delivery Fee	
		\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
ATTENUATOR / "Shadow Truck" min. 30,000 GVW						
BOX DELIVERY TRUCK No CDL required, 24ft box min.						
CONCRETE -LINE PUMP, TRUCK MOUNTED Hydraulic Outrigger						
CONCRETE -LINE PUMP, TRUCK MOUNTED up to 30 meters, no outrigger						
CONCRETE -LINE PUMP, Truck mounted over 30 meters						
DUMP TRUCK 1 axle						
DUMP TRUCK 2 axle						
DUMP TRUCK 3 axle						
DUMP TRUCK 4 axle						
FLATBED TRUCK 1 Ton minimum with 22 ft. bed length min.						
FORKLIFT TRUCK Rough Terrain, 5 - 10 K lb. lift cap.						
FORKLIFT TRUCK Rough Terrain, 5 - 10 K lb. lift cap.						
TANKER WATER TRUCK Tanker - min 1500 gallons						
TRUCK - Heavy Industrial 4 Axle Steel Bed						
TRUCK - Heavy Industrial 5 Axle Steel Bed						
TRUCK - Heavy Industrial 2 Axle Aluminum "V" Bed						
TRUCK - Heavy Industrial 3 Axle Aluminum "V" Bed						
TRUCK - Heavy Industrial 4 Axle Aluminum "V" Bed						
TRUCK - Heavy Industrial 5 Axle Aluminum "V" Bed						
LOW BOY TRAILER with two drops in deck height - min 35 T						
PATCHING TRUCK DuraMAXX or similar						
PATCHING TRAILER DuraPatcher or similar						
ROCK WAGON / TRAILER						
10 ton to 15 ton single axle						
16 ton to 23 ton single axle						
24 ton to 30 ton single axle						
greater than 30 ton with walking beam tandem						
TRAILER 6 tons with ramps, min 18' length, 8.5' width						
TRAILER, for equipment 10,000 lbs or less, tilt style deck 16ft - 18 ft length to attach to a pintle hitch						
TRAILER, FOR EQUIPMENT 12,000 lbs - 14,000 lbs, tilt style deck to attach a pintle hitch						
TRAILER, FOR EQUIPMENT 14,000 GVWR						
BLOWER TRUCK, Mulch Blower, truck mounted						
BLOWER TRUCK, Straw Blower, truck mounted						
TRACTOR with MOWING Attachments John Deere 6200 or similar						
with Boom Mower Attachment						
with Flail Mower Attachment						
with Disc mower						
with Sickiebar Mower Attachment						
JARRAFF or equal All Terrain Tree Trimmer saw head on boom with 180 degree rotation Max cutting height 75 feet, 360 degree rotation on turntable 4wheel drive						

Equipment Rental/Lease WITH Operator 6622C020

Attachment B (ATT B) Mandatory Information Form

This form allows the Agency to calculate mileage cost and must be included with the bid.

Vendor shall complete this form to identify locations from where Vendor will deliver equipment with operator as ordered. The Vendor shall provide the 911 address or the most recent physical street address of its base locations.

Vendor Base Location(s) - Vendor shall list the Physical or 911 Address for each location:

Harcon Corporation	
563 Strasburg Road	
Paradise, PA 17562	

Service Counties as Bid: Vendor shall place an "X" beside the County(s) that Vendor agrees to service as ordered.

If no county(s) are marked, it will be expected that the Vendor can service ALL COUNTIES in the State of WV.

<input checked="" type="checkbox"/>	ALL WV Counties
-------------------------------------	-----------------

<input type="checkbox"/>	Barbour
<input type="checkbox"/>	Berkeley
<input type="checkbox"/>	Boone
<input type="checkbox"/>	Braxton
<input type="checkbox"/>	Brooke
<input type="checkbox"/>	Cabell
<input type="checkbox"/>	Calhoun
<input type="checkbox"/>	Clay
<input type="checkbox"/>	Doddridge
<input type="checkbox"/>	Fayette
<input type="checkbox"/>	Gilmer
<input type="checkbox"/>	Grant
<input type="checkbox"/>	Greenbrier
<input type="checkbox"/>	Hampshire
<input type="checkbox"/>	Hancock
<input type="checkbox"/>	Hardy
<input type="checkbox"/>	Harrison
<input type="checkbox"/>	Jackson
<input type="checkbox"/>	Jefferson

<input type="checkbox"/>	Kanawha
<input type="checkbox"/>	Lewis
<input type="checkbox"/>	Lincoln
<input type="checkbox"/>	Logan
<input type="checkbox"/>	McDowell
<input type="checkbox"/>	Marion
<input type="checkbox"/>	Marshall
<input type="checkbox"/>	Mason
<input type="checkbox"/>	Mercer
<input type="checkbox"/>	Mineral
<input type="checkbox"/>	Mingo
<input type="checkbox"/>	Monongalia
<input type="checkbox"/>	Monroe
<input type="checkbox"/>	Morgan
<input type="checkbox"/>	Nicholas
<input type="checkbox"/>	Ohio
<input type="checkbox"/>	Pendleton
<input type="checkbox"/>	Pleasants
<input type="checkbox"/>	

<input type="checkbox"/>	Pocahontas
<input type="checkbox"/>	Preston
<input type="checkbox"/>	Putnam
<input type="checkbox"/>	Raleigh
<input type="checkbox"/>	Randolph
<input type="checkbox"/>	Ritchie
<input type="checkbox"/>	Roane
<input type="checkbox"/>	Summers
<input type="checkbox"/>	Taylor
<input type="checkbox"/>	Tucker
<input type="checkbox"/>	Tyler
<input type="checkbox"/>	Upshur
<input type="checkbox"/>	Wayne
<input type="checkbox"/>	Webster
<input type="checkbox"/>	Wetzel
<input type="checkbox"/>	Wirt
<input type="checkbox"/>	Wood
<input type="checkbox"/>	Wyoming
<input type="checkbox"/>	