



**Department of Administration**  
**Purchasing Division**  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

**State of West Virginia**  
**Solicitation Response**

**Proc Folder:** 1399357  
**Solicitation Description:** Threaded Rod 3/4"-10 (N.C.)  
**Proc Type:** Agency Purchase Order

| Solicitation Closes | Solicitation Response        | Version |
|---------------------|------------------------------|---------|
| 2024-04-16 14:30    | SR 0810 ESR04122400000005998 | 1       |

**VENDOR**  
 VS0000018417  
 PGSG Hercules INC

**Solicitation Number:** ARFQ 0810 DMT2400000005  
**Total Bid:** 16725  
**Response Date:** 2024-04-13  
**Response Time:** 02:11:00  
**Comments:**

**FOR INFORMATION CONTACT THE BUYER**  
 Dusty J Smith  
 304-414-6859  
 dusty.j.smith@wv.gov

**Vendor Signature X**
**FEIN#**
**DATE**

All offers subject to all terms and conditions contained in this solicitation

| Line | Comm Ln Desc                  | Qty       | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|-------------------------------|-----------|------------|------------|-----------------------------|
| 1    | Threaded Rod 3/4" - 10 (N.C.) | 1500.0000 | PCE        | 11.150000  | 16725.00                    |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------|---------|
| 31161618  |              |               |         |

**Commodity Line Comments:**

**Extended Description:**

Threaded Rod 3/4" -10 (N.C.) 48 Inches Long Zinc Plated Steel



**State of West Virginia  
Agency Request for Quote  
Highways**

|   |                            |                                 |                |
|---|----------------------------|---------------------------------|----------------|
| <b>Proc Folder:</b> 1399357                         |                            | <b>Reason for Modification:</b> |                |
| <b>Doc Description:</b> Threaded Rod 3/4"-10 (N.C.) |                            | Addendum 1                      |                |
| <b>Proc Type:</b> Agency Purchase Order             |                            | To give responses to questions. |                |
| <b>Date Issued</b>                                  | <b>Solicitation Closes</b> | <b>Solicitation No</b>          | <b>Version</b> |
| 2024-04-11  | 2024-04-16 14:30           | ARFQ 0810 DMT2400000005         | 2              |

**BID RECEIVING LOCATION**

PROCUREMENT DIVISION  
 DIVISION OF HIGHWAYS  
 BLDG 6 RM 340A  
 1900 KANAWHA BLVD E  
 CHARLESTON WV 25305  
 US

**VENDOR**

**Vendor Customer Code:** VS0000018417  
**Vendor Name :** PGSG Hercules Inc  
**Address :** 2101 Lawrence St. Denver CO 80205  
**Street :** 2101 Lawrence St.  
**City :** Denver  
**State :** CO **Country :** USA **Zip :** 80205  
**Principal Contact :** Vincent Li  
**Vendor Contact Phone:** 917-935-0821 **Extension:**

**FOR INFORMATION CONTACT THE BUYER**

Dusty J Smith  
 304-414-6859  
 dusty.j.smith@wv.gov

**Vendor Signature X** *Lei Li*

**FEIN#** 83-3591830

**DATE** 04/12/2024

**All offers subject to all terms and conditions contained in this solicitation**

**ADDITIONAL INFORMATION**

ADDENDUM 1 IS ISSUED

1. Attachment of vendor questions and responses

no other changes

| INVOICE TO                                 |    | SHIP TO   |    |
|--|----|---|----|
| STATE RAIL AUTHORITY<br>120 WATER PLANT DR |    | STATE RAIL AUTHORITY<br>(DBA) SOUTH BRANCH<br>VALLEY RAILROAD<br>120 WATER PLANT DR |    |
| MOOREFIELD                                 | WV | MOOREFIELD  | WV |
| US   |    | US  |    |

| Line | Comm Ln Desc                  | Qty        | Unit Issue | Unit Price | Total Price |
|------|-------------------------------|------------|------------|------------|-------------|
| 1    | Threaded Rod 3/4" - 10 (N.C.) | 1500.00000 | PCE        | \$11.15    | \$16,725    |

| Comm Code | Manufacturer | Specification | Model #   |
|-----------|--------------|---------------|-----------|
| 31161618  | HAI KE LE SI | As specified  | HKLS#0416 |

**Extended Description:**

Threaded Rod 3/4" -10 (N.C.) 48 Inches Long Zinc Plated Steel

**SCHEDULE OF EVENTS**

| <u>Line</u> | <u>Event</u>            | <u>Event Date</u> |
|-------------|-------------------------|-------------------|
| 1           | Technical Question 10am | 2024-04-09        |

|              | Document Phase | Document Description        | Page |
|--------------|----------------|-----------------------------|------|
| DMT240000005 | Final          | Threaded Rod 3/4"-10 (N.C.) | 3    |

**ADDITIONAL TERMS AND CONDITIONS**

See attached document(s) for additional Terms and Conditions



**State of West Virginia  
Agency Request for Quote  
Highways**

|   |                                 |
|---|---------------------------------|
| <b>Proc Folder:</b> 1399357                         | <b>Reason for Modification:</b> |
| <b>Doc Description:</b> Threaded Rod 3/4"-10 (N.C.) |                                 |
| <b>Proc Type:</b> Agency Purchase Order             |                                 |

| Date Issued | Solicitation Closes | Solicitation No         | Version |
|-------------|---------------------|-------------------------|---------|
| 2024-04-02  | 2024-04-16 14:30    | ARFQ 0810 DMT2400000005 | 1       |

**BID RECEIVING LOCATION**

PROCUREMENT DIVISION  
 DIVISION OF HIGHWAYS  
 BLDG 6 RM 340A  
 1900 KANAWHA BLVD E  
 CHARLESTON WV 25305  
 US

**VENDOR**

**Vendor Customer Code:** VS0000018417  
**Vendor Name :** PGSG Hercules Inc  
**Address :** 2101 Lawrence St. Denver CO 80205  
**Street :** 2101 Lawrence St.  
**City :** Denver  
**State :** CO **Country :** USA **Zip :** 80205  
**Principal Contact :** Vincent Li  
**Vendor Contact Phone:** 917-935-0821 **Extension:**

**FOR INFORMATION CONTACT THE BUYER**

Dusty J Smith  
 304-414-6859  
 dusty.j.smith@wv.gov

**Vendor Signature X** *Lei Li*

**FEIN#** 83-3591830

**DATE** 04/12/2024

**All offers subject to all terms and conditions contained in this solicitation**

**ADDITIONAL INFORMATION**

THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION- PROCUREMENT DIVISION - THIS IS AN AGENCY OPEN ENDED CONTRACT FOR Threaded Rod 3/4"-10 (N.C.) PER THE ATTACHED DOCUMENTS. QUESTIONS REGARDING THE SOLICITATION MUST BE SUBMITTED IN WRITING TO dotprocurementtechques@wv.gov PRIOR TO THE QUESTION PERIOD DEADLINE CONTAINED IN THE INSTRUCTIONS TO VENDORS SUBMITTING BIDS.

\*\*\*\*\*NOTICE\*\*\*\*\*

WE DO NOT ACCEPT EMAIL BIDS

MUST USE ONE THE FOLLOWING TO SUBMIT A BID:

- \* UPLOAD TO OASIS
- \* HAND DELIVERY
- \* MAIL IN HARD COPY
- \* FAX 304-558-0047

MAKE SURE YOU DOWNLOAD ALL INFORMATION

THE- COMPLETE SOLICITATION-PRICING PAGES-SIGN THE PAGES THAT NEED SIGNED PLEASE NOTE THAT TO BE AWARDED THIS CONTRACT YOU WILL BE TO A REGISTER VENDOR WITH WV STATE PURCHASING, AND COMPLIANT WITH SEVERAL AGENCIES SUCH AS THE WVSOS, TAX DEPARTMENT, WORKER'S COMPENSATION, AND UNEMPLOYMENT INSURANCE

| INVOICE TO                                 |    | SHIP TO   |    |
|--|----|---|----|
| STATE RAIL AUTHORITY<br>120 WATER PLANT DR |    | STATE RAIL AUTHORITY<br>(DBA) SOUTH BRANCH<br>VALLEY RAILROAD<br>120 WATER PLANT DR |    |
| MOOREFIELD                                 | WV | MOOREFIELD  | WV |
| US   |    | US  |    |

| Line | Comm Ln Desc                  | Qty        | Unit Issue | Unit Price | Total Price |
|------|-------------------------------|------------|------------|------------|-------------|
| 1    | Threaded Rod 3/4" - 10 (N.C.) | 1500.00000 | PCE        | \$11.15    | \$16,725    |

| Comm Code | Manufacturer | Specification | Model #   |
|-----------|--------------|---------------|-----------|
| 31161618  | HAI KE LE SI | As specified  | HKLS#0406 |

**Extended Description:**  
Threaded Rod 3/4" -10 (N.C.) 48 Inches Long Zinc Plated Steel

**SCHEDULE OF EVENTS**

| <u>Line</u> | <u>Event</u>            | <u>Event Date</u> |
|-------------|-------------------------|-------------------|
| 1           | Technical Question 10am | 2024-04-09        |

|              | Document Phase | Document Description        | Page |
|--------------|----------------|-----------------------------|------|
| DMT240000005 | Final          | Threaded Rod 3/4"-10 (N.C.) | 3    |

**ADDITIONAL TERMS AND CONDITIONS**

See attached document(s) for additional Terms and Conditions





**State of West Virginia  
Agency Request for Quote  
Highways**

|   |                            |                                 |                |
|---|----------------------------|---------------------------------|----------------|
| <b>Proc Folder:</b> 1399357                         |                            | <b>Reason for Modification:</b> |                |
| <b>Doc Description:</b> Threaded Rod 3/4"-10 (N.C.) |                            | Addendum 1                      |                |
| <b>Proc Type:</b> Agency Purchase Order             |                            | To give responses to questions. |                |
| <b>Date Issued</b>                                  | <b>Solicitation Closes</b> | <b>Solicitation No</b>          | <b>Version</b> |
| 2024-04-11  | 2024-04-16 14:30           | ARFQ 0810 DMT2400000005         | 2              |

**BID RECEIVING LOCATION**

PROCUREMENT DIVISION  
 DIVISION OF HIGHWAYS  
 BLDG 6 RM 340A  
 1900 KANAWHA BLVD E  
 CHARLESTON WV 25305  
 US

**VENDOR**

**Vendor Customer Code:** VS0000018417  
**Vendor Name :** PGSG Hercules Inc  
**Address :** 2101 Lawrence St. Denver CO 80205  
**Street :** 2101 Lawrence St.  
**City :** Denver  
**State :**CO **Country :** USA **Zip :** 80205  
**Principal Contact :** Vincent Li  
**Vendor Contact Phone:** 917-935-0821 **Extension:**

**FOR INFORMATION CONTACT THE BUYER**

Dusty J Smith  
 304-414-6859  
 dusty.j.smith@wv.gov

**Vendor Signature X** *Lei Li*

**FEIN#** 83-3591830

**DATE** 04/12/2024

**All offers subject to all terms and conditions contained in this solicitation**

**ADDITIONAL INFORMATION**

ADDENDUM 1 IS ISSUED

1. Attachment of vendor questions and responses

no other changes

| INVOICE TO                                 |    | SHIP TO   |    |
|--|----|---|----|
| STATE RAIL AUTHORITY<br>120 WATER PLANT DR |    | STATE RAIL AUTHORITY<br>(DBA) SOUTH BRANCH<br>VALLEY RAILROAD<br>120 WATER PLANT DR |    |
| MOOREFIELD                                 | WV | MOOREFIELD  | WV |
| US   |    | US  |    |

| Line | Comm Ln Desc                  | Qty        | Unit Issue | Unit Price | Total Price |
|------|-------------------------------|------------|------------|------------|-------------|
| 1    | Threaded Rod 3/4" - 10 (N.C.) | 1500.00000 | PCE        | \$11.15    | \$16,725    |

| Comm Code | Manufacturer | Specification | Model #   |
|-----------|--------------|---------------|-----------|
| 31161618  | HAI KE LE SI | As specified  | HKLS#0406 |

**Extended Description:**

Threaded Rod 3/4" -10 (N.C.) 48 Inches Long Zinc Plated Steel

**SCHEDULE OF EVENTS**

| <u>Line</u> | <u>Event</u>            | <u>Event Date</u> |
|-------------|-------------------------|-------------------|
| 1           | Technical Question 10am | 2024-04-09        |

**SOLICITATION NUMBER:**  
**Addendum Number:**

---

The purpose of this addendum is to modify the solicitation identified as (“Solicitation”) to reflect the change(s) identified and described below.

**Applicable Addendum Category:**

- Modify bid opening date and time
- Modify specifications of product or service being sought
- Attachment of vendor questions and responses
- Attachment of pre-bid sign-in sheet
- Correction of error
- Other

**Description of Modification to Solicitation:**

**Additional Documentation:** Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

**Terms and Conditions:**

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

# ATTACHMENT A

ARFQ DMT2400000005

Question 1

What grade threaded rod?

Response 1

Low-Strength threaded rod must have minimum tensile strength of 50,000 psi, Rockwell Hardness B61

Question 2

Our stocked threaded rod is either 36" or 72", would that be accepted?

Response 2

No, must be 48" pieces.

Question 3

Is the last awarded price available?



Response 3

Our last purchase in October 2023, we paid \$12.45 for each 48" piece. This included freight to deliver to us.

Question 4

Could you please offer a picture of this product for our reference?

Response 4



Threading: Fully Threaded

Question 5

Can you accept imported goods?

Response 5

Yes, for this product we will accept imported goods.

**ADDENDUM ACKNOWLEDGEMENT FORM**  
**SOLICITATION NO.:** \_\_\_\_\_

**Instructions:** Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

**Acknowledgment:** I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

**Addendum Numbers Received:**

(Check the box next to each addendum received)

- |  |  |
|--|--|
| <input checked="" type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6  |
| <input type="checkbox"/> Addendum No. 2            | <input type="checkbox"/> Addendum No. 7  |
| <input type="checkbox"/> Addendum No. 3            | <input type="checkbox"/> Addendum No. 8  |
| <input type="checkbox"/> Addendum No. 4            | <input type="checkbox"/> Addendum No. 9  |
| <input type="checkbox"/> Addendum No. 5            | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

\_\_\_\_\_  
PGSG Hercules Inc

Company

*Lei Li*

\_\_\_\_\_  
Authorized Signature

\_\_\_\_\_  
04/12/2024

Date

**NOTE:** This addendum acknowledgment should be submitted with the bid to expedite document processing.

Revised 6/8/2012

## Exhibit A

### Cost Sheet for Threaded Rod

| Line Item                                     | Description   | Unit Cost | Unit of Measure | Quantity | Extended Cost |
|---|---|-----------|-----------------|----------|---------------|
|   | Supply and Deliver* Threaded Rod                            |           |                 |          |               |
| 3.1.1   | 3/4"-10 Threaded Rod (include shipping charge in unit cost) | \$11.15   | Pieces          | 1,500    | \$ 16,736.15  |
|   |   |           |                 |          | \$ -          |
|   |   |           |                 |          | \$ -          |
| <b>Total Bid: (includes shipping charges)</b> |   |           |                 |          | \$ 16,736.15  |

\*South Branch Valley Railroad

SBVR Yard, 120 Water Plant Drive, Moorefield, WV 26836

No Friday Deliveries