



Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

**State of West Virginia
 Solicitation Response**

Proc Folder: 1162050
Solicitation Description: 07230678 - Steel Piling, Rebar and Class 1 Guardrail
Proc Type: Agency Purchase Order

Solicitation Closes	Solicitation Response	Version
2023-02-09 14:30	SR 0803 ESR02082300000003614	1

VENDOR
 000000200005
 WV STEEL CORP

Solicitation Number: ARFQ 0803 DOT2300000046
Total Bid: 19186.43999999999869032762944 **Response Date:** 2023-02-08 **Response Time:** 08:53:42
Comments:

FOR INFORMATION CONTACT THE BUYER
 Dusty J Smith
 304-414-6859
 dusty.j.smith@wv.gov

Vendor Signature X **FEIN#** **DATE**

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	W 12 x 65 Steel Piling	18200.000	LB	0.806200	14672.84

Comm Code	Manufacturer	Specification	Model #
30101704			

Commodity Line Comments:

Extended Description:

Steel piling must be 14 pieces - 20 feet 0 inches. Steel piling shall conform to the requirements of ASTM A572 (fs = 50,000 p.s.i.).

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	#5 Epoxy Coated Bent Rebar	1458.0000	LB	1.330000	1939.14

Comm Code	Manufacturer	Specification	Model #
30103623			

Commodity Line Comments:

Extended Description:

Dimensions of all #5 epoxy coated bent rebar shall be manufactured to match the specifications listed in the accompanying set of pertinent plans for this project.

All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
3	#5 Epoxy Coated Straight Rebar	918.00000	LB	0.980000	899.64

Comm Code	Manufacturer	Specification	Model #
30103623			

Commodity Line Comments:

Extended Description:

#5 epoxy coated straight rebar must be 44 pieces - 20 feet 0 inches.; All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
4	Class 1 W-beam Guardrail System	100.00000	LF		

Comm Code	Manufacturer	Specification	Model #
30121717			

Commodity Line Comments: We do not supply approach rail

Extended Description:

100 Linear feet - Class 1 W-Beam Approach Rail; Dimensions of all approach rail shall be delivered to match the radii listed in the accompanying set of pertinent plans for this project; 20 each - W6X9 x 6 feet 0 inches approach posts; 20 each - 6 inch X 8 inch X 14 inch Wood Block Outs; 4 each - Buffer End Terminal Section; 20 each - Guardrail Bolt & Nut, Hex Head (5/8 inch dia. X 10 inch); 104 each - Guardrail Splice Bolt (5/8 inch dia. X 1 inch)

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
5	#8 Epoxy Coated Straight Rebar	1709.0000	LB	0.980000	1674.82

Comm Code	Manufacturer	Specification	Model #
30103623			

Commodity Line Comments:

Extended Description:

#8 epoxy coated straight rebar must be 32 pieces - 20 feet 0 inches.; All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed