

**LIST OF COMMERCIAL SOURCES  
EFFECTIVE: JANUARY 31, 2017  
ATTENTION: ALL DISTRICTS**

**LIST OF SOURCES CHECKED UNDER ARTICLE 703.2 OF THE 2002 CONSTRUCTION MANUAL  
FOR QUALITY CONTROL OF COMMERCIAL SOURCES, NOTE 4, AND MP 700.00.01.**

<u>SOURCE CODE</u>	<u>COMPANY</u>	<u>PRODUCING SITE</u>	<u>TYPE MATERIAL</u>	<u>REPORT NUMBER</u>
AAQ1.01.704	“AA” Quarry	Grayson, KY	C. Agg-Limestone F. Agg-Limestone	1452083 Note 1 1452082 Note 1
AIC1.02.704	Aggregate Industries	La Plata, MD	F. Agg-Silica Sand	1451904
AIC1.03.704	Aggregate Industries (Dolomite)	Millville, WV	C. Agg-Limestone F. Agg-Limestone	1451905 1451906
AAC1.02.704	Allegany Aggregates	Flintstone, MD	C. Agg-Limestone	1451178
AAC1.01.704	Allegany Aggregates	Short Gap, WV	C. Agg-Limestone F. Agg-Limestone	1451990 1451989
JFA2.02.704	Allen, J. F.	Elkins, WV	C. Agg-Limestone F. Agg-Limestone	1451726 1451727
JFA2.01.704	Allen, J. F. (Mashey Gap Quarry)	Elkins, WV	C. Agg-Limestone F. Agg-Limestone	1451728 1451729
BSG1.01.704	Belpre Sand & Gravel	Little Hocking, OH	C. Agg- Gravel F. Agg-Silica Sand	1452067 1452068
LCC1.02.704	Bluegrass Material	Warfordsburg, PA	C. Agg-Limestone F. Agg-Limestone	1451921 1451922
BAC1.02.704	Appalachian Agg. of WV	Lewisburg, WV	C. Agg-Limestone F. Agg-Limestone	1451718 1451719
BAC1.03.704	Appalachian Agg. of WV	Mill Point, WV	C. Agg-Limestone F. Agg-Limestone	1451720 1451721
BCS1.01.704	Brushey Creek Stone	Olive Hill, KY	C. Agg-Limestone F. Agg-Limestone	1452081 Note 1 1452080 Note 1
BSC2.01.704	Buckeye Stone	Blaney Hollow, WV	C. Agg-Limestone F. Agg-Limestone	1451884 1451885
CLC1.03.704	Carmeuse Lime	Maysville, KY	C. Agg-Limestone F. Agg-Limestone	1452071 Note 1 1452070 Note 1
CLC1.01.704	Carmeuse Lime	Clearbrook, VA	C. Agg-Limestone F. Agg-Limestone	1451970 1451971

**List of Commercial Sources**  
**Effective January 31, 2017**  
**Page 2**

<u>SOURCE CODE</u>	<u>COMPANY</u>	<u>PRODUCING SITE</u>	<u>TYPE MATERIAL</u>	<u>REPORT NUMBER</u>
CLC1.02.704	Carmeuse Lime	Strasburg, VA	C. Agg-Limestone F. Agg-Limestone	1451964 1451965
CSS1.01.704	Cool Springs Stone Supply	Hopwood, PA	C. Agg-Limestone F. Agg-Limestone	1451880 1451881
CSI2.01.704	Cranesville Stone	Cranesville, WV	C. Agg-Limestone F. Agg-Limestone	1451893 1451894
DEC1.01.704	Dillon, E. & Co.	Swords Creek, VA	C. Agg-Limestone F. Agg-Limestone	1451829 1451830
FMC1.01.704	Fairfax Materials	Arthur, WV	C. Agg-Limestone F. Agg-Limestone	1451988 1451987
FMC1.02.704	Fairfax Materials	Scherr, WV	C. Agg-Limestone F. Agg-Limestone	1451986 1451984
FMC1.03.704	Fairfax Materials (Sand Plant)	Thomas, WV	F. Agg-Silica Sand Manufactured	1451892
GIC1.02.704	Greer Industries	Greer, WV	C. Agg-Limestone F. Agg-Limestone	1451888 1451889
GIC1.03.704	Greer Industries (Deckers Creek)	Greer, WV	C. Agg-Limestone F. Agg-Limestone	1451886 1451887
GIC1.04.704	Greer Industries (Cheat River)	Rowlesburg, WV	C. Agg-Limestone F. Agg-Limestone	1451890 1451891
GIC1.01.704	Greer Lime (Germany Valley)	Riverton, WV	C. Agg-Limestone F. Agg-Limestone	1451983 1451982
HAC1.02.704	Hanson Aggregates	New Kensington, PA	C. Agg-Gravel	1451879
HBB1.01.704	Hilltop (Big Bend Quarry)	Battletown, KY	C. Agg-Limestone F. Agg-Limestone	1452035 1452036
HBR1.01.704	Hilltop Basic Resources	Patriot, IN	C. Agg-Gravel F. Agg-Silica Sand	1452031 1452032
IQC1.01.704	Inwood Quarry	Inwood, WV	C. Agg-Limestone F. Agg-Limestone	1451972 1451973

**List of Commercial Sources  
Effective January 31, 2017  
Page 3**

<b><u>SOURCE CODE</u></b>	<b><u>COMPANY</u></b>	<b><u>PRODUCING SITE</u></b>	<b><u>TYPE MATERIAL</u></b>	<b><u>REPORT NUMBER</u></b>
JIC1.01.704	Jaymar, Inc.	Reedsville, OH	C. Agg-Gravel F. Agg-Silica Sand	1452117 Note 1 1452118 Note 1
KLC1.02.709	Keystone Lime	Springs, PA	C. Agg-Limestone F. Agg-Limestone	1451929 1451930
LLL1.01.704	Latham Stone	Latham, OH	C. Agg-Limestone F. Agg-Limestone	1452119 Note 1 1452120 Note 1
LAC1.01.704	Laural Aggregates	Lake Lynn, PA	C. Agg-Limestone F. Agg-Limestone	1451882 1451883
LSG1.01.704	Letart Sand & Gravel	Gallipolis Ferry, WV	C. Agg-Gravel F. Agg-Silica Sand	1452115 Note 1 1452116 Note 1
LSC1.01.704	Lucks Stone Co. (Goose Creek Plant)	Leesburg, VA	C. Agg-Diabase	1451907
LSC1.02.704	Lucks Stone Co. (Leesburg Plant)	Leesburg, VA	C. Agg-Diabase	1451908
MMA1.04.704	Martin Marietta Aggregates	Apple Grove, OH	C. Agg-Gravel F. Agg-Silica Sand	1452121 Note 1 1452122 Note 1
MMA1.05.704	Martin Marietta Aggregates	Boonesboro, MD	C. Agg-Limestone F. Agg-Limestone	1451910 1451909
MMA1.02.704	Martin Marietta (Burning Springs)	Petroleum, WV	C. Agg-Limestone F. Agg-Limestone	1452003 1452004
MMA1.03.704	Martin Marietta Aggregates	Pinesburg, MD	C. Agg-Limestone F. Agg-Limestone	1451912 1451911
MMA1.06.704	LaFarge (Three Rivers)	Smithland, KY	C. Agg-Limestone F. Agg-Limestone	1452057 1452056
MMC2.01.704	Maryland Minerals	Accident, MD	F. Agg-Silica Sand Manufactured	1451918
MSP1.01.704	Meadows Stone & Paving	Monterville, WV	C. Agg-Limestone F. Agg-Limestone	1451724 1451725

**List of Commercial Sources  
Effective January 31, 2017  
Page 4**

<b><u>SOURCE CODE</u></b>	<b><u>COMPANY</u></b>	<b><u>PRODUCING SITE</u></b>	<b><u>TYPE MATERIAL</u></b>	<b><u>REPORT NUMBER</u></b>
MCS1.01.704	Mercer Crushed Stone	Princeton, WV	C. Agg-Limestone	1451831
			F. Agg-Limestone	1451832
MSG1.01.704	Midvale Sand & Gravel	Midvale, OH	C. Agg-Gravel	1452005
			F. Agg-Silica Sand	1452006
MAC1.01.704	Mountain Aggregates	Elkhorn City, KY	C. Agg-Limestone	1452079 Note 1
			F. Agg-Limestone	1452078 Note 1
MAC1.02.704	Mountain Aggregates	Jenkins, KY	C. Agg-Limestone	1452077 Note 1
			F. Agg-Limestone	1452076 Note 1
MMC1.02.704	Mountain Materials	Carter City, KY	C. Agg-Limestone	1450410
			F. Agg-Limestone	1450409
MMC1.01.704	Mountain Mat. (Valley Quarry)	Olive Hill, KY	C. Agg-Limestone	1452075 Note 1
			F. Agg-Limestone	1452074 Note 1
MSC1.01.704	Mountain Slag	Greenup, KY	C. Agg-Slag	1452073 Note 1
			F. Agg-Slag	1452072 Note 1
MCS2.01.704	Mulzer Stone	Cape Sandy, IN	C. Agg-Limestone	1452039
			F. Agg-Limestone	1452040
MCS2.02.704	Mulzer Stone (Dolomite)	Charlestown, IN	C. Agg-Limestone	1452043
			F. Agg-Limestone	1452044
MCS2.03.704	Mulzer Stone	New Amsterdam, IN	C. Agg-Limestone	1452041
			F. Agg-Limestone	1452042
RAC1.01.704	Rockydale Aggregates	Broadway, VA	C. Agg-Limestone	1451960
			F. Agg-Limestone	1451961
RAC1.02.704	Rockydale Aggregates	Timberville, VA	C. Agg-Limestone	1451962
			F. Agg-Limestone	1451963
NLS1.01.704	National Lime and Stone	Carey, OH	C. Agg-Limestone	1452146 Note 1
			F. Agg-Limestone	1452147 Note 1
NES1.01.704	New Enterprise Stone (Ashcom)	Everett, PA	C. Agg-Limestone	1451923
			F. Agg-Limestone	1451924

**List of Commercial Sources**  
**Effective January 31, 2017**  
**Page 5**

<u>SOURCE CODE</u>	<u>COMPANY</u>	<u>PRODUCING SITE</u>	<u>TYPE MATERIAL</u>	<u>REPORT NUMBER</u>
NSG1.01.704	Nugent Sand & Gravel	Milton, KY	C. Agg-Gravel F. Agg-Silica Sand	1452033 1452034
PSG1.01.704	Piketon Sand & Gravel	Piketon, OH	C. Agg-Gravel F. Agg-Silica Sand	1452125 Note 1 1452126 Note 1
PRS1.01.704	Hanson Aggregates (Plum Run Stone)	Peebles, OH	C. Agg-Limestone F. Agg-Limestone	1452127 Note 1 1452128 Note 1
PMQ1.02.704	Pounding Mill Quarry No. 1	Pounding Mill, VA	C. Agg-Limestone F. Agg-Limestone	1451833 1451834
PMQ1.01.704	Pounding Mill Quarry No. 2	Bluefield, VA	C. Agg-Limestone F. Agg-Limestone	1451835 1451836
PMQ1.03.704	Pounding Mill Quarry No. 3	Rocky Gap, VA	C. Agg-Limestone F. Agg-Limestone	1451847 1451848
RBS1.01.704	RBS Quarry (Greystone)	Lewisburg, WV	C. Agg-Limestone F. Agg-Limestone	1451722 1451723
RSC1.01.704	Riverside Stone	Wolf Creek, KY	C. Agg-Limestone F. Agg-Limestone	1452037 1452038
SSC1.01.704	Salem Stone (Quartzite)	Sylvatus, VA	C. Agg-Quartzite F. Agg-Quartzite	1451849 1451850
SMC1.02.704	Shelly Materials (Willow Island/Reno)	Marietta, OH	C. Agg-Gravel F. Agg-Silica Sand	1452131 Note 1 1452132 Note 1
SMC1.01.704	Shelly Materials (Portland Plant)	Portland, OH	C. Agg-Gravel F. Agg-Silica Sand	1452129 Note 1 1452130 Note 1
SCS1.01.704	South Central Sand and Gravel	Piketon, OH	F. Agg-Silica Sand	1452133 Note 1
SWV1.01.704	Southern West Virginia Asphalt (Kelly Mountain)	Elkins, WV	C. Agg-Limestone F. Agg-Limestone	1451730 1451731
SSG1.01.704	Stocker Sand & Gravel	Gnadenhutten, OH	C. Agg-Gravel F. Agg-Silica Sand	1452007 1452008

**List of Commercial Sources  
Effective January 31, 2017  
Page 6**

<b><u>SOURCE CODE</u></b>	<b><u>COMPANY</u></b>	<b><u>PRODUCING SITE</u></b>	<b><u>TYPE MATERIAL</u></b>	<b><u>REPORT NUMBER</u></b>
SMP2.01.704	Stuart M. Perry	Winchester, VA	C. Agg-Limestone	1451966
			F. Agg-Limestone	1451967
SMP2.02.704	Stuart M. Perry	Berryville, VA	C. Agg-Limestone	1451968
			F. Agg-Limestone	1451969
SMC2.01.704	Subtropolis Mining Company	Petersburg, OH	C. Agg-Limestone	1452009
			F. Agg-Limestone	1452010
VQC1.01.704	Valley Quarries	Chambersburg, PA	C. Agg-Limestone	1451925
			F. Agg-Limestone	1451926
VQC1.02.704	Valley Quarries	Gettysburg, PA	C. Agg-Dolomite	1451927
			F. Agg-Dolomite	1451928
WCC1.01.704	Melvin Stone	Oak Hill, OH	F. Agg-Limestone	1452124 Note 1
WSC1.01.704	Wythe Stone	Wytheville, VA	C. Agg-Limestone	1451851
			F. Agg-Limestone	1451852
			F. Agg-Silica Sand	1451853
			(Manufactured)	

- \* Removed from list this quarter
- \*\* Added to list this quarter
- \*\*\* Name change
- \*\*\*\* Location change

**THE FOLLOWING SOURCES ARE APPROVED FOR LIMITED APPLICATION ONLY. SEE QUALIFYING STATEMENT ON TEST REPORT TO DETERMINE WHICH APPLICATIONS ARE NOT SUITABLE FOR THIS MATERIAL.**

<u>SOURCE CODE</u>	<u>COMPANY</u>	<u>PRODUCING SITE</u>	<u>TYPE MATERIAL</u>	<u>REPORT NUMBER</u>
BAC1.01.704	Appalachian Aggregates	Beckley, WV	C. Agg-Sandstone F. Agg-Sandstone	1451827 1451828

Aggregate from the above named company and producing site(s) have been sampled and tested in compliance with the 2002 Construction Manual. Said tests have been evaluated with respect to the Standard Specifications 2010 and the sources are identified as supplying materials which have been found to meet the requirements of said specs, exceptions noted above. Additional sources and/or types of material will be sampled and tested as outlined above and corresponding evaluations will be supplied as an addendum to this report. If District and/or Contractor personnel want additional sources evaluated, a request for pretest service should be made to the Materials Control, Soils and Testing Division (MCS&T Division). When the type and source of material which has current approval is used on a State job, District personnel should request coverage for same in the usual manner but a complete description of material source and quality check lab number must be provided.

**Note 1:**

Sources sampled and tested this quarter and assigned new report numbers.

**Note 2:**

Because of the additional qualifications required for Item 402, Hot-Mix Asphalt Skid Resistant Pavement, this list of sources and the corresponding report numbers may not be used for approval of any quantities of said item unless otherwise noted. Notification of acceptable and potential skid resistant aggregate sources and means of evaluation are contained in the "List of Potential Skid Resistant Sources and Ratings".

**LIST OF POTENTIAL SKID RESISTANT SOURCES AND RATING**

The following aggregate sources have demonstrated skid resistant potential and may be considered for use in Item 402; Hot Mix Asphalt Skid Resistant Pavement. There may be inadvertent omissions from this list which would include sources unknown to the Division at the time this list was compiled. Failure to appear on this list does not necessarily preclude the use of such material providing acceptance of that material, through appropriate testing, is documented by the Division. Final acceptance will be based on test results derived prior to use and applicable to Section 402.2. Each source has been rated in accordance with the sampling and acceptance procedures applicable to that source. The different ratings for said procedures were derived dependent upon accumulated data and/or conditions existing within the quarry (production processes). To determine acceptance procedures and testing necessary for approval of a particular source, compare the applicable rating with the rating description included herewith. All sampling, testing, and documentation will be in accordance with Division policy. This list will be issued periodically as additions and/or rating changes occur.

<u>SOURCE CODE</u>	<u>COMPANY</u>	<u>PRODUCING SITE</u>	<u>SOURCE RATING</u>
BAC1.01.704	Appalachian Aggregates	Beckley, WV	A-1
BAC1.04.704	Boxley Aggregates	Martinsville, VA	A-1
LSC1.01.704	Luck Stone Co. (Goose Creek Plant)	Leesburg, VA	A-1
LSC1.02.704	Luck Stone Co. (Leesburg Plant)	Leesburg, VA	A-1
MSC1.01.704	Mountain Slag	Greenup, KY	A-1
SSC1.01.704	Salem Stone	Sylvatus, VA	A-1

**A-1 RATING**

The source is listed on the Division's "List of Commercial Sources". Material from this source may be used without further quality testing. Coverage for the use of this source material need only reference source report number documented on the Division's "List of Commercial Sources".



**List of Commercial Sources**  
**Effective January 31, 2017**  
**Page 9**

<b>HAC1.02.704</b>	<b>Hanson Aggregates</b>	<b>New Kensington, PA</b>	<b>A-2</b>
<b>JIC1.01.704</b>	<b>Jaymar, Inc.</b>	<b>Reedsville, OH</b>	<b>A-2</b>
<b>MMA1.04.704</b>	<b>Martin Marietta Aggregates</b>	<b>Apple Grove, OH</b>	<b>A-2</b>
<b>MMC1.02.704</b>	<b>Mountain Materials</b>	<b>Carter City, KY</b>	<b>A-2</b>
<b>MCS2.02.704</b>	<b>Mulzer Stone</b>	<b>Charlestown, IN</b>	<b>A-2</b>
<b>PSG1.01.704</b>	<b>Piketon Sand &amp; Gravel</b>	<b>Piketon, OH</b>	<b>A-2</b>
<b>PRS1.01.704</b>	<b>Hanson Aggregates (Plum Run)</b>	<b>Peebles, OH</b>	<b>A-2</b>
<b>SMC1.02.704</b>	<b>Shelly Materials (Willow Island/Reno)</b>	<b>Marietta, OH</b>	<b>A-2</b>
<b>SSG1.01.704</b>	<b>Stocker Sand &amp; Gravel</b>	<b>Gnadenhutten, OH</b>	<b>A-2</b>

**A-2 RATING**

**Although listed on the Division's "List of Commercial Sources", this source, when used for Item 402, needs further testing, i.e., carbonate or elemental magnesium content. Coverage for the quality (LA, soundness, deleterious) of the source material may reference source report number documented on the Division's "List of Commercial Sources". Coverage for carbonate or elemental magnesium content must reference the carbonate or elemental magnesium report number. Sampling for the above tests will be performed by District personnel before utilization and at a subsequent frequency of one sample per 10,000 tons utilized.**

**List of Commercial Sources**  
**Effective January 31, 2017**  
**Page 10**

<b>JFA2.02.704</b>	<b>Allen, J. F.</b>	<b>Elkins, WV</b>	<b>A-3</b>
<b>JFA2.01.704</b>	<b>Allen, J. F.</b> <b>(Mashey Gap Quarry)</b>	<b>Elkins, WV</b>	<b>A-3</b>
<b>BSC2.01.704</b>	<b>Greer Industries</b> <b>(Buckeye Stone)</b>	<b>Blaney Hollow, WV</b>	<b>A-3</b>
<b>LAC1.01.704</b>	<b>Laural Aggregates</b> <b>(Lake Lynn Quarry)</b>	<b>Lake Lynn, PA</b>	<b>A-3</b>
<b>SWV1.01.704</b>	<b>Southern West</b> <b>Virginia Asphalt</b> <b>(Kelly Mountain)</b>	<b>Elkins, WV</b>	<b>A-3</b>
<b>CSS1.01.704</b>	<b>Cool Springs Stone</b> <b>Supply</b>	<b>Hopwood, PA</b>	<b>A-3</b>
<b>KLC1.01.709</b>	<b>Keystone Lime</b> <b>(Grey)</b>	<b>Springs, PA</b>	<b>B-1</b>

**A-3 RATING**

**Although listed on the Division's "List of Commercial Sources", this source, when used for Item 402, must be sampled and approved per stockpile. Coverage for quality (LA, soundness, deleterious) and other qualifying skid criteria, if applicable, shall be based on sample results generated through stockpile sampling. Sampling may be performed by District and/or Central Division (Materials Control, Soils and Testing Division) personnel.**

**List of Commercial Sources**  
**Effective January 31, 2017**  
**Page 11**

<b>LSC1.03.704</b>	<b>Lucks Stone Co.</b>	<b>Charlottesville, VA</b>	<b>B-1</b>
<b>VMC1.01.704</b>	<b>Vulcan Materials (Sanders Quarry)</b>	<b>Warrenton, VA</b>	<b>B-1</b>

**B-1 RATING**

**This source is not listed on the Division's "List of Commercial Sources". Acceptance of this material shall be by the "Local Source" system of approval. That is, this source will be sampled for quality (LA, soundness, deleterious) by District personnel utilizing a sampling frequency of one sample for each 6 days of production. Because of the nature of this material, and its relationship to total production, further qualifying skid criteria is not required.**

**List of Commercial Sources**  
**Effective January 31, 2017**  
**Page 12**

<b>GSG2.01.704</b>	<b>Georgetown Sand &amp;</b>	<b>Georgetown, PA</b>	<b>B-2</b>
<b>KLC1.02.709</b>	<b>Keystone Lime (Red)</b>	<b>Springs, PA</b>	<b>B-2</b>
<b>NES1.03.704</b>	<b>New Enterprise Stone</b>	<b>Bakersville, PA</b>	<b>B-2</b>
<b>NES1.02.704</b>	<b>New Enterprise Stone</b>	<b>Roaring Springs, PA</b>	<b>B-2</b>
<b>SSC2.01.704</b>	<b>Shelly and Sands</b>	<b>Richmondale, OH</b>	<b>B-2</b>

**B-2 RATING**

**The source is not listed on the Division's "List of Commercial Sources". Acceptance of this material will be per stockpile. Coverage for quality (LA, soundness, deleterious) and other applicable qualifying skid criteria shall be based on sample results generated through stockpile sampling. Sampling may be performed by District and/or Central Division (MCS&T Division) personnel.**

**LIST OF LIGHTWEIGHT FINE AGGREGATE FOR CONCRETE CONSTRUCTION**

<u>SOURCE CODE</u>	<u>COMPANY</u>	<u>PRODUCING SITE</u>	<u>TYPE MATERIAL</u>	<u>REPORT NUMBER</u>
DIA1.01.702	DiGeronimo	Independence, OH	Haydite <sup>1</sup> (Expanded Shale)	1452100 Note 1
GAR1.01.702	Garick	Erwinville, LA	Riverlite <sup>2</sup> (Expanded Clay)	1452086 Note 1
KSC1.01.703	Kentucky Solite	Brooks, KY	Solite <sup>1</sup> (Expanded Shale)	1452099 Note 1

Lightweight Fine Aggregate (LFA) from the above named company(ies) and producing site(s) have been sampled and tested in compliance with MP 700.00.01. Said tests have been evaluated with respect to the Special Provisions, Section 601, Structural Concrete Internal Curing. <sup>1</sup>Source is on a stockpile by stockpile approval. When Stock pile is depleted, the source must be resampled and assigned a new approval number. <sup>2</sup>Source pertains only to a yard stockpile. A bill of lading should be required. If District and/or Contractor personnel want additional sources evaluated, a request for pretest service should be made to the Materials Control, Soils and Testing Division (MCS&T Division). When the type and source of material which has current approval is used on a State job, District personnel should request coverage for same in the usual manner but a complete description of material source and quality check lab number must be provided.

**LIST OF LIGHTWEIGHT COARSE AGGREGATE FOR CONCRETE CONSTRUCTION**

<u>SOURCE CODE</u>	<u>COMPANY</u>	<u>PRODUCING SITE</u>	<u>TYPE MATERIAL</u>	<u>REPORT NUMBER</u>
DIA1.01.702	DiGeronimo	Independence, OH	Haydite <sup>1</sup> (Expanded Shale)	1452101 Note 1
GAR1.01.702	Garick	Erwinville, LA	Riverlite <sup>2</sup> (Expanded Clay)	1452084 Note 1
KSC1.01.703	Kentucky Solite	Brooks, KY	Solite <sup>1</sup> (Expanded Shale)	1452098 Note 1

Lightweight Coarse Aggregate (LCA) from the above named company(ies) and producing site(s) have been sampled and tested in compliance with MP 700.00.01. Said tests have been evaluated with respect to the West Virginia Division of Highways Standard Specifications 2010, Section 703.5 Structural Concrete. <sup>1</sup>Source is on a stockpile by stockpile approval. When Stock pile is depleted, the source must be resampled and assigned a new approval number. <sup>2</sup>Source pertains only to a yard stockpile. A bill of lading should be required. If District and/or Contractor personnel want additional sources evaluated, a request for pretest service should be made to the Materials Control, Soils and Testing Division (MCS&T Division). When the type and source of material which has current approval is used on a State job, District personnel should request coverage for same in the usual manner but a complete description of material source and quality check lab number must be provided.

\* Removed from list this quarter

\*\* Added to list this quarter

\*\*\* Name change

\*\*\*\*\* Acceptable dolomite may be used alone or as a part of a coarse aggregate blend on roadways with a projected ESAL value of less than 3,000,000. On roadways with a projected ESAL value of 3,000,000 or greater, acceptable dolomite may be used only as a part of the coarse aggregate blend and shall not exceed 50% of that blend.

\*\*\*\*\* The Source Rating has been changed.