LIST OF COMMERCIAL SOURCES

EFFECTIVE: April 31, 2024 ATTENTION: ALL DISTRICTS

LIST OF SOURCES CHECKED UNDER ARTICLE 703.2 OF THE 2002 CONSTRUCTION MANUAL FOR QUALITY CONTROL OF COMMERCIAL SOURCES, NOTE 4, AND MP 700.00.01.

SOURCE CODE	<u>COMPANY</u>	PRODUCING SITE	TYPE MATERIAL	REPORT <u>NUMBER</u>	REACTIVITY CLASS (Note 3)
AAC1.704	Ace Aggregates	Philippi, WV	C. Agg-Limestone F. Agg-Limestone	2400540 Note 1 2400538 Note 1	R1 R1
ACC2.704	Allegany Aggregates	Flintstone, MD	C. Agg-Limestone F. Agg- Limestone	2301665 2301430	R1 R1
ACC1.704	Allegany Aggregates	Short Gap, WV	C. Agg-Limestone F. Agg-Limestone	2301665 2301429	R0 R0
BAC1.02.704	Appalachian Agg. of WV	Lewisburg, WV	C. Agg-Limestone F. Agg-Limestone	2303777 Note 1 2303778 Note 1	R1 R1
BAC1.03.704	Appalachian Agg. of WV	Mill Point, WV	C. Agg-Limestone F. Agg-Limestone	2303786 Note 1 2400528 Note 1	R1 R1
CRH01.11.704	Appalachian Aggregates	Princeton, WV	C. Agg-Limestone F. Agg-Limestone	2400891 Note 1 2400892 Note 1	R0 R2
CRH01.10.704	Appalachian Aggregates	Pounding Mill, VA	C. Agg-Limestone F. Agg-Limestone	2400901 Note 1 2400899 Note 1	R1 R1
CRH01.03.704	Appalachian Aggregates	Bluefield, VA	C. Agg-Limestone F. Agg-Limestone	2400889 Note 1 2400886 Note 1	R0 R0
SWV1.01.704	Appalachian Aggregates	Elkins, WV	C. Agg-Limestone F. Agg-Limestone	2303788 Note 1 2303789 Note 1	R1 R1

SOURCE CODE	COMPANY	PRODUCING SITE	TYPE MATERIAL	REPORT NUMBER	REACTIVITY CLASS (Note 3)
BSG1.704	Belpre Sand & Gravel	Little Hocking, OH	C. Agg- Gravel F. Agg-Silica Sand	2302558 2302557	R1 R1
HML1.703	Battletown Materia	ls Battletown, KY	C. Agg-Limestone F. Agg-Limestone	2302324 2302326	R0 R0
BIZ1.704	Bizzack Construction	on Castlewood, VA	C. Agg-Limestone F. Agg-Limestone	2400893 Note 1 2400890 Note 1	R2 R2
BVR1.704	Buffalo Valley Resources	Grayson, KY	C. Agg- Limestone F. Agg- Limestone	2302330 2302339	R1 R1
GII5.704	Greer Industries	Blaney Hollow, WV	C. Agg-Limestone F. Agg-Limestone	2301657 2301661	R1 R1
CLC1.03.704	Carmeuse Lime	Maysville, KY	C. Agg-Limestone F. Agg-Limestone	2300704 2300705	R0 R0
CLC1.704	Carmeuse Lime	Clearbrook, VA	C. Agg-Limestone F. Agg-Limestone	2301676 2301694	R1 R1
CLC2.704	Carmeuse Lime	Strasburg, VA	C. Agg-Limestone F. Agg-Limestone	2301693 2301692	R2 R2
CSS1.704	Cool Springs Stone Supply	Hopwood, PA	C. Agg-Limestone F. Agg- Limestone	2301660 2301426	R1 R1
CSI1.704	Cranesville Stone	Cranesville, WV	C. Agg-Limestone F. Agg-Limestone	2302674 2302675	R1 R1

SOURCE CODE	COMPANY	PRODUCING SITE	TYPE MATERIAL	REPORT <u>NUMBER</u>	REACTIVITY CLASS (Note 3)
EDC1.704	Dillon, E. & Co.	Swords Creek, VA	C. Agg-Limestone F. Agg-Limestone	2400884 Note 1 2400883 Note 1	R0 R0
DET1.704	Doss Enterprises** (Shiloh Quarry)	Philippi, WV	C. Agg-Limestone F. Agg-Limestone	2301474 Note 1 2301035 Note 1	XX XX
ERA1.704	East River Aggregates	Princeton, WV	C. Agg-Limestone F. Agg-Limestone	2400885 Note 1 2400888 Note 1	R1 R1
FMI1.704	Fairfax Materials	Petersburg, WV	C. Agg-Limestone F. Agg-Limestone	2301691 2301699	R0 R0
FMI4.601	Fairfax Materials	Scherr, WV	C. Agg-Limestone F. Agg-Limestone	2301689 2301690	R0 R0
FMI3.704	Fairfax Materials	Thomas, WV	F. Agg-Silica (Man)	2301427	R1
GII1.704	Greer Industries	Greer, WV	C. Agg-Limestone F. Agg-Limestone	2301663 2301668	R2 R2
GII3.704	Greer Industries (Deckers Creek)	Greer, WV	C. Agg-Limestone F. Agg-Limestone	2301655 2301667	R1 R1
GII2.704	Greer Lime (Germany Valley)	Riverton, WV	C. Agg-Limestone F. Agg-Limestone	2303780 Note 1 2303779 Note 1	R1 R1
	illtop sig Bend Quarry)	Battletown, KY	C. Agg-Limestone F. Agg-Limestone	2302331 2302329	R0 R0

SOURCE CODE	COMPANY	PRODUCING SITE	TYPE MATERIAL	REPORT <u>NUMBER</u>	REACTIVITY CLASS (Note 3)
HBR1.01.704	Hilltop Basic Resources	Patriot, IN	C. Agg-Gravel F. Agg-Silica Sand	2300708 2300709	R1 R1
LHX6.704	Heidelberg Material (AA Quarry)	s Grayson, KY	C. Agg-Limestone F. Agg-Limestone	2302522 2302323	R1 R1
LHX2.704	Heidelberg Material (Piketon Sand & Gr	· ·	C. Agg-Gravel F. Agg-Silica Sand	2302529 2302528	R1 R1
LHX1.704	Heidelberg Material (Plum Run Stone)	s Peebles, OH	C. Agg-Limestone F. Agg-Limestone	2302527 2302526	R0 R0
AIC3.704	Holcim (Millville Quarry)	Millville, WV	C. Agg-Limestone F. Agg-Limestone	2301696 2301695	R0 R0
AIC4.704	Holcim (Rapp Farm)	King George, VA	F. AggSilica Sand	2302312	R1
IQI1.704	Inwood Quarry	Inwood, WV	C. Agg-Limestone F. Agg-Limestone	2301688 2301687	R1 R1
JFA2.02.704	J.F. Allen	Elkins, WV	C. Agg-Limestone F. Agg-Limestone	2303781 Note 1 2303782 Note 1	R1 R1
JFA2.01.704	J.F. Allen (Mashey Gap Quarr	Elkins, WV	C. Agg-Limestone F. Agg-Limestone	2303783 Note 1 2303791 Note 1	R1 R1
KLC1.01.709	Keystone Lime	Springs, PA	C. Agg-Limestone F. Agg-Limestone	2301658 2301428	R2 R2

SOURCE CODE	COMPANY	PRODUCING SITE	TYPE MATERIAL	REPORT <u>NUMBER</u>	REACTIVITY CLASS (Note 3)
JCX1.704	Latham Stone	Latham, OH	C. Agg-Limestone F. Agg-Limestone	2302524 2302523	R0 R0
LAX1.704	Arcosa Aggregates (Laurel Aggregates)	Lake Lynn, PA	C. Agg-Limestone F. Agg -Limestone	2301664 2301669	R1 R1
LSG1.704	Letart Sand & Gravel	Gallipolis Ferry, WV	C. Agg-Gravel F. Agg-Silica Sand	2302540 2302539	R1 R1
LSC1.704	Luck Stone Co. (Goose Creek Plant)	Leesburg, VA	C. Agg-Diabase	2301685	R0
LSC2.704	Luck Stone Co. (Leesburg Plant)	Leesburg, VA	C. Agg-Diabase	2301686	R0
LSC4.704	Luck Stone Co.	Ruckersville, VA	C. Agg- Granite F. Agg - Granite	2302314 2302315	R0 R0
MMA4.704	Martin Marietta Aggregates	Apple Grove, OH	C. Agg-Gravel F. Agg-Silica Sand	2302559 2302560	R0 R0
MMA5.704	Martin Marietta Aggregates	Boonesboro, MD	C. Agg-Limestone F. Agg-Limestone	2301684 2301683	R0 R0
MMA1.13.704	Martin Marietta Aggregates	Petersburg, KY	C. Agg- Gravel F. Agg- Silica Sand	2300706 2300707	R0 R1
MMA1.02.704	Martin Marietta (Burning Springs)	Petroleum, WV	C. Agg-Limestone F. Agg-Limestone	2400550 Note 1 2400549 Note 1	R0 R0

SOURCE CODE	<u>COMPANY</u>	PRODUCING SITE	TYPE MATERIAL	REPORT NUMBER	REACTIVITY CLASS (Note 3)
MMA3.704	Martin Marietta Aggregates	Pinesburg, MD	C. Agg-Limestone F. Agg-Limestone	2301680 2301681	R0 R0
MMA1.704	Martin Marietta Aggregates	Warfordsburg, PA	C. Agg-Limestone F. Agg-Limestone	2301716 2301717	R3 R3
MMI1.700	Maryland Minerals	Accident, MD	F. Agg-Silica Sand Manufactured	2301425	R0
MSP1.01.704	Meadows Stone & Paving	Monterville, WV	C. Agg-Limestone F. Agg-Limestone	2303785 Note 1 2303784 Note 1	R1 R1
MSG1.704	Midvale Sand & Gravel	Midvale, OH	C. Agg-Gravel F. Agg-Silica Sand	2302538 2302541	R1 R1
CRH13.05.704	Mountain Aggregates	Elkhorn City, KY	C. Agg-Limestone F. Agg-Limestone	2400904 Note 1 2400905 Note 1	R1 R1
CRH13.06.704	Mountain Aggregates	Jenkins, KY	C. Agg-Limestone F. Agg-Limestone	2400902 Note 1 2400903 Note 1	R1 R1
CRH13.01.704	Mountain Materials (Valley Quarry)	Olive Hill, KY	C. Agg-Limestone F. Agg-Limestone	2302340 2302342	R0 R0
CRH13.03.704	Mountain Materials	Olive Hill, KY	C. Agg-Limestone F. Agg-Limestone	2302325 2302327	R1 R1

SOURCE CODE	COMPANY	PRODUCING SITE	TYPE MATERIAL	REPORT <u>NUMBER</u>	REACTIVITY <u>CLASS</u> (Note 3)
CRH3.01.704	Mulzer Stone	Cape Sandy, IN	C. Agg-Limestone F. Agg-Limestone	2302328 2302335	R0 R0
CRH3.02.704	Mulzer Stone (Dolomite)	Charlestown, IN	C. Agg-Limestone F. Agg-Limestone	2302332 2302334	R1 R1
CRH3.03.704	Mulzer Stone	New Amsterdam, IN	C. Agg-Limestone F. Agg-Limestone	2302333 2302336	R2 R2
NLS1.704	National Lime and Stone	Carey, OH	C. Agg-Limestone F. Agg-Limestone	2302531 2302532	R0 R0
NES3.704	New Enterprise Stone	Everett, PA	C. Agg-Limestone F. Agg-Limestone	2301722 2301723	R1 R1
NES7.704	New Enterprise Stone	Fayetteville, PA	F. Agg- Silica Sand	2301726	R1
NES4.704	New Enterprise Stone	Roaring Springs, PA	C. Agg- Limestone F. Agg- Limestone	2301727 2301728	R1 R1
NES2.704	New Enterprise Stone	Gettysburg, PA	C. Agg-Dolomite F. Agg-Dolomite	2301724 2301725	R1 R1
NES1.704	New Enterprise Stone	Chambersburg, PA	C. Agg-Limestone F. Agg-Limestone	2301720 2301721	R1 R1
NSG1.704	Nugent Sand & Gravel	Milton, KY	C. Agg-Gravel F. Agg-Silica Sand	2302338 2302337	R0 R0

SOURCE CODE	COMPANY	PRODUCING SITE	TYPE MATERIAL	REPORT NUMBER	REACTIVITY CLASS (Note 3)
RBS1.01.704	RBS Quarry	Lewisburg, WV	C. Agg-Limestone F. Agg-Limestone	2303787 Note 1 2303790 Note 1	R1 R1
RSC1.704	Riverside Stone	Wolf Creek, KY	C. Agg-Limestone F. Agg-Limestone	2302343 2302341	R0 R0
SSC3.704	Rocky Gap Quarry	Rocky Gap, VA	C. Agg-Limestone F. Agg-Limestone	2400906 Note 1 2400900 Note 1	R1 R1
SSC1.704	Salem Stone	Sylvatus, VA	C. Agg-Quartzite F. Agg-Quartzite	2400898 Note 1 2400895 Note 1	R1 R1
CRH4.05.704	Shelly Materials (Willow Island/Reno	Marietta, OH o)	C. Agg-Gravel F. Agg-Silica Sand	2302554 2302553	R0 R1
CRH4.02.704	Shelly Materials (Portland Plant)	Portland, OH	C. Agg-Gravel F. Agg-Silica Sand	2302551 2302552	R1 R0
SCS1.704	South Central Sand and Gravel	Piketon, OH	F. Agg-Silica Sand	2302350	R1
SPL1.703	Specialty Granules	Blueridge Summit, PA	C. Agg-Phylite	2301729	R2
SSG1.704	Stocker Sand & Gravel	Gnadenhutten, OH	C. Agg-Gravel F. Agg-Silica Sand	2302542 2302543	R1 R1
SMP1.704	Stuart M. Perry	Winchester, VA	C. Agg-Limestone F. Agg-Limestone	2301678 2301677	R1 R1

SOURCE CODE	COMPANY	PRODUCING SITE	TYPE MATERIAL	REPORT NUMBER	REACTIVITY CLASS (Note 3)
SMP2.704	Stuart M. Perry	Berryville, VA	C. Agg-Limestone F. Agg-Limestone	2301680 2301679	R0 R0
EFS1.704	Subtropolis Mining	Petersburg, OH	C. Agg- Limestone F. Agg- Limestone	2302544 2302545	R1 R1
VMC1.704	Vulcan Materials	Warrenton, VA	C. Agg- Basalt F. Agg- Basalt	2302317 2302316	R1 R1
WSC1.704	Wythe Stone	Wytheville, VA	C. Agg-Limestone F. Agg-Silica Sand	2400896 Note 1 2400908 Note 1	R1 R0

THE FOLLOWING SOURCE(S) ARE APPROVED FOR LIMITED APPLICATION ONLY. SEE QUALIFYING STATEMENT ON TEST REPORT TO DETERMINE WHICH APPLICATIONS ARE NOT SUITABLE FOR THIS MATERIAL.

SOURCE CODE	COMPANY	PRODUCING SITE	TYPE MATERIAL	REPORT NUMBER	REACTIVITY CLASS (Note 3)
CRH01.01.704	Appalachian Aggregates	Beckley, WV	C. Agg-Sandstone F. Agg-Sandstone	2400897 Note 1 2400894 Note 1	R1 R2

Aggregate from the above-named company and producing site(s) have been sampled and tested in compliance with the 2022 Construction Manual. Said tests have been evaluated with respect to the Standard Specifications 2023 and the sources are identified as supplying materials which have been found to meet the requirements of said specs, exceptions noted above. Additional sources and/or types of material will be sampled and tested as outlined above and corresponding evaluations will be supplied as an addendum to this report. If District and/or Contractor personnel want additional sources evaluated, a request for pretest service should be made to the Materials Control, Soils and Testing Division (MCS&T Division). When the type and source of material which has current approval is used on a State job, District personnel should request coverage for same in the usual manner, but a complete description of material source and quality check lab number must be provided.

- * Removed from list this quarter
- ** Added to list this quarter
- *** Name change
- **** Location change

Note 1:

Sources sampled and tested this quarter and assigned new report numbers.

Note 2:

Because of the additional qualifications required for Item 402, Hot-Mix Asphalt Skid Resistant Pavement, this list of sources and the corresponding report numbers may not be used for approval of any quantities of said item unless otherwise noted. Notification of acceptable and potential skid resistant aggregate sources and means of evaluation are contained in the "List of Potential Skid Resistant Sources and Ratings".

Note 3:

Alkali-Silica Reaction (ASR): The reaction between the alkalis (sodium and potassium) present in the concrete pore solution and certain siliceous rocks or minerals, such as opaline chert, strained quartz, and acidic volcanic glass, present in significant quantities in some aggregates. The production of the reaction may cause deleterious expansion and cracking of concrete.

According to AASHTO R 80 (Standard Practice for Determining the Reactivity of Concrete Aggregates and Selecting Appropriate Measures for Preventing Deleterious Expansion in New Concrete Construction), the reactivity classes of aggregates were determined after testing of aggregates according to AASHTO T 303 (Standard Method of Test for Accelerated Detection of Potentially Deleterious Expansion of Mortar Bars Due to Alkali-Silica Reaction) by this division. Testing shall be performed once every 3 years. If one or both of the aggregates (coarse or fine) used in a mix is reactive (any reactivity class other than R0), mitigation is required as specified in Section 601.3.1. This requirement applies to all concrete used in paving

or permanent structures on DOH project.

RX denotes a new quarry whose material has not been tested for ASR. New ASR testing results will be posted as they are received.

Classification of Aggregate Reactivity

Aggregate-Reactivity Class	Description of Aggregate Reactivity	14-Day Expansion when tested in accordance with AASHTO T 303, %
R0	Non-Reactive	≤0.10
R1	Moderately Reactive	>0.10 to ≤0.30
R2	Highly Reactive	>0.30 to ≤0.45
R3	Very Highly Reactive	>0.45

Should you have any questions or request additional information about ASR Specification, please feel free to contact Tiffany Stewart at tiffany.a.stewart@wv.gov

XX: These newly added Sources samples have not yet been evaluated for Alkali-Silica Reaction and will be updated as available. Contact dohconcretemixdesign@wv.gov prior to use in the Concrete Mix.

LIST OF POTENTIAL SKID RESISTANT SOURCES AND RATING

The following aggregate sources have demonstrated skid resistant potential and may be considered for use in Item 402; Hot Mix Asphalt Skid Resistant Pavement. There may be inadvertent omissions from this list which would include sources unknown to the Division at the time this list was compiled. Failure to appear on this list does not necessarily preclude the use of such material providing acceptance of that material, through appropriate testing, is documented by the Division. Final acceptance will be based on test results derived prior to use and applicable to Section 402.2. Each source has been rated in accordance with the sampling and acceptance procedures applicable to that source. The different ratings for said procedures were derived dependent upon accumulated data and/or conditions existing within the quarry (production processes). To determine acceptance procedures and testing necessary for approval of a particular source, compare the applicable rating with the rating description included herewith. All sampling, testing, and documentation will be in accordance with Division policy. This list will be issued periodically as additions and/or rating changes occur.

A-1 RATING

SOURCE CODE	COMPANY & <u>MATERIAL</u>	PRODUCTION SITE	SOURCE RATING
CRH01.01.704	Appalachian Aggregates (Sandstone)	Beckley, WV	A-1
BAC1.704	Boxley Aggregates (Granite)	Martinsville, VA	A-1
LSC2.704	Luck Stone Co. (Diabase)	Leesburg, VA	A-1

LSC1.704	Luck Stone Co. (Leesburg Plant) (Diabase)	Leesburg, VA	A-1
NES1.02.704	New Enterprise Stone (Basalt)	Gettysburg, PA	A-1
SPL1.703	Specialty Granules (Phylite)	Blueridge Summit, PA	A-1
SSC1.704	Salem Stone (Quartzite)	Sylvatus, VA	A-1

A-1 RATING

The source is listed on the Division's "List of Commercial Sources". Material from this source may be used without further quality testing. Coverage for the use of this source material need only reference source report number documented on the Division's "List of Commercial Sources".

A-2 RATING

AIC3.704	Holcim (Milleville Quarry) (Dolomite)	Millville, WV	A-2
JIC1.704	Shelly Sands (Jaymar) (Gravel)	Reedsville, OH	A-2
MMA4.704	Martin Marietta Aggregates (Gravel)	Apple Grove, OH	A-2
MCS2.02.704	Mulzer Stone (Dolomite)	Charlestown, IN	A-2
LHX2.704	Piketon Sand & Gravel (Gravel)	Piketon, OH	A-2
LHX1.704	Heidelberg Materials (Plum Run) (Dolomite)	Peebles, OH	A-2
CRH4.05.704	Shelly Materials (Willow Island/Reno) (Gravel)	Marietta, OH	A-2

SSG1.01.704 Stocker Sand & Gravel Gnade

Gnadenhutten, OH

A-2

A-2 RATING

Although listed on the Division's "List of Commercial Sources", this source, when used for Item 402, needs further testing, i.e., carbonate or elemental magnesium content. Coverage for the quality (LA, soundness, deleterious) of the source material may reference source report number documented on the Division's "List of Commercial Sources". Coverage for carbonate or elemental magnesium content must reference the carbonate or elemental magnesium report number. Sampling for the above tests will be performed by District personnel before utilization and at a subsequent frequency of one sample per 10,000 tons utilized.

A-3 RATING

JFA2.704	J.F. Allen (Limestone)	Elkins, WV	A-3
JFA1.704	J.F. Allen (Mashey Gap Quarry) (Limestone)	Elkins, WV	A-3
GII5.704	Greer Industries (Buckeye Stone) (Limestone)	Blaney Hollow, WV	A-3
LAX1,704	Arcosa Aggregates (Laurel Aggregates) (Limestone)	Lake Lynn, PA	A-3
CRH01.02.704	Southern West Virginia Asphalt (Limestone)	Elkins, WV	A-3
CSS1.704	Cool Springs Stone Supply (Limestone)	Hopwood, PA	A-3
KLC1.02.709	Keystone Lime	Springs, PA	A-3

> (Red) (Limestone)

A-3 RATING

Although listed on the Division's "List of Commercial Sources", this source, when used for Item 402, must be sampled and approved per stockpile. Coverage for quality (LA, soundness, deleterious) and other qualifying skid criteria, if applicable, shall be based on sample results generated through stockpile sampling. Sampling may be performed by District and/or Central Division (Materials Control, Soils and Testing Division) personnel.

B-1 RATING

LSC3.704	Luck Stone Co. (Granite)	Charlottesville, VA	B-1
VMC1.704	Vulcan Materials (Sanders Quarry) (Dolomite)	Warrenton, VA	B-1

B-1 RATING

This source is not listed on the Division's "List of Commercial Sources". Acceptance of this material shall be by the "Local Source" system of approval. That is, this source will be sampled for quality (LA, soundness, deleterious) by District personnel utilizing a sampling frequency of one sample for each 6 days of production. Because of the nature of this material, and its relationship to total production, further qualifying skid criteria is not required.

B-2 RATING

BMG2.701	Georgetown Sand & Gravel (Gravel)	Georgetown, PA	B-2
KLC1.01.709	Keystone Lime (Gray) (Limestone)	Springs, PA	B-2
NES1.05.704	New Enterprise Stone (Limestone)	Bakersville, PA	B-2
NES1.04.704	New Enterprise Stone (Limestone)	Roaring Springs, PA	B-2
CRH4.01.704	Shelly and Sands (Gravel)	Richmondale, OH	B-2

B-2 RATING

The source is not listed on the Division's "List of Commercial Sources". Acceptance of this material will be per stockpile. Coverage for quality (LA, soundness, deleterious) and other applicable qualifying skid criteria shall be based on sample results generated through stockpile sampling. Sampling may be performed by District and/or Central Division (MCS&T Division) personnel.

LIST OF LIGHTWEIGHT COARSE AGGREGATE FOR CONCRETE CONSTRUCTION

SOURCE CODE	COMPANY	PRODUCING SITE	TYPE MATERIAL	REPORT <u>NUMBER</u>
SLA1.703	Stalite	Gold Hill, NC	Stalite ¹ (Expanded Slate)	2303682 Note 1
ALX1.703	Arcosa	Brooks, KY	Solite ¹ (Expanded Shale)	2202261

Lightweight Coarse Aggregate (LCA) from the above-named company(ies) and producing site(s) have been sampled and tested in compliance with MP 700.00.01. Said tests have been evaluated with respect to the West Virginia Division of Highways Standard Specifications 2023, Section 703.5 Structural Concrete. Source is approved on a per job basis. If District and/or Contractor personnel want additional sources evaluated, a request for pretest service should be made to the Materials Control, Soils and Testing Division (MCS&T Division). When the type and source of material which has current approval is used on a State job, District personnel should request coverage for same in the usual manner, but a complete description of material source and quality check lab number must be provided.

Note 1: Sources sampled and tested this quarter and assigned new report numbers.

- * Removed from list this quarter
- ** Added to list this quarter
- *** Name change

**** Acceptable dolomite may be used alone or as a part of a coarse aggregate blend on roadways with a projected ESAL value of less than 3,000,000. On roadways with a projected ESAL value of 3,000,000 or greater, acceptable dolomite may be used only as a part of the coarse aggregate blend and shall not exceed 50% of that blend.

***** The Source Rating has been changed.