

**LIST OF COMMERCIAL SOURCES****EFFECTIVE: June 22, 2026****ATTENTION: ALL DISTRICTS****LIST OF SOURCES CHECKED UNDER ARTICLE 703.2 OF THE 2002 CONSTRUCTION MANUAL FOR QUALITY CONTROL OF COMMERCIAL SOURCES, NOTE 4, AND MP 700.00.01.**

<u>Facility ID</u>	<u>COMPANY</u>	<u>PRODUCING SITE</u>	<u>TYPE MATERIAL</u>	<u>REPORT NUMBER</u>	<u>REACTIVITY CLASS (Note 3)</u>
AAC1.704	Ace Aggregates	Philippi, WV	C. Agg-Limestone	2502539	R1
			F. Agg-Limestone	2500699	R1
ACC2.704	Allegany Aggregates	Flintstone, MD	C. Agg-Limestone	2501737	R1
			F. Agg- Limestone	2501736	R1
ACC1.704	Allegany Aggregates	Short Gap, WV	C. Agg-Limestone	2501425	R0
			F. Agg-Limestone	2501424	R0
BCE1.704	BCE Materials	Wheelersburg, OH	F.Agg- Silcia Sand	2502387	R1
BAC1.02.704	Appalachian Agg. of WV	Lewisburg, WV	C. Agg-Limestone	2600286	Note 1 R1
			F. Agg-Limestone	2600285	Note 1 R1
BAC1.03.704	Appalachian Agg. of WV	Mill Point, WV	C. Agg-Limestone	2600284	Note 1 R1
			F. Agg-Limestone	2600283	Note 1 R1
CRH01.11.704	Appalachian Aggregates	Princeton, WV	C. Agg-Limestone	2501378	R0
			F. Agg-Limestone	2501379	R2
CRH01.10.704	Appalachian Aggregates	Pounding Mill, VA	C. Agg-Limestone	2501384	R1
			F. Agg-Limestone	2501385	R1
CRH01.03.704	Appalachian Aggregates	Bluefield, VA	C. Agg-Limestone	2501376	R0
			F. Agg-Limestone	2501377	R0

**List of Commercial Sources**  
**Effective June 22, 2026**  
**Page 2**

<b><u>FACILITY ID</u></b>	<b><u>COMPANY</u></b>	<b><u>PRODUCING SITE</u></b>	<b><u>TYPE MATERIAL</u></b>	<b><u>REPORT NUMBER</u></b>	<b><u>REACTIVITY CLASS (Note 3)</u></b>
BSG1.704	Belpre Sand & Gravel	Little Hocking, OH	C. Agg- Gravel	2501761	R1
			F. Agg-Silica Sand	2501760	R1
HML1.703	Battletown Materials	Battletown, KY	C. Agg-Limestone	2501701	R0
			F. Agg-Limestone	2501700	R0
BIZ1.704	Bizzack Construction	Castlewood, VA	C. Agg-Limestone	2501395	R2
			F. Agg-Limestone	2501396	R2
BVR1.704	Buffalo Valley Resources	Grayson, KY	C. Agg- Limestone	2601731	Note 1 R1
			F. Agg- Limestone	2601730	Note 1 R1
CLC1.03.704	Carmeuse Lime	Maysville, KY	C. Agg-Limestone	2601733	Note 1 R0
			F. Agg-Limestone	2601732	Note 1 R0
CLC1.704	Carmeuse Lime	Clearbrook, VA	C. Agg-Limestone	2501723	R1
			F. Agg-Limestone	2501722	R1
CLC2.704	Carmeuse Lime	Strasburg, VA	C. Agg-Limestone	2501725	R2
			F. Agg-Limestone	2501724	R2
CSS1.704	Cool Springs Stone Supply	Hopwood, PA	C. Agg-Limestone	2501427	R1
			F. Agg- Limestone	2501426	R1
CSI1.704	Cranesville Stone	Cranesville, WV	C. Agg-Limestone	2502289	R1
			F. Agg-Limestone	2502288 Note 1	R0 Note 3
EDC1.704	Dillon, E. & Co.	Swords Creek, VA	C. Agg-Limestone	2501393	R0
			F. Agg-Limestone	2502394	R0

**List of Commercial Sources**  
**Effective June 22, 2026**  
**Page 3**

<b><u>FACILITY ID</u></b>	<b><u>COMPANY</u></b>	<b><u>PRODUCING SITE</u></b>	<b><u>TYPE MATERIAL</u></b>	<b><u>REPORT NUMBER</u></b>	<b><u>REACTIVITY CLASS (Note 3)</u></b>
<b>DET1.704</b>	<b>Doss Enterprises (Shiloh Quarry)</b>	<b>Philippi, WV</b>	<b>C. Agg-Limestone</b>	<b>2500691</b>	<b>R1</b>
			<b>F. Agg-Limestone</b>	<b>2500690</b>	<b>R1</b>
<b>ERA1.704</b>	<b>East River Aggregates</b>	<b>Princeton, WV</b>	<b>C. Agg-Limestone</b>	<b>2501380</b>	<b>R1</b>
			<b>F. Agg-Limestone</b>	<b>2501381</b>	<b>R1</b>
<b>FMI1.704</b>	<b>Fairfax Materials</b>	<b>Petersburg, WV</b>	<b>C. Agg-Limestone</b>	<b>2500695</b>	<b>R0</b>
			<b>F. Agg-Limestone</b>	<b>2401063</b>	<b>R0</b>
<b>FMI2.704</b>	<b>Fairfax Materials</b>	<b>Scherr, WV</b>	<b>C. Agg-Limestone</b>	<b>2502511 Note 1</b>	<b>R0</b>
			<b>F. Agg-Limestone</b>	<b>2500693</b>	<b>R0</b>
<b>FMI3.704</b>	<b>Fairfax Materials</b>	<b>Thomas, WV</b>	<b>F. Agg-Silica (Man)</b>	<b>2500692</b>	<b>R1</b>
<b>GII5.704</b>	<b>Greer Industries</b>	<b>Blaney Hollow, WV</b>	<b>C. Agg-Limestone</b>	<b>2501431</b>	<b>R1</b>
			<b>F. Agg-Limestone</b>	<b>2501430</b>	<b>R1</b>
<b>GII1.704</b>	<b>Greer Industries</b>	<b>Greer, WV</b>	<b>C. Agg-Limestone</b>	<b>2501423</b>	<b>R2</b>
			<b>F. Agg-Limestone</b>	<b>2501422</b>	<b>R1</b>
<b>GII3.704</b>	<b>Greer Industries (Deckers Creek)</b>	<b>Greer, WV</b>	<b>C. Agg-Limestone</b>	<b>2501421</b>	<b>R1</b>
			<b>F. Agg-Limestone</b>	<b>2501420</b>	<b>R1</b>
<b>GII2.704</b>	<b>Greer Lime (Germany Valley)</b>	<b>Riverton, WV</b>	<b>C. Agg-Limestone</b>	<b>2601665</b>	<b>Note 1 R1</b>
			<b>F. Agg-Limestone</b>	<b>2601664</b>	<b>Note 1 R1</b>
<b>HCX1.704</b>	<b>Hilltop (Big Bend Quarry)</b>	<b>Battletown, KY</b>	<b>C. Agg-Limestone</b>	<b>2501694</b>	<b>R0</b>
			<b>F. Agg-Limestone</b>	<b>2401103</b>	<b>R0</b>

**List of Commercial Sources**  
**Effective June 22, 2026**  
**Page 4**

<b><u>FACILITY ID</u></b>	<b><u>COMPANY</u></b>	<b><u>PRODUCING SITE</u></b>	<b><u>TYPE MATERIAL</u></b>	<b><u>REPORT NUMBER</u></b>	<b><u>REACTIVITY CLASS (Note 3)</u></b>
<b>HBR1.01.704</b>	<b>Hilltop Basic Resources</b>	<b>Patriot, IN</b>	<b>C. Agg-Gravel</b>	<b>2501696</b>	<b>R1</b>
			<b>F. Agg-Silica Sand</b>	<b>2501695</b>	<b>R1</b>
<b>LHX5.704</b>	<b>Heidelberg Materials (Springfield Pike)</b>	<b>Connellsville, PA</b>	<b>C. Agg-Limestone</b>	<b>2502380</b>	<b>XX</b>
			<b>F. Agg-limestone</b>	<b>2502378</b>	<b>XX</b>
<b>LHX6.704</b>	<b>Heidelberg Materials (AA Quarry)</b>	<b>Grayson, KY</b>	<b>C. Agg-Limestone</b>	<b>2601735</b>	<b>Note 1 R1</b>
			<b>F. Agg-Limestone</b>	<b>2601734</b>	<b>Note 1 R1</b>
<b>LHX2.704</b>	<b>Heidelberg Materials (Piketon Sand &amp; Gravel)</b>	<b>Piketon, OH</b>	<b>C. Agg-Gravel</b>	<b>2502384</b>	<b>R1</b>
			<b>F. Agg-Silica Sand</b>	<b>2502383</b>	<b>R1</b>
<b>LHX1.704</b>	<b>Heidelberg Materials (Plum Run Stone)</b>	<b>Peebles, OH</b>	<b>C. Agg-Limestone</b>	<b>2502382</b>	<b>R0</b>
			<b>F. Agg-Limestone</b>	<b>2502382</b>	<b>R0</b>
<b>AIC3.704</b>	<b>Holcim (Millville Quarry)</b>	<b>Millville, WV</b>	<b>C. Agg-Limestone</b>	<b>2501729</b>	<b>R0</b>
			<b>F. Agg-Limestone</b>	<b>2501728</b>	<b>R0</b>
<b>AIC4.704</b>	<b>Holcim (Rapp Farm)</b>	<b>King George, VA</b>	<b>F. Agg-Silica Sand</b>	<b>2501726</b>	<b>R0</b>
<b>LHM7.701</b>	<b>Holcim (Duquesne Slag)</b>	<b>West Mifflin, PA</b>	<b>C. Agg-Slag</b>	<b>2501432</b>	<b>XX</b>
			<b>F. Agg-Slag</b>	<b>2501433</b>	<b>XX</b>
<b>IQI1.704</b>	<b>Inwood Quarry</b>	<b>Inwood, WV</b>	<b>C. Agg-Limestone</b>	<b>2501735</b>	<b>R1</b>
			<b>F. Agg-Limestone</b>	<b>2501734</b>	<b>R1</b>
<b>JFA2.02.704</b>	<b>J.F. Allen</b>	<b>Elkins, WV</b>	<b>C. Agg-Limestone</b>	<b>2601669</b>	<b>Note 1 R1</b>
			<b>F. Agg-Limestone</b>	<b>2601668</b>	<b>Note 1 R1</b>

**List of Commercial Sources**  
**Effective June 22, 2026**  
**Page 5**

<b><u>FACILITY ID</u></b>	<b><u>COMPANY</u></b>	<b><u>PRODUCING SITE</u></b>	<b><u>TYPE MATERIAL</u></b>	<b><u>REPORT NUMBER</u></b>	<b><u>REACTIVITY CLASS (Note 3)</u></b>
JFA2.01.704	J.F. Allen (Mashey Gap Quarry)	Elkins, WV	C. Agg-Limestone	2500701	R1
			F. Agg-Limestone	2500700	R1
KLC1.01.709	Keystone Lime	Springs, PA	C. Agg-Limestone	2501418	R2
			F. Agg-Limestone	2501419	R2
JCX1.704	Latham Stone	Latham, OH	C. Agg-Limestone	2502386	R0
			F. Agg-Limestone	2502385	R0
LAX1.704	Arcosa Aggregates (Laurel Aggregates)	Lake Lynn, PA	C. Agg-Limestone	2501429	R1
			F. Agg -Limestone	2501428	R1
LSG1.704	Letart Sand & Gravel	Gallipolis Ferry, WV	C. Agg-Gravel	2502531	R1
			F. Agg-Silica Sand	2502530	R1
LSC1.704	Luck Stone Co. (Goose Creek Plant)	Leesburg, VA	C. Agg-Diabase	2501739	R0
LSC2.704	Luck Stone Co. (Leesburg Plant)	Leesburg, VA	C. Agg-Diabase	2501721	R0
LSC4.704	Luck Stone Co.	Ruckersville, VA	C. Agg-Granite	2501717	R0
			F. Agg-Granite	2401328	R0
MMA4.704	Martin Marietta Aggregates	Apple Grove, OH	C. Agg-Gravel	2402147	R0
			F. Agg-Silica Sand	2402148	R0
MMA5.704	Martin Marietta Aggregates	Boonesboro, MD	C. Agg-Limestone	2501733	R0
			F. Agg-Limestone	2501732	R0

**List of Commercial Sources**  
**Effective June 22, 2026**  
**Page 6**

<b><u>FACILITY ID</u></b>	<b><u>COMPANY</u></b>	<b><u>PRODUCING SITE</u></b>	<b><u>TYPE MATERIAL</u></b>	<b><u>REPORT NUMBER</u></b>	<b><u>REACTIVITY CLASS (Note 3)</u></b>
MMA1.13.704	Martin Marietta Aggregates	Petersburg, KY	C. Agg-Gravel	2501692	R0
			F. Agg-Silica Sand	2501691	R1
MMA1.02.704	Martin Marietta (Burning Springs)	Petroleum, WV	C. Agg-Limestone	2400550	R0
			F. Agg-Limestone	2400549	R0
MMA3.704	Martin Marietta Aggregates	Pinesburg, MD	C. Agg-Limestone	2501731	R0
			F. Agg-Limestone	2501730	R1
MMA1.704	Martin Marietta Aggregates	Warfordsburg, PA	C. Agg-Limestone	2502304	R3
			F. Agg-Limestone	2502303	R2
MMI1.700	Maryland Minerals	Accident, MD	F. Agg-Silica Sand Manufactured	2501773	R2
MSP1.01.704	Meadows Stone & Paving	Monterville, WV	C. Agg-Limestone	2600280	Note 1 R1
			F. Agg-Limestone	2600279	Note 1 R1
MSG1.704	Midvale Sand & Gravel	Midvale, OH	C. Agg-Gravel	2600246	Note 1 R1
			F. Agg-Silica Sand	2600244	Note 1 R1
CRH13.06.704	Mountain Aggregates	Jenkins, KY	C. Agg-Limestone	2501388	R1
			F. Agg-Limestone	2501389	R1
CRH13.01.704	Mountain Materials (Valley Quarry)	Olive Hill, KY	C. Agg-Limestone	2601739	Note 1 R0
			F. Agg-Limestone	2601738	Note 1 R0

**List of Commercial Sources**  
**Effective June 22, 2026**  
**Page 7**

<b><u>Facility ID</u></b>	<b><u>COMPANY</u></b>	<b><u>PRODUCING SITE</u></b>	<b><u>TYPE MATERIAL</u></b>	<b><u>REPORT NUMBER</u></b>	<b><u>REACTIVITY CLASS (Note 3)</u></b>
CRH13.03.704	Mountain Materials	Olive Hill, KY	C. Agg-Limestone	2601737	Note 1 R1
			F. Agg-Limestone	2601736	Note 1 R1
CRH3.01.704	Mulzer Stone	Cape Sandy, IN	C. Agg-Limestone	2501703	R0
			F. Agg-Limestone	2501702	R0
CRH3.02.704	Mulzer Stone (Dolomite)	Charlestown, IN	C. Agg-Limestone	2501684	R0
			F. Agg-Limestone	2501683	R0
CRH3.03.704	Mulzer Stone	New Amsterdam, IN	C. Agg-Limestone	2501686	R2
			F. Agg-Limestone	2501685	R2
NLS1.704	National Lime and Stone	Carey, OH	C. Agg-Limestone	2600254	Note 1 R0
			F. Agg-Limestone	2600253	Note 1 R0
NES3.704	New Enterprise Stone	Everett, PA	C. Agg-Limestone	2502294	R1
			F. Agg-Limestone	2502293	R1
NES7.704	New Enterprise Stone	Fayetteville, PA	F. Agg-Silica Sand	2501346	R1
NES4.704	New Enterprise Stone	Roaring Springs, PA	C. Agg-Limestone	2502298	R1
			F. Agg-Limestone	2502297	R1
NES2.704	New Enterprise Stone	Gettysburg, PA	C. Agg-Dolomite	2502300	R1
			F. Agg-Dolomite	2502299	R2
NES1.704	New Enterprise Stone	Chambersburg, PA	C. Agg-Limestone	2502296	R1
			F. Agg-Limestone	2502295	R1

**List of Commercial Sources**  
**Effective June 22, 2026**  
**Page 8**

<b><u>Facility ID</u></b>	<b><u>COMPANY</u></b>	<b><u>PRODUCING SITE</u></b>	<b><u>TYPE MATERIAL</u></b>	<b><u>REPORT NUMBER</u></b>	<b><u>REACTIVITY CLASS (Note 3)</u></b>
NSG1.704	Nugent Sand & Gravel	Milton, KY	C. Agg-Gravel	2501699	R0
			F. Agg-Silica Sand	2501698	R0
RBS1.01.704	RBS Quarry	Lewisburg, WV	C. Agg-Limestone	2600282	Note 1 R1
			F. Agg-Limestone	2600281	Note 1 R1
RSC1.704	Riverside Stone	Wolf Creek, KY	C. Agg-Limestone	2501690	R0
			F. Agg-Limestone	2501689	R0
SSC3.704	Rocky Gap Quarry	Rocky Gap, VA	C. Agg-Limestone	2501391	R1
			F. Agg-Limestone	2501392	R1
SSC1.704	Salem Stone	Sylvatus, VA	C. Agg-Quartzite	2501374	R1
			F. Agg-Quartzite	2501375	R1
CRH4.05.704	Shelly Materials (Willow Island/Reno)	Marietta, OH	C. Agg-Gravel	2501769	R1
			F. Agg-Silica Sand	2501768	R1
CRH4.02.704	Shelly Materials (Portland Plant)	Portland, OH	C. Agg-Gravel	2501767	R1
			F. Agg-Silica Sand	2501766	R0
JIC1.704	Shelly Materials (Jaymar) (Gravel)	Reedsville, OH	C. Agg-Gravel	2501755	R1
			F. Agg-Silica Sand	2501754	R2
SCS1.704	South Central Sand and Gravel	Piketon, OH	F. Agg-Silica Sand	2502504	R1
SPL1.703	Specialty Granules	Blueridge Summit, PA	C. Agg-Phyllite	2502302	R2

**List of Commercial Sources**  
**Effective June 22, 2026**  
**Page 9**

<b><u>FACILITY ID</u></b>	<b><u>COMPANY</u></b>	<b><u>PRODUCING SITE</u></b>	<b><u>TYPE MATERIAL</u></b>	<b><u>REPORT NUMBER</u></b>	<b><u>REACTIVITY CLASS (Note 3)</u></b>
SSG1.704	Stocker Sand & Gravel	Gnadenhutten, OH	C. Agg-Gravel	2600252	Note 1 R1
			F. Agg-Silica Sand	2600251	Note 1 R1
SMP1.704	Stuart M. Perry	Winchester, VA	C. Agg-Limestone	2501711	R1
			F. Agg-Limestone	2501710	R1
SMP2.704	Stuart M. Perry	Berryville, VA	C. Agg-Limestone	2501713	R0
			F. Agg-Limestone	2501712	R0
EFS1.704	Subtropolis Mining	Petersburg, OH	C. Agg- Limestone	2502355	R1
			F. Agg- Limestone	2502354	R1
VMC1.704	Vulcan Materials	Warrenton, VA	C. Agg-Basalt	2501715	R1
			F. Agg-Basalt	2501714	R1
WSC1.704	Wythe Stone	Wytheville, VA	C. Agg-Limestone	2501382	R1
			F. Agg-Silica Sand	2501383	R0

**THE FOLLOWING SOURCE(S) ARE APPROVED FOR LIMITED APPLICATION ONLY. SEE QUALIFYING STATEMENT ON TEST REPORT TO DETERMINE WHICH APPLICATIONS ARE NOT SUITABLE FOR THIS MATERIAL.**

<b><u>SOURCE CODE</u></b>	<b><u>COMPANY</u></b>	<b><u>PRODUCING SITE</u></b>	<b><u>TYPE MATERIAL</u></b>	<b><u>REPORT NUMBER</u></b>	<b><u>REACTIVITY CLASS (Note 3)</u></b>
CRH01.01.704	Appalachian Aggregates	Beckley, WV	C. Agg-Sandstone	2600288	Note 1 R1
			F. Agg-Sandstone	2500720	R2

**Aggregate from the above-named company and producing site(s) have been sampled and tested in compliance with the 2022 Construction Manual. Said tests have been evaluated with respect to the Standard Specifications 2023 and the sources are identified as supplying materials which have been found to meet the requirements of said specs, exceptions noted above. Additional sources and/or types of material will be**

**List of Commercial Sources**  
**Effective June 22, 2026**  
**Page 10**

sampled and tested as outlined above and corresponding evaluations will be supplied as an addendum to this report. If District and/or Contractor personnel want additional sources evaluated, a request for pretest service should be made to the Materials Control, Soils and Testing Division (MCS&T Division). When the type and source of material which has current approval is used on a State job, District personnel should request coverage for same in the usual manner, but a complete description of material source and quality check lab number must be provided.

\* **Removed from list this quarter**

\*\* **Added to list this quarter**

\*\*\* **Name change**

\*\*\*\* **Location change**

**Note 1:**

**Sources sampled and tested this quarter and assigned new report numbers.**

**Note 2:**

**Because of the additional qualifications required for Item 402, Hot-Mix Asphalt Skid Resistant Pavement, this list of sources and the corresponding report numbers may not be used for approval of any quantities of said item unless otherwise noted. Notification of acceptable and potential skid resistant aggregate sources and means of evaluation are contained in the "List of Potential Skid Resistant Sources and Ratings".**

**Note 3:**

**Alkali-Silica Reaction (ASR): The reaction between the alkalis (sodium and potassium) present in the concrete pore solution and certain siliceous rocks or minerals, such as opaline chert, strained quartz, and acidic volcanic glass, present in significant quantities in some aggregates. The production of the reaction may cause deleterious expansion and cracking of concrete. According to AASHTO R 80 (Standard Practice for Determining the Reactivity of Concrete Aggregates and Selecting Appropriate Measures for Preventing Deleterious Expansion in New Concrete Construction), the reactivity classes of aggregates were determined after**

testing of aggregates according to AASHTO T 303 (Standard Method of Test for Accelerated Detection of Potentially Deleterious Expansion of Mortar Bars Due to Alkali-Silica Reaction) by this division. Testing shall be performed once every 3 years. If one or both of the aggregates (coarse or fine) used in a mix is reactive (any reactivity class other than R0), mitigation is required as specified in Section 601.3.1. This requirement applies to all concrete used in paving or permanent structures on DOH project. RX denotes a new quarry whose material has not been tested for ASR. New ASR testing results will be posted as they are received.

**Classification of Aggregate Reactivity**

<i>Aggregate-Reactivity Class</i>	<i>Description of Aggregate Reactivity</i>	<i>14-Day Expansion when tested in accordance with AASHTO T 303, %</i>
<b>R0</b>	<b>Non-Reactive</b>	<b>≤0.10</b>
<b>R1</b>	<b>Moderately Reactive</b>	<b>&gt;0.10 to ≤0.30</b>
<b>R2</b>	<b>Highly Reactive</b>	<b>&gt;0.30 to ≤0.45</b>
<b>R3</b>	<b>Very Highly Reactive</b>	<b>&gt;0.45</b>

Should you have any questions or request additional information about ASR Specification, please feel free to contact Tiffany Stewart at [tiffany.a.stewart@wv.gov](mailto:tiffany.a.stewart@wv.gov)

**XX:** These newly added Sources samples have not yet been evaluated for Alkali-Silica Reaction and will be updated as available. Contact [dohconcretemixdesign@wv.gov](mailto:dohconcretemixdesign@wv.gov) prior to use in the Concrete Mix.

**LIST OF POTENTIAL SKID RESISTANT SOURCES AND RATING**

**The following aggregate sources have demonstrated skid resistant potential and may be considered for use in Item 402; Hot Mix Asphalt Skid Resistant Pavement. There may be inadvertent omissions from this list which would include sources unknown to the Division at the time this list was compiled. Failure to appear on this list does not necessarily preclude the use of such material providing acceptance of that material, through appropriate testing, is documented by the Division. Final acceptance will be based on test results derived prior to use and applicable to Section 402.2. Each source has been rated in accordance with the sampling and acceptance procedures applicable to that source. The different ratings for said procedures were derived dependent upon accumulated data and/or conditions existing within the quarry (production processes). To determine acceptance procedures and testing necessary for approval of a particular source, compare the applicable rating with the rating description included herewith. All sampling, testing, and documentation will be in accordance with Division policy. This list will be issued periodically as additions and/or rating changes occur.**

**A-1 RATING**

<b><u>Facility ID</u></b>	<b><u>COMPANY &amp; MATERIAL</u></b>	<b><u>PRODUCTION SITE</u></b>	<b><u>SOURCE RATING</u></b>
CRH01.01.704	Appalachian Aggregates (Sandstone)	Beckley, WV	A-1
BAC1.704	Boxley Aggregates (Granite)	Martinsville, VA	A-1
LSC2.704	Luck Stone Co. (Diabase)	Leesburg, VA	A-1
LSC1.704	Luck Stone Co. (Leesburg Plant) (Diabase)	Leesburg, VA	A-1
NES2.704	New Enterprise Stone (Basalt)	Gettysburg, PA	A-1
SPL1.703	Specialty Granules (Phyllite)	Blueridge Summit, PA	A-1
SSC1.704	Salem Stone (Quartzite)	Sylvatus, VA	A-1

**A-1 RATING**

**List of Commercial Sources**

**Effective June 22, 2026**

**Page 14**

**The source is listed on the Division's "List of Commercial Sources". Material from this source may be used without further quality testing. Coverage for the use of this source material need only reference source report number documented on the Division's "List of Commercial Sources".**

**A-2 RATING**

<b>AIC3.704</b>	<b>Holcim (Milleville Quarry) (Dolomite)</b>	<b>Millville, WV</b>	<b>A-2</b>
<b>MMA4.704</b>	<b>Martin Marietta Aggregates (Gravel)</b>	<b>Apple Grove, OH</b>	<b>A-2</b>
<b>CRH.02.704</b>	<b>Mulzer Stone (Dolomite)</b>	<b>Charlestown, IN</b>	<b>A-2</b>
<b>LHX2.704</b>	<b>Piketon Sand &amp; Gravel (Gravel)</b>	<b>Piketon, OH</b>	<b>A-2</b>
<b>LHX1.704</b>	<b>Heidelberg Materials (Plum Run) (Dolomite)</b>	<b>Peebles, OH</b>	<b>A-2</b>
<b>CRH4.05.704</b>	<b>Shelly Materials (Willow Island/Reno) (Gravel)</b>	<b>Marietta, OH</b>	<b>A-2</b>
<b>SSG1.01.704</b>	<b>Stocker Sand &amp; Gravel</b>	<b>Gnadenhutten, OH</b>	<b>A-2</b>

**A-2 RATING**

Although listed on the Division's "List of Commercial Sources", this source, when used for Item 402, needs further testing, i.e., carbonate or elemental magnesium content. Coverage for the quality (LA, soundness, deleterious) of the source material may reference source report

**List of Commercial Sources**

**Effective June 22, 2026**

**Page 16**

**number documented on the Division's "List of Commercial Sources". Coverage for carbonate or elemental magnesium content must reference the carbonate or elemental magnesium report number. Sampling for the above tests will be performed by District personnel before utilization and at a subsequent frequency of one sample per 10,000 tons utilized.**

**A-3 RATING**

<b>JFA2.704</b>	<b>J.F. Allen (Limestone)</b>	<b>Elkins, WV</b>	<b>A-3</b>
<b>JFA1.704</b>	<b>J.F. Allen (Mashey Gap Quarry) (Limestone)</b>	<b>Elkins, WV</b>	<b>A-3</b>
<b>GII5.704</b>	<b>Greer Industries (Buckeye Stone) (Limestone)</b>	<b>Blaney Hollow, WV</b>	<b>A-3</b>
<b>LAX1.704</b>	<b>Arcosa Aggregates (Laurel Aggregates) (Limestone)</b>	<b>Lake Lynn, PA</b>	<b>A-3</b>
<b>SWV1.01.704</b>	<b>Appalachin Aggregates (Limestone)</b>	<b>Elkins, WV</b>	<b>A-3</b>
<b>CSS1.704</b>	<b>Cool Springs Stone Supply (Limestone)</b>	<b>Hopwood, PA</b>	<b>A-3</b>
<b>KLC1.02.709</b>	<b>Keystone Lime (Red) (Limestone)</b>	<b>Springs, PA</b>	<b>A-3</b>

**A-3 RATING**

**Although listed on the Division's "List of Commercial Sources", this source, when used for Item 402, must be sampled and approved per stockpile. Coverage for quality (LA, soundness, deleterious) and other qualifying skid criteria, if applicable, shall be based on sample results generated through stockpile sampling. Sampling may be performed by District and/or Central Division (Materials Control, Soils and Testing Division) personnel.**

**B-1 RATING**

<b>LSC3.704</b>	<b>Luck Stone Co. (Granite)</b>	<b>Charlottesville, VA</b>	<b>B-1</b>
<b>VMC1.704</b>	<b>Vulcan Materials (Sanders Quarry) (Dolomite)</b>	<b>Warrenton, VA</b>	<b>B-1</b>

**B-1 RATING**

**This source is not listed on the Division's "List of Commercial Sources". Acceptance of this material shall be by the "Local Source" system of approval. That is, this source will be sampled for quality (LA, soundness, deleterious) by District personnel utilizing a sampling frequency of one sample for each 6 days of production. Because of the nature of this material, and its relationship to total production, further qualifying skid criteria is not required.**

**B-2 RATING**

<b>BMG2.701</b>	<b>Georgetown Sand &amp; Gravel (Gravel)</b>	<b>Georgetown, PA</b>	<b>B-2</b>
<b>KLC1.01.709</b>	<b>Keystone Lime (Gray) (Limestone)</b>	<b>Springs, PA</b>	<b>B-2</b>
<b>NES1.05.704</b>	<b>New Enterprise Stone (Limestone)</b>	<b>Bakersville, PA</b>	<b>B-2</b>
<b>CRH4.01.704</b>	<b>Shelly and Sands (Gravel)</b>	<b>Richmondale, OH</b>	<b>B-2</b>

**B-2 RATING**

The source is not listed on the Division's "List of Commercial Sources". Acceptance of this material will be per stockpile. Coverage for quality (LA, soundness, deleterious) and other applicable qualifying skid criteria shall be based on sample results generated through stockpile sampling. Sampling may be performed by District and/or Central Division (MCS&T Division) personnel.

**LIST OF LIGHTWEIGHT COARSE AGGREGATE FOR CONCRETE CONSTRUCTION**

**List of Commercial Sources  
Effective June 22, 2026  
Page 21**

<b><u>SOURCE CODE</u></b>	<b><u>COMPANY</u></b>	<b><u>PRODUCING SITE</u></b>	<b><u>TYPE MATERIAL</u></b>	<b><u>REPORT NUMBER</u></b>
SLA1.703	Stalite	Gold Hill, NC	Stalite <sup>1</sup> (Expanded Slate)	2303682
ALX1.703	Arcosa	Brooks, KY	Solite <sup>1</sup> (Expanded Shale)	2401101

**Lightweight Coarse Aggregate (LCA) from the above-named company(ies) and producing site(s) have been sampled and tested in compliance with MP 700.00.01. Said tests have been evaluated with respect to the West Virginia Division of Highways Standard Specifications 2023, Section 703.5 Structural Concrete. <sup>1</sup>Source is approved on a per job basis. If District and/or Contractor personnel want additional sources evaluated, a request for pretest service should be made to the Materials Control, Soils and Testing Division (MCS&T Division). When the type and source of material which has current approval is used on a State job, District personnel should request coverage for same in the usual manner, but a complete description of material source and quality check lab number must be provided.**

**Note 1: Sources sampled and tested this quarter and assigned new report numbers.**

\* **Removed from list this quarter**

\*\* **Added to list this quarter**

\*\*\* **Name change**

\*\*\*\* **Acceptable dolomite may be used alone or as a part of a coarse aggregate blend on roadways with a projected ESAL value of less than 3,000,000. On roadways with a projected ESAL value of 3,000,000 or greater, acceptable dolomite may be used only as a part of the coarse aggregate blend and shall not exceed 50% of that blend.**

\*\*\*\*\* **The Source Rating has been changed.**