



Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

State of West Virginia
 Solicitation Response

37

Proc Folder : 515530

Solicitation Description : 6619C035 ASPHALT- MATERIALS, DELIVERY& LAYDOWN BY THE VENDOR

Proc Type : Agency Master Agreement

Date issued	Solicitation Closes	Solicitation Response	Version
	2018-12-19 14:30:00	SR 0803 ESR12191800000002925	1

VENDOR
000000203089 WV PAVING INC

Whitman

Solicitation Number: ARFQ 0803 DOT1900000021

Total Bid : \$0.00 Response Date: 2018-12-19 Response Time: 09:42:33

Comments:

FOR INFORMATION CONTACT THE BUYER
 Dusty J Smith
 (304) 558-9398
 dusty.j.smith@wv.gov

Signature on File	FEIN #	DATE
-------------------	--------	------

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	ASPHALT - MATERIALS, DELIVERY AND LAYDOWN BY THE VENDOR	1.00000	EA	\$0.000000	\$0.00

Comm Code	Manufacturer	Specification	Model #
30121601			

Extended Description : ASPHALT - MATERIALS, DELIVERY AND LAYDOWN BY THE VENDOR PER THE ATTACHED PRICING PAGES/E-CATALOG AND INFORMATION ATTACHMENT FORM



**State of West Virginia
Request For Quotation**

Procurement Folder : 515530

Document Description : 6619C035 ASPHALT- MATERIALS, DELIVERY& LAYDOWN BY THE VENDOR

Procurement Type : Agency Master Agreement

Date Issued	Solicitation Closes	Solicitation No	Version	Phase
2018-12-03	2018-12-19 14:30:00	ARFQ 0803 DOT1900000021	1	Final

SUBMIT RESPONSES TO:	VENDOR
FINANCE & ADMINISTRATION DIVISION OF HIGHWAYS BLDG 5, RM A-220 1900 KANAWHA BLVD E CHARLESTON WV 25302 US	Vendor Name, Address and Telephone West Virginia Paving, Inc. 2950 Charles Ave. Dunbar, WV 25064 304-768-9733

FOR INFORMATION CONTACT THE
 Dusty J Smith
 (304) 558-9398
 dusty.j.smith@wv.gov



Signature X

Robert [Signature]

55-0570769

DATE 12/19/2018

All offers subject to all terms and conditions contained in this solicitation

INSTRUCTIONS TO VENDORS SUBMITTING BIDS

West Virginia Division of Highways Maintenance Division

- 1. REVIEW DOCUMENTS THOROUGHLY:** The attached documents contain a solicitation for bids. Please read these instructions and all documents attached in their entirety. These instructions provide critical information about requirements that if overlooked could lead to disqualification of a Vendor's bid. All bids must be submitted in accordance with the provisions contained in these instructions and the Solicitation. Failure to do so may result in disqualification of Vendor's bid.
- 2. MANDATORY TERMS:** The Solicitation may contain mandatory provisions identified by the use of the words "must," "will," and "shall." Failure to comply with a mandatory term in the Solicitation will result in bid disqualification.
- 3. BID SUBMISSION:** All bids must be submitted electronically through the West Virginia Vendor Self Service Portal website or signed, sealed in an envelope and delivered by the Vendor to the Agency on or before the date and time of the bid opening. Any bid received by the Agency staff is considered to be in the possession of the Agency and will not be returned for any reason. In the event that a Vendor submits multiple bids in response to the same Solicitation, the bid with the most recent Agency or wvOASIS time stamp shall be the bid considered by the Agency and the Agency shall disregard all other bids by that Vendor for that Solicitation. Any bid received by the Agency after the date and time of the bid opening as specified in the Solicitation shall be disregarded by the Agency.
- 4. ADDENDUM ACKNOWLEDGEMENT:** Changes or revisions to this Solicitation will be made by an official addendum issued by the Agency. Vendor should acknowledge receipt of all addenda issued with this Solicitation by completing an Addendum Acknowledgment Form, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.
- 5. BID FORMATTING:** Vendor should type or electronically enter the information onto its bid to prevent errors in the evaluation. Failure to type or electronically enter the information may result in bid disqualification.
- 6. ALTERNATES:** Any model, brand, or specification listed in this Solicitation establishes the acceptable level of quality only and is not intended to reflect a preference for, or in any way favor, a particular brand or vendor. Vendors may bid alternates to a listed model or brand provided that the alternate is at least equal to the model or brand and complies with the required specifications. The equality of any alternate being bid shall be determined by the Agency at its sole discretion. Any Vendor bidding an alternate model or brand should clearly identify the alternate items in its bid and should include manufacturer's specifications, industry literature, and/or any other relevant documentation demonstrating the equality of the alternate items. Failure to provide information for alternate items may be grounds for rejection of a Vendor's bid.

7. EXCEPTIONS AND CLARIFICATIONS: The Solicitation contains the specifications that shall form the basis of a contractual agreement. Vendor shall clearly mark any exceptions, clarifications, or other proposed modifications in its bid. Exceptions to, clarifications of, or modifications of a requirement or term and condition of the Solicitation may result in bid disqualification.

8. REGISTRATION: Prior to Contract award, the apparent successful Vendor must be properly registered with the West Virginia Purchasing Division and must have paid the \$125 fee or the fee then assessed by said Division, if applicable.

9. UNIT PRICE: Unit prices shall prevail in cases of a discrepancy in the Vendor's bid.

10. PREFERENCE: Vendor Preference may only be granted upon written request and only in accordance with the West Virginia Code § 5A-3-37 and the West Virginia Code of State Rules. A Vendor Preference Certificate form has been attached hereto to allow Vendor to apply for the preference. Vendor's failure to submit the Vendor Preference Certificate form with its bid will result in denial of Vendor Preference.

11. SMALL, WOMEN-OWNED, OR MINORITY-OWNED BUSINESSES: For any solicitations publicly advertised for bid, in accordance with West Virginia Code §5A-3-37(a)(7) and W. Va. CSR § 148-22-9, any non-resident vendor certified as a small, women-owned, or minority-owned business under W. Va. CSR § 148-22-9 shall be provided the same preference made available to any resident vendor. Any non-resident small, women-owned, or minority-owned business must identify itself as such in writing, must submit that writing to the Purchasing Division with its bid, and must be properly certified under W. Va. CSR § 148-22-9 prior to contract award to receive the preferences made available to resident vendors. Preference for a non-resident small, women-owned, or minority owned business shall be applied in accordance with W. Va. CSR § 148-22-9.

12. ELECTRONIC FILE ACCESS RESTRICTIONS: Vendor must ensure that its submission in the West Virginia Vendor Self Service Portal website can be accessed by the Agency staff immediately upon bid opening. The Agency will consider any file that cannot be immediately opened and/or viewed at the time of the bid opening (such as, encrypted files, password protected files, or incompatible files) to be blank or incomplete as context requires, and therefore unacceptable. A vendor will not be permitted to unencrypt files, remove password protections, or resubmit documents after bid opening if those documents are required with the bid.

13. NON-RESPONSIBLE: The Agency reserves the right to reject the bid of any vendor when the Agency determines that the vendor submitting the bid does not have the capability to fully perform, or lacks the integrity and reliability to assure good-faith performance. A determination of non-responsibility will only extend to the contract for which the vendor has submitted a bid and does not operate as a bar against submitting future bids.

14. ACCEPTANCE/REJECTION: The Agency may accept or reject any bid in whole, or in part when the Agency determines it is in the best interest of the State.

15. TIE BIDS: When tie bids are received and the Agency intends to award the work to only one vendor, the Agency shall break the tie by allowing the tied vendors to make a final offer, flip of a

coin, draw of the cards, or any other impartial method considered prudent by the Agency. If tie bids are received and the Agency intends to award the bid to multiple vendors, the Agency may award the bid to the number of the tied bidders as Agency deems necessary using the procedure set forth in this section to establish the number of tied bidders which will be awarded the bid.

16. YOUR SUBMISSION IS A PUBLIC DOCUMENT: Vendor's entire response to the Solicitation and the resulting Contract are public documents. As public documents, they will be disclosed to the public following the bid/proposal opening or award of the contract, as required by the competitive bidding laws of West Virginia Code §§ 5A-3-1 et seq., 5-22-1 et seq., 5G-1-1 et seq. and the Freedom of Information Act in West Virginia Code §§ 29B-1-1 et seq. Submission of any bid, proposal, or other document to the Agency constitutes your explicit consent to the subsequent public disclosure of the bid, proposal, or document. Labeling any document "confidential," "proprietary," "trade secret," "private," or labeled with any other claim against public disclosure of the documents will not protect that document from public disclosure. All submissions are subject to public disclosure without notice.

DO NOT SUBMIT MATERIAL YOU CONSIDER TO BE CONFIDENTIAL, A TRADE SECRET, OR OTHERWISE NOT SUBJECT TO PUBLIC DISCLOSURE.

GENERAL TERMS AND CONDITIONS:

1. CONTRACTUAL AGREEMENT: Issuance of an Award Document signed by the Agency and approved as to form by legal counsel for the Agency, if required, constitutes acceptance of this Contract made by and between the Agency and the Vendor. Vendor's signature on its bid signifies Vendor's agreement to be bound by and accept the terms and conditions contained in this Contract.

2. DEFINITIONS: As used in this Solicitation/Contract, the following terms shall have the meanings attributed to them below. Additional definitions may be found in the specifications included with this Solicitation/Contract.

2.1. "Agency" means the West Virginia Department of Transportation, Division of Highways. This Contract is entered into by the Agency pursuant to the provisions of West Virginia Code § 17-4-19 and §17-2A-8.

2.2. "Bid" or "Proposal" means the vendors submitted response to this solicitation.

2.3. "Contract" means the binding agreement that is entered into between the Agency and the Vendor to provide the goods or services requested in the Solicitation. The Contract shall be comprised of the (i) Solicitation and any other document required by the Solicitation (ii) Bid or Proposal (iii) Award Document and (iv) General Terms and Conditions; Instruction to Vendors Submitting Bids, collectively referred to as the "Contract Documents".

2.4. "Award Document" means the document signed by the Agency, and approved as to form by legal counsel for the agency, that identifies the Vendor as the contract holder.

2.5. "Solicitation" means the official notice of an opportunity to supply the Agency with goods or services.

2.6. "State" means the State of West Virginia and/or any of its agencies, commissions, boards, etc. as context requires.

2.7. "Vendor" or "Vendors" means any entity submitting a bid in response to the Solicitation, the entity that has been selected as the lowest responsible bidder, or the entity that has been awarded the Contract as context requires.

3. CONTRACT TERM; RENEWAL; EXTENSION: The term of this Contract shall be determined in accordance with the category that has been identified as applicable to this Contract below:

Term Contract

Initial Contract Term: This Contract becomes effective on award
and extends until December 31, 2019.

Renewal Term: This Contract may be renewed upon the mutual written consent of the Agency, and the Vendor. Any request for renewal should be submitted in writing to the Agency thirty (30) days prior to the expiration date of the initial contract term or appropriate renewal term. A Contract renewal shall be in accordance with the terms and conditions of the original contract. Renewal of this Contract is limited to two successive one (1) year periods or multiple renewal periods of less than one year, provided that the multiple renewal periods do not exceed 24 months in total. Automatic renewal of this Contract is prohibited.

Delivery Order Limitations: In the event that this contract permits delivery orders, a delivery order may only be issued during the time this Contract is in effect. Any delivery order issued prior to the expiration of this Contract shall be effective for no more than one year from the date the delivery order is issued. No delivery order may be extended beyond one year after this Contract has expired.

Fixed Period Contract: This Contract becomes effective upon Vendor's receipt of the notice to proceed and must be completed within _____ days.

Fixed Period Contract with Renewals: This Contract becomes effective upon Vendor's receipt of the notice to proceed and that part of the Contract more fully described in the attached specifications must be completed within _____ days. Upon completion, the vendor agrees that maintenance, monitoring, or warranty services will be provided for _____ successive one year periods or multiple periods of less than one year provided that the multiple renewal periods do not exceed _____ months in total.

One Time Purchase: The term of this Contract shall run from the issuance of the Award Document until all of the goods contracted for have been delivered, but in no event will this Contract extend for more than one calendar year.

Other: See attached.

4. NOTICE TO PROCEED: Vendor shall begin performance of this Contract immediately upon receiving notice to proceed unless otherwise instructed by the Agency. Unless otherwise specified, the fully executed Award Document will be considered notice to proceed.

5. QUANTITIES: The quantities required under this Contract shall be determined in accordance with the category that has been identified as applicable to this Contract below.

Open End Contract: Quantities listed in this Solicitation are approximations only, based on estimates supplied by the Agency. It is understood and agreed that the Contract shall cover the quantities actually ordered for delivery during the term of the Contract, whether more or less than the quantities shown.

Service: The scope of the service to be provided will be more clearly defined in the specifications included herewith.

Combined Service and Goods: The scope of the service and deliverable goods to be provided will be more clearly defined in the specifications included herewith.

One Time Purchase: This Contract is for the purchase of a set quantity of goods that are identified in the specifications included herewith. Once those items have been delivered, no additional goods may be procured under this Contract without an appropriate change order approved by the Vendor and Agency.

6. PRICING: The pricing set forth herein is firm for the life of the Contract, unless specified elsewhere within this Solicitation/Contract by the Agency. A Vendor's inclusion of price adjustment provisions in its bid, without an express authorization from the Agency in the Solicitation to do so, may result in bid disqualification.

7. EMERGENCY PURCHASES: The Agency may purchase goods or services in the open market that Vendor would otherwise provide under this Contract if those goods or services are for immediate or expedited delivery in an emergency and Vendor is unable to provide those goods and services on an immediate or expedited basis in the sole judgment of Agency. Emergencies shall include, but are not limited to, delays in transportation or an unanticipated increase in the volume of work. An emergency purchase in the open market, by the Agency, shall not constitute of breach of this Contract and shall not entitle the Vendor to injunctive relief or to any form of compensation or damages. This provision does not excuse the State from fulfilling its obligations under a One Time Purchase contract.

8. REQUIRED DOCUMENTS: All of the items checked below must be provided to the Agency by the Vendor as specified below.

BID BOND: All Vendors shall furnish a bid bond in the amount of five percent (5%) of the total amount of the bid protecting the State of West Virginia. The bid bond must be submitted with the bid.

PERFORMANCE BOND: The apparent successful Vendor shall provide a performance bond in the amount of _____. The performance bond must be received by the Agency prior to Contract award.

LABOR/MATERIAL PAYMENT BOND: The apparent successful Vendor shall provide a labor/material payment bond in the amount of 100% of the Contract value. The labor/material payment bond must be delivered to the Agency prior to Contract award.

In lieu of the Bid Bond, Performance Bond, and Labor/Material Payment Bond, the Vendor may provide certified checks, cashier's checks, or irrevocable letters of credit. Any certified check, cashier's check, or irrevocable letter of credit provided in lieu of a bond must be of the same amount and delivered on the same schedule as the bond it replaces. A letter of credit submitted in lieu of a performance and labor/material payment bond will only be allowed for projects under \$100,000. Personal or business checks are not acceptable.

MAINTENANCE BOND: The apparent successful Vendor shall provide a two (2) year maintenance bond covering the roofing system. The maintenance bond must be issued and delivered to the Agency prior to Contract award.

INSURANCE: The apparent successful Vendor shall furnish proof of the following insurance prior to Contract award and shall list the State as a certificate holder:

Commercial General Liability Insurance: In the amount of \$1,000,000.00_____ or more.

Builders Risk Insurance: In an amount equal to 100% of the amount of the Contract.

-
-
-
-
-

The apparent successful Vendor shall also furnish proof of any additional insurance requirements contained in the specifications prior to Contract award regardless of whether or not that insurance requirement is listed above.

LICENSE(S) / CERTIFICATIONS / PERMITS: In addition to anything required under the Section entitled Licensing, of the General Terms and Conditions, the apparent successful Vendor shall furnish proof of the following licenses, certifications, and/or permits prior to Contract award, in a form acceptable to the Agency.

WEST VIRGINIA CONTRACTOR'S LICENSE

The apparent successful Vendor shall also furnish proof of any additional licenses or certifications contained in the specifications prior to Contract award regardless of whether or not that requirement is listed above.

9. WORKERS' COMPENSATION INSURANCE: The apparent successful Vendor shall comply with laws relating to workers compensation, shall maintain workers' compensation insurance when required, and shall furnish proof of workers' compensation insurance upon request.

10. LIQUIDATED DAMAGES: Vendor shall pay liquidated damages in the amount of per the contract specifications. This clause shall in no way be considered exclusive and shall not limit the State or Agency's right to pursue any other available remedy.

11. ACCEPTANCE: Vendor's signature on its bid, or on the certification and signature page, constitutes an offer to the Agency that cannot be unilaterally withdrawn, signifies that the product or service proposed by vendor meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise indicated, and signifies acceptance of the terms and conditions contained in the Solicitation unless otherwise indicated.

12. FUNDING: This Contract shall continue for the term stated herein, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise made available, this Contract becomes void and of no effect beginning on July 1 of the fiscal year for which funding has not been appropriated or otherwise made available.

13. PAYMENT: Payment in advance is prohibited under this Contract. Payment may only be made after the delivery and acceptance of goods or services. The Vendor shall submit invoices in arrears.

14. TAXES: The Vendor shall pay any applicable sales, use, personal property or any other taxes arising out of this Contract and the transactions contemplated thereby. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.

15. CANCELLATION: The Agency reserves the right to cancel this Contract immediately upon written notice to the vendor if the materials or workmanship supplied do not conform to the specifications contained in the Contract. The Agency may also cancel any purchase or this contract for any reason or no reason upon 30 days written notice to the Vendor.

16. TIME: Time is of the essence with regard to all matters of time and performance in this Contract.

17. APPLICABLE LAW: This Contract is governed by and interpreted under West Virginia law without giving effect to its choice of law principles. Any information provided in specification manuals, or any other source, verbal or written, which contradicts or violates the West Virginia Constitution, West Virginia Code or West Virginia Code of State Rules is void and of no effect.

18. COMPLIANCE: Vendor shall comply with all applicable federal, state, and local laws, regulations and ordinances. By submitting a bid, Vendor acknowledges that it has reviewed, understands, and will comply with all applicable laws, regulations, and ordinances.

19. PREVAILING WAGE: To the extent required by applicable law, Vendor shall be responsible for ensuring compliance with prevailing wage requirements and determining when prevailing wage requirements are applicable.

20. ARBITRATION: Any references made to arbitration contained in this Contract, Vendor's bid, or in any American Institute of Architects documents pertaining to this Contract are hereby deleted, void, and of no effect.

21. MODIFICATIONS: This writing is the parties' final expression of intent. Notwithstanding anything contained in this Contract to the contrary, no modification of this Contract shall be binding without mutual written consent of the Agency and the Vendor.

22. WAIVER: The failure of either party to insist upon a strict performance of any of the terms or provision of this Contract, or to exercise any option, right, or remedy herein contained, shall not be construed as a waiver or a relinquishment for the future of such term, provision, option, right, or remedy, but the same shall continue in full force and effect. Any waiver must be expressly stated in writing and signed by the waiving party.

23. SUBSEQUENT FORMS: The terms and conditions contained in this Contract shall supersede any and all subsequent terms and conditions which may appear on any form documents submitted by Vendor to the Agency such as price lists, order forms, invoices, sales agreements, or

maintenance agreements, and includes internet websites or other electronic documents. Acceptance or use of Vendor's forms does not constitute acceptance of the terms and conditions contained thereon.

24. ASSIGNMENT: Neither this Contract nor any monies due, or to become due hereunder, may be assigned by the Vendor without the express written consent of the Agency and any other government agency or office that may be required to approve such assignments.

25. WARRANTY: The Vendor expressly warrants that the goods and/or services covered by this Contract will: (a) conform to the specifications, drawings, samples, or other description furnished or specified by the Agency; (b) be merchantable and fit for the purpose intended; and (c) be free from defect in material and workmanship.

26. STATE EMPLOYEES: State employees are not permitted to utilize this Contract for personal use and the Vendor is prohibited from permitting or facilitating the same.

27. BANKRUPTCY: In the event the Vendor files for bankruptcy protection, the Agency may deem this Contract null and void, and terminate this Contract without notice.

28. PRIVACY, SECURITY, AND CONFIDENTIALITY: The Vendor agrees that it will not disclose to anyone, directly or indirectly, any personally identifiable information or other confidential information gained from the Agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the Agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in:

<http://www.transportation.wv.gov/Documents/WVDOT-Privacy-Notice.pdf>.

29. YOUR SUBMISSION IS A PUBLIC DOCUMENT: Vendor's entire response to the Solicitation and the resulting Contract are public documents. As public documents, they will be disclosed to the public following the bid/proposal opening or award of the contract, as required by the competitive bidding laws of West Virginia Code §§ 5A-3-1 et seq., 5-22-1 et seq., and 5G-1-1 et seq. and the Freedom of Information Act West Virginia Code §§ 29B-1-1 et seq. Submission of any bid, proposal, or other document to the Agency constitutes your explicit consent to the subsequent public disclosure of the bid, proposal, or document. Labeling any document labeled "confidential," "proprietary," "trade secret," "private," or labeled with any other claim against public disclosure of the documents will not protect that document from public disclosure. All submissions are subject to public disclosure without notice.

DO NOT SUBMIT MATERIAL YOU CONSIDER TO BE CONFIDENTIAL, A TRADE SECRET, OR OTHERWISE NOT SUBJECT TO PUBLIC DISCLOSURE.

30. LICENSING: Vendor must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agency or political subdivision. Upon request, the Vendor must provide all necessary releases to obtain information to enable the Agency to verify that the Vendor is licensed and in good standing with the above entities.

31. ANTITRUST: In submitting a bid to, signing a contract with, or accepting an Award Document from Agency, the Vendor agrees to convey, sell, assign, or transfer to the State of West Virginia all rights, title, and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to Vendor.

32. VENDOR CERTIFICATIONS: By signing its bid or entering into this Contract, Vendor certifies (1) that its bid or offer was made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, person or entity submitting a bid or offer for the same material, supplies, equipment or services; (2) that its bid or offer is in all respects fair and without collusion or fraud; (3) that this Contract is accepted or entered into without any prior understanding, agreement, or connection to any other entity that could be considered a violation of law; and (4) that it has reviewed this Solicitation in its entirety; understands the requirements, terms and conditions, and other information contained herein. Vendor's signature on its bid or offer also affirms that neither it nor its representatives have any interest, nor shall acquire any interest, direct or indirect, which would compromise the performance of its services hereunder. Any such interests shall be promptly presented in detail to the Agency. The individual signing this bid or offer on behalf of Vendor certifies that he or she is authorized by the Vendor to execute this bid or offer or any documents related thereto on Vendor's behalf; that he or she is authorized to bind the Vendor in a contractual relationship; and that, to the best of his or her knowledge, the Vendor has properly registered with any State agency that may require registration.

33. PURCHASING CARD ACCEPTANCE: The State of West Virginia currently utilizes a Purchasing Card program, administered under contract by a banking institution, to process payment for goods and services. The Vendor must accept the State of West Virginia's Purchasing Card for payment of all orders under this Contract unless the box below is checked.

Vendor is not required to accept the State of West Virginia's Purchasing Card as payment for all goods and services.

34. VENDOR RELATIONSHIP: The relationship of the Vendor to the State shall be that of an independent contractor and no principal-agent relationship or employer-employee relationship is contemplated or created by this Contract. The Vendor as an independent contractor is solely liable for the acts and omissions of its employees and agents. Vendor shall be responsible for selecting, supervising, and compensating any and all individuals employed pursuant to the terms of this Solicitation and resulting contract. Neither the Vendor, nor any employees or subcontractors of the Vendor, shall be deemed to be employees of the State for any purpose whatsoever. Vendor shall be exclusively responsible for payment of employees and contractors for all wages and salaries, taxes, withholding payments, penalties, fees, fringe benefits, professional liability insurance premiums, contributions to insurance and pension, or other deferred compensation plans, including but not limited to, Workers' Compensation and Social Security obligations, licensing fees, etc. and the filing of all necessary documents, forms, and returns pertinent to all of the foregoing. Vendor shall hold harmless the State, and shall provide the State and Agency with a defense against any and all

claims including, but not limited to, the foregoing payments, withholdings, contributions, taxes, Social Security taxes, and employer income tax returns.

35. INDEMNIFICATION: To the fullest extent permitted by law, the Vendor agrees to defend, indemnify, and hold harmless the Agency, its officers, agents and employees from and against all suits, claims, damages, liability, losses, and expenses, including but not limited to attorney's fees and costs of investigations, arising out of, pertaining to or resulting from the performance of work for the above identified Project, including all claims, damages, losses or expenses which are attributable to bodily injury, sickness, disease or death, or to damage to or destruction of property, whether caused either wholly or in part by the negligence, actions or omissions of the Vendor, a Subcontractor or anyone directly or indirectly employed by the Vendor or Subcontractor or for anyone whose acts the Vendor or Subcontractor may be liable, except for any liability or damages due to the willful or intentional unlawful acts or the sole negligence of the Agency or its employees.

36. PURCHASING AFFIDAVIT: In accordance with West Virginia Code § 5A-3-10a, all Vendors are required to sign, notarize, and submit the Purchasing Affidavit stating that neither the Vendor nor a related party owe a debt to the State in excess of \$1,000. The affidavit must be submitted prior to the award, but should be submitted with the Vendor's bid. A copy of the Purchasing Affidavit is included herewith.

37. CONFLICT OF INTEREST: Vendor, its officers or members or employees, shall not presently have or acquire an interest, direct or indirect, which would conflict with or compromise the performance of its obligations hereunder. Vendor shall periodically inquire of its officers, members and employees to ensure that a conflict of interest does not arise. Any conflict of interest discovered shall be promptly presented in detail to the Agency.

38. REPORTS: Vendor shall provide the Agency with the following reports identified by a checked box below:

Such reports as the Agency may request. Requested reports may include, but are not limited to, quantities purchased, agencies utilizing the contract, total contract expenditures by agency, etc.

Quarterly reports detailing the total quantity of purchases in units and dollars, along with a listing of purchases by agency. Quarterly reports should be delivered to the Agency via email to the Agency representative specified by Agency.

39. BACKGROUND CHECK: In accordance with W. Va. Code § 15-2D-3, the Director of the Division of Protective Services shall require any service provider whose employees are regularly employed on the grounds or in the buildings of the Capitol complex or who have access to sensitive or critical information to submit to a fingerprint-based state and federal background inquiry through the state repository. The service provider is responsible for any costs associated with the fingerprint-based state and federal background inquiry. After the contract for such services has been approved, but before any such employees are permitted to be on the grounds or in the buildings of the Capitol complex or have access to sensitive or critical information, the service provider shall submit a list of all persons who will be physically present and working at the

Capitol complex to the Director of the Division of Protective Services for purposes of verifying compliance with this provision. The State reserves the right to prohibit a service provider's employees from accessing sensitive or critical information or to be present at the Capitol complex based upon results addressed from a criminal background check. Service providers should contact the West Virginia Division of Protective Services by phone at (304) 558-9911 for more information.

40. PREFERENCE FOR USE OF DOMESTIC STEEL PRODUCTS: Except when authorized by the Director of the Purchasing Division pursuant to W. Va. Code § 5A-3-56, no contractor may use or supply steel products for a State Contract Project other than those steel products made in the United States. A contractor who uses steel products in violation of this section may be subject to civil penalties pursuant to W. Va. Code § 5A-3-56. As used in this section:

- a. "State Contract Project" means any erection or construction of, or any addition to, alteration of or other improvement to any building or structure, including, but not limited to, roads or highways, or the installation of any heating or cooling or ventilating plants or other equipment, or the supply of and materials for such projects, pursuant to a contract with the State of West Virginia for which bids were solicited on or after June 6, 2001.
- b. "Steel Products" means products rolled, formed, shaped, drawn, extruded, forged, cast, fabricated or otherwise similarly processed, or processed by a combination of two or more or such operations, from steel made by the open hearth, basic oxygen, electric furnace, Bessemer or other steel making process. The Purchasing Division Director may, in writing, authorize the use of foreign steel products if:
- c. The cost for each contract item used does not exceed one tenth of one percent (.1%) of the total contract cost or two thousand five hundred dollars (\$2,500.00), whichever is greater. For the purposes of this section, the cost is the value of the steel product as delivered to the project; or
- d. The Director of the Purchasing Division determines that specified steel materials are not produced in the United States in sufficient quantity or otherwise are not reasonably available to meet contract requirements.

41. PREFERENCE FOR USE OF DOMESTIC ALUMINUM, GLASS, AND STEEL: In Accordance with W. Va. Code § 5-19-1 et seq., and W. Va. CSR § 148-10-1 et seq., for every contract or subcontract, subject to the limitations contained herein, for the construction, reconstruction, alteration, repair, improvement or maintenance of public works or for the purchase of any item of machinery or equipment to be used at sites of public works, only domestic aluminum, glass or steel products shall be supplied unless the spending officer determines, in writing, after the receipt of offers or bids, (1) that the cost of domestic aluminum, glass or steel products is unreasonable or inconsistent with the public interest of the State of West Virginia, (2) that domestic aluminum, glass or steel products are not produced in sufficient quantities to meet the contract requirements, or (3) the available domestic aluminum, glass, or steel do not meet the contract specifications. This provision only applies to public works contracts awarded in an amount more than fifty thousand dollars (\$50,000) or public works contracts that require more than ten thousand pounds of steel products.

The cost of domestic aluminum, glass, or steel products may be unreasonable if the cost is more than twenty percent (20%) of the bid or offered price for foreign made aluminum, glass, or steel products. If the domestic aluminum, glass or steel products to be supplied or produced in a "substantial labor surplus area", as defined by the United States Department of Labor, the cost of domestic aluminum, glass, or steel products may be unreasonable if the cost is more than thirty percent (30%) of the bid or offered price for foreign made aluminum, glass, or steel products. This preference shall be applied to an item of machinery or equipment, as indicated above, when the item is a single unit of equipment or machinery manufactured primarily of aluminum, glass or steel, is part of a public works contract and has the sole purpose or of being a permanent part of a single public works project. This provision does not apply to equipment or machinery purchased by a spending unit for use by that spending unit and not as part of a single public works project.

All bids and offers including domestic aluminum, glass or steel products that exceed bid or offer prices including foreign aluminum, glass or steel products after application of the preferences provided in this provision may be reduced to a price equal to or lower than the lowest bid or offer price for foreign aluminum, glass or steel products plus the applicable preference. If the reduced bid or offer prices are made in writing and supersede the prior bid or offer prices, all bids or offers, including the reduced bid or offer prices, will be reevaluated in accordance with this rule.

42. It is hereby expressly covenanted, agreed and understood by and between the parties hereto, that the Vendor will immediately make payment and refund to the Agency for any and all overpayments made by said Agency to the Vendor on any estimate or estimates, advances ,if applicable ,or partial payments made on this Contract. Agency is given the right and authority to withhold any and all funds in its possession, belonging to, owed by, or which may be owed by it to the Vendor on any agreement or from any other source for the recovery of any overpayment made in connection with this contract. It is further expressly agreed that the statute of limitations will not commence to run against the Agency for such overpayments until the same is discovered and made known to the Agency.

43. In the event of conflicts or discrepancies among the Contract Documents, interpretations will be based on the following priorities in the order listed below with the highest priority being subsection a:

- a. General Terms and Conditions; Instructions to Vendors Submitting Bids,
- b. Solicitation and any documents required by the Solicitation,
- c. Bid or Proposal,
- d. Award Document.

CERTIFICATION AND SIGNATURE PAGE

By signing below, or submitting documentation through the West Virginia Vendor Self Service Portal website, I certify that I have reviewed this Solicitation in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

West Virginia Paving, Inc.
(Full Company Name)

Robert Brookover
(Authorized Signature)



Robert Brookover President
(Print or Type Name and Title of Signatory)

304-768-9733
(Phone Number)

304-768-9351
(Fax Number)

rjohnson@wvpaving.com
(Email address)

12/19/2019
(Date)

**Form pre-approved by DOH legal division on July 12, 2016.
Attorney signature not required.**

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: _____


Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.


Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:
(Check the box next to each addendum received)

- | | |
|---|--|
| <input type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

West Virginia Paving, Inc.
Full Company Name

Authorized Signature
December 19, 2018
Date



NOTE: This addendum acknowledgment should be submitted with the bid to expedite document processing.

REQUEST FOR QUOTATION
Asphalt
Materials, Delivery and Labor by the Vendor, ONLY

SPECIFICATIONS

1. **PURPOSE AND SCOPE:** The West Virginia Division of Highways is soliciting bids to establish an open-end Asphalt contract for use on preventive maintenance and repair projects throughout the state of West Virginia including materials, delivery and labor, by the Vendor, to a WVDOH project site.

This contract shall become effective upon award and extends until December 31, 2019; however, this contract may be renewed at the same price, terms and conditions of the original contract including any subsequent change orders upon the mutual written consent of the WVDOH and the Vendor(s), limited to two successive one-year periods.

The WVDOH will not consider price adjustments such as an increase or decrease in price for the potential one-year renewal periods.

2. **DEFINITIONS:** The terms listed below shall have the meanings assigned to them below. Additional definitions can be found in section 2 of the General Terms and Conditions.
- 2.1 “Contract Item” or “Contract Items” means the list of items identified in Section 3.2.
- 2.2 “Pricing Pages/E-Catalog Spreadsheet” means the schedule of prices attached hereto as Exhibit A and used to evaluate the Solicitation responses.
- 2.3 “Solicitation” means the official notice of an opportunity to supply the State with goods or services.
- 2.4 “WVDOH” used throughout this Solicitation means the West Virginia Division of Highways.
- 2.5 “MP” and/or “MCS&T” used throughout this Solicitation means the Materials Procedures as administered by the WVDOH Materials Control, Soil and Testing Division who perform all procedures necessary with sampling, testing, reporting and inspection of products and materials to maintain a reliable quality assurance system. Reference:
<http://www.transportation.wv.gov/highways/mcst/Pages/default.aspx>
- 2.6 “Asphalt”, “Hot Mix Asphalt” and “HMA” used throughout this Solicitation and in any cited sections of the West Virginia Department of Transportation, Division of Highways Standard Specifications, Roads and Bridges, adopted latest Standard Specs edition, including any Supplementals, shall mean “Asphalt”.

REQUEST FOR QUOTATION
Asphalt
Materials, Delivery and Labor by the Vendor, ONLY

- 2.7 “RAP” used throughout this Solicitation means Reclaimed Asphalt Pavement.
- 2.8 “HPTO” used throughout this Solicitation means High Performance Thin Overlay.
- 2.9 “SP” used throughout this Solicitation means Special Provision.
- 2.10 “Contractor” or “Vendor” used throughout this Solicitation and in any cited sections of the West Virginia Department of Transportation, Division of Highways Standard Specifications, Roads and Bridges, adopted latest Standard Specs edition, including any Supplementals, are interchangeable.
- 2.11 “Standard Specs” used throughout this Solicitation means the West Virginia Department of Transportation, Division of Highways Standard Specifications, Roads and Bridges, adopted latest Standard Specs edition, including any Supplementals.

3. GENERAL REQUIREMENTS:

- 3.1 The following sections of the Standard Specs, but not limited to, shall apply to the administration of this contract: Sections 101, 102.4, 102.5, 105.1, 105.3, 105.4, 105.10, 105.12, 105.13, 106.3, 106.4, 106.5, 106.6, 106.7, 106.9, 107.1, 107.2, 107.3, 107.12, 107.14, 107.15, 107.16, 107.19, 107.20, 107.23, 108.3, 108.5, 108.6, 108.7, 108.8, 109.1, 109.2, 109.9, 109.10, 109.20, 307.2.5, 401.4.2.1, 401.9.3, 401.9.7, 401.10.1, 408, 415 and 636.

A hard copy of the current Standard Specs may be purchased at a cost of \$20.00 (\$15.00 for the 2017 book plus \$5.00 for the Supplemental Latest Edition) using the Attachment A Standard Specifications Order Form and sent to:

West Virginia Division of Highways
Contract Administration
Building 5, Room 722
1900 Kanawha Boulevard, East
Charleston, West Virginia 25305
(Phone) 304-558-2885

A free electronic copy of the Standard Specs may be obtained by sourcing:
<http://www.transportation.wv.gov/highways/contractadmin/specifications/2017StandSpec/Pages/default.aspx>

REQUEST FOR QUOTATION
Asphalt
Materials, Delivery and Labor by the Vendor, ONLY

3.2 Contract Items and Mandatory Requirements: Vendor shall provide Agency with the Contract Items listed below on an open-end and continuing basis. Contract Items must meet or exceed the mandatory requirements as shown below.

3.2.1 Materials: Items A through O are considered Materials. Materials from this contract SHALL ONLY be purchased when delivery by the Vendor and labor by the Vendor are required on a Delivery Order.

3.2.2 There shall be no Item P for this contract.

3.2.3 Performance Grade Binder: Items Q and R are surcharges to compensate the Vendor for supplying Asphalt when the referenced binder is substituted for the standard binder.

3.2.4 Haul by Vendor: Item S is the distance over suitable routes selected by the WVDOH District Engineer using the allowed for haul costs that will provide the lowest total cost to the WVDOH and shall be measured from the Vendor's plant location, which shall be identified on the Information Attachment Form, to the WVDOH's mid-point of the project. The WVDOH shall source the WV Straight Line Diagrams for WV Primary Routes and WV Secondary Routes for these routes. The Diagrams are available in each WVDOH District Office and the WVDOH Central Office. WVDOH will determine the route to be taken due to bridge and/or road restrictions which shall have acceptable load limits for both roads and bridges.

Out-of-state delivery route mileage will be calculated by the WVDOH, the shortest route, by utilizing "Google Earth" or a similar source for routing from the Vendor's plant location to the WV State line at which time, the Diagrams will be sourced to the WVDOH mid-point of the projection location.

Haul by Vendor will only be requested in combination with other awarded items.

3.2.5 Lay Down of Materials: Item T shall provide lay down services for materials items A through O and AI. Lay Down shall be provided by the Vendor at projects designated by the WVDOH District Engineer. When directed on the Delivery Order, the Lay Down contractor shall construct the Asphalt Lay Down with a safety edge at no additional cost to the WVDOH.

REQUEST FOR QUOTATION
Asphalt
Materials, Delivery and Labor by the Vendor, ONLY

- 3.2.6 Excavation for Shoulder Paving:** Item U shall consist of removing existing shoulder material for a length and width as directed by the WVDOH District Engineer in two inch (2") vertical increments. Cost of loading, hauling and disposing of the excavated materials shall be included in the bid price for this item.
- 3.2.7 Asphalt Base I Shoulder Paving:** Item V is a surcharge for work performed to pave road shoulders consisting of installing and compacting Asphalt Base I to the elevation of the existing pavement in the shoulder that is to be paved.
NOTE: Asphalt Base I will be paid as Item A. The Hauling of Asphalt Base I will be paid as Item S. The Lay Down will be paid as Item T. The Excavation will be paid as Item U.
- 3.2.8 Asphalt Base II Shoulder Paving:** Item W is a surcharge for work performed to pave road shoulders consisting of installing and compacting Asphalt Base II to the elevation of the existing pavement in the shoulder that is to be paved.
NOTE: Asphalt Base II will be paid as Item C. The Hauling of Asphalt Base II will be paid as Item S. The Lay Down will be paid as Item T. The Excavation will be paid as Item U.
- 3.2.9 Tack Coat:** Item X, Asphalt Material for Tack Coat or Prime Material furnished and applied shall be in accordance with Standard Specs Section 408 as directed by the WVDOH District Engineer.
- 3.2.10 Additional Heel-In Joints:** Heel-In Joints at the beginning and the end of each paving location will be performed by the Vendor in accordance with the "Resurfacing Heel-In Detail", Figure 2, at the end of these Contract Specifications. Additional Heel-In Joints, Item Y, in accordance with the Resurfacing Heel-In Detail may be required as directed by the WVDOH District Engineer at intersecting roadways, at the beginning and end of each paving skip and other designated locations. Payment of Additional Heel-In Joints shall be paid per lineal foot as measured along the joint, which shall be full payment for complete construction of the joint.
- 3.2.11 Skip Paving Surcharge:** Item Z, when the distance between the end of one skip and the beginning of the next does not exceed 2,500 feet, Skip Paving may be requested by the WVDOH District Engineer. Payment shall be made for each ton of final surface course material completed in place on the project. Patching and leveling in preparation for resurfacing of a project shall not be considered Skip Paving.

REQUEST FOR QUOTATION
Asphalt
Materials, Delivery and Labor by the Vendor, ONLY

3.2.12 Pavement Profiling: shall consist of profiling the existing pavement to the specified grade and cross slope by grinding, planing or milling. The profiling equipment shall be capable of accurately establishing profile grades of $\frac{1}{4}$ " plus or minus, along each edge of the machine by reference from the existing pavement by use of ski or matching shoe or by reference to independent grade control. The equipment shall have an automatic system for controlling grade and cross slope. The Vendor shall provide adequate manpower and auxiliary equipment to control dust and remove cuttings from the project site. Stockpiling of cuttings on the project site will not be permitted. All cuttings shall become the property of the Vendor. The Vendor shall be responsible for damage to drainage facilities, manholes or other appurtenances within the pavement area.

3.2.12.1 Mobilization for Profiling: Item AA, all preparatory operations including movement of necessary personnel and equipment onto the project site to begin the profiling work. Only one Mobilization for Profiling per Delivery Order shall be paid when Pavement Profiling (Milling), Item AB, is required.

3.2.12.2 Pavement Profiling (Milling): Item AB, milling shall be measured as the total number of square yards planed or ground to a depth not exceeding two inches (2"). Should the required removal depth exceed two inches (2"), additional quantities shall be measured for each additional two inches (2") increment.

Hauling of Profiled Cuttings from project site to the Vendor's nearest production facility shall be paid per Haul by Vendor, Item S and weighed on truck scales in accordance with Standard Specs Section 401.9.3.

3.2.13 Pavement Repair: Item AC, shall consist of squaring up the repair area, removing damaged material to a depth directed by the WVDOH District Engineer, hauling and disposing of existing pavement, tacking of existing surfaces and placing and compacting Asphalt Base II in lifts not exceeding two inches (2") to the level of the existing pavement. The cost for these requirements shall be bid per Item AC. There will be no price adjustment to the asphalt used for Pavement Repair.

All labor, equipment and material to complete Item AC shall be included in the unit bid price for Item AC. Any traffic control required shall be charged separately per Section 3.2.22 of these Contract Specifications as Item AO.

REQUEST FOR QUOTATION
Asphalt
Materials, Delivery and Labor by the Vendor, ONLY

- 3.2.14 Asphalt Base, Wearing and Patching, and Leveling Courses, SP 401:** Item AD, shall address the use of increased amounts of RAP used within mixes produced for projects in the WVDOH construction program. A copy of SP401, most recently dated 11/19/2015, is attached. When Item AD is requested on a Delivery Order, there shall be no pay item.
- 3.2.15 Crushed Aggregate Base Course:** Item AE, RAP may be substituted for Class 10 Shoulder Stone materials on roadways where edge line pavement markings exist or are installed per Standard Specs Section 307.2.5. When Item AE is requested on a Delivery Order, there shall be no pay item.
- 3.2.16 Asphalt HPTO, SP496:** Item AF, shall consist of constructing a single course of an asphalt HPTO, mixed mechanically in a plant, composed of aggregate and asphalt material designed in accordance with the Superpave Design System, on a prepared foundation in accordance with the specifications and in reasonable close conformity with the lines, grades, weights or thicknesses and cross sections shown on the plans or established by the WVDOH District Engineer. A copy of SP496, most recently dated 04/25/2018, is attached. Lay down service shall be provided per section 3.2.16.2, item AF.
- 3.2.16.1** Item AG, Non-Tracking Tack, to be used with AF, shall be a MCS&T approved product from an approved vendor per MP and shall meet the recommended requirements of the supplier unless otherwise specified by the WVDOH District Engineer.
- 3.2.16.2** Item AH, shall provide lay down services for Item AF. Any costs associated with the Material Transfer Device shall be included in the Vendor's bid price for laydown. Laydown shall be provided by the Vendor at projects designated by the WVDOH District Engineer.
- Item AF shall be PG 64E minus 22 ordered in 300-ton increments and Item AH shall be requested at 300 tons or greater.
- Hauling for Item AF shall be a separate bid item and not included in the combined material and laydown price. Hauling shall be charged per Item S of these Contract Specifications.
- 3.2.17 Ultra-Thin Asphalt Overlay, SP498:** Item AI, covers the materials, equipment, construction and application procedures for placing Ultra-Thin

REQUEST FOR QUOTATION
Asphalt
Materials, Delivery and Labor by the Vendor, ONLY

Asphalt Overlays on existing paved surfaces in accordance with the specifications and in reasonably close conformity with the lines, grades, weights or thicknesses and cross sections shown on the plans or established by the WVDOH District Engineer. A copy of SP498, most recently dated 02/01/2017, is attached. Lay down service shall be provided per Section 3.2.5, item T.

3.2.18 Fine Milling of Asphalt Pavement Surfaces: Item AJ, shall be the fine milling of existing and/or new asphalt pavement at locations shown on the plans or as directed by the WVDOH District Engineer in accordance with the Standard Test Method for Measuring Pavement Macrottexture Depth using a Volumetric Technique, MP 401.07.24 per Standard Specs Section 415. Vendor shall provide pricing inclusive of lay down services

3.2.19 Rumble Strips:

3.2.19.1 Mobilization for Milled Rumble Strips: Item AK, all preparatory operations including movement of necessary personnel and equipment onto the project site to begin the work of Milling Rumble Strips. Only one Mobilization for Milling Rumble Strips per Delivery Order shall be paid when Milled Rumble Strips, Item AL, is required.

3.2.19.2 Milled Rumble Strips: Item AL, shall be in accordance with the "Rumble Strip Special Detail", Figure 1, at the end of these Contract Specifications.

3.2.20 Parking Lot and Facility Paving Surcharge: Item AM, is a surcharge which shall be provided when material, Items A through O, is used to pave parking lots.

3.2.21 Cleaning and Sweeping: Item AN, cleaning and sweeping shall be in accordance with Standard Specs Section 401.10.1, as well as, payment shall be calculated as the paving length times the width swept. The WVDOH shall have the option to perform cleaning and sweeping.

3.2.22 Maintaining Traffic: While undergoing improvement, the project site shall be kept open to traffic in such condition that both local and through traffic will be adequately and safely accommodated. All improvement operations shall be scheduled by the Contractor to keep traffic delay to a minimum.

REQUEST FOR QUOTATION
Asphalt
Materials, Delivery and Labor by the Vendor, ONLY

Traffic Control may be furnished by the WVDOH; however, when Pilot Truck and Driver, Item AO-1; Traffic Control Devices, Item AO-2; Flagger, Item AO-3 and/or Arrow Board, Item AO-4 are requested by the WVDOH District Engineer for a project, traffic shall be maintained by the Vendor in accordance with Standard Specs Section 636.

3.2.23 Mobilization for Paving Limits:

3.2.23.1 Daytime Paving Mobilization: Item AP-1 is a mobilization for paving charge which may be made when the Delivery Order quantity, per paving location, is less than 500 tons of Asphalt and nighttime paving is not requested.

3.2.23.2 Nighttime Paving Mobilization: Item AP-2 is a mobilization for paving charge which may be made when the Delivery Order directs that the paving is to be done at night.

Only one mobilization for paving per day of operation will be paid, unless moves of over five (5) miles between individual paving locations are required. In cases where a Vendor is required to move from one roadway to the adjacent roadway of a divided highway, additional mobilization for paving will only be paid if the nearest interchange or crossing point that will accommodate the Vendor's equipment is over five (5) miles from the paving locations. NOTE: This provision may require roundtrip moves of up to ten (10) miles with no additional mobilization for paving payment. An individual paving location shall be defined as a paving job where no skips exceeding 2,500 feet are involved, except between the approach slabs of a bridge or parallel pair of bridges.

3.2.24 Off-Season Plant Opening: Item AQ, if the Vendor is required to open his plant in the off-season to service the needs of the WVDOH, an additional payment will be made. The Vendor will be paid additional day charge for each additional consecutive day that the plant is open after the first day to service the needs of the WVDOH. If the plant produces no material for any use on any calendar day, either during the week or on the weekend, the WVDOH will pay the first day rate for off-season plant opening on the next day of the WVDOH usage. Payment for this item is subject to the following conditions:

3.2.24.1 Payment for this item can only be authorized and made during the winter months, i.e., between December 15th and

REQUEST FOR QUOTATION
Asphalt
Materials, Delivery and Labor by the Vendor, ONLY

March 15th, and then only if the plant would not have otherwise been open. These dates may be revised by the WVDOH District Engineer, if necessary, to meet specific needs in the field. Any such revision of dates will be in writing and shall be attached to the Vendor's invoice at the time payment is requested.

3.2.24.2 Payment will always be made at the full contract awarded bid price for the first day of plant opening; however, the amount paid from each additional day of plant opening will be reduced as follows:

- a) Payment for additional day charge will not be made if the plant has produced over 500 tons on that day. If between 300 and 500 tons have been produced, payment for additional day charge will be made equal to one-half of the contract awarded bid price for the additional day charge. The quantity produced to make this determination shall include all material produced that day, which includes tonnage bought by the WVDOH, other local governments and all private work.
- b) The WVDOH will only pay its share of the amount determined to be due for additional day charge as described above. For example, if the plant produces 375 tons and the WVDOH takes 150 tons of the total, 40% of the plant's daily production, payment for additional day charge would be calculated as follows: Since the total daily production is between 300 and 500 tons, the Vendor is due 50% of the additional day charge. Because the WVDOH's share of this daily production is 40%, the WVDOH would pay 40% of one-half of the additional day charge, or in this case, 20% of the additional day charges.

3.2.24.3 A certified statement shall accompany the invoice stating the total quantity produced on the additional day. If payment does not qualify due to tonnage produced, the next consecutive day of plant operation, if any, will qualify for payment at the additional day rate rather than the first day rate for plant opening.

REQUEST FOR QUOTATION
Asphalt
Materials, Delivery and Labor by the Vendor, ONLY

3.2.25 Vendor's Plant Location: The Vendor **shall** provide the Vendor's Plant Location on the Information Attachment Form that will be supplying the materials listed on the Pricing Page/E-Catalog Spreadsheet. Please refer to Section 6.2.2 of these Contract Specifications.

4. PRICE ADJUSTMENTS:

4.1 Price Adjustment of Asphalt Cement: Due to the uncertainty in estimating the cost of petroleum products that will be used during the life of this contract, adjustment in compensation for Contract Items A through O and contract Items AF and AI is provided for in the Standard Specs. Refer to the table below:

Item	Description	AC (Average Asphalt Content)
A	Section 401 – Base I	3.9
B	Section 401 – 37.5mm Superpave	3.9
C	Section 401 – Base II	5.0
D	Section 401 – Patch and Level	5.0
E	Section 401 – Wearing IV	5.2
F	Section 402 – Wearing IV	5.1
G	Section 401 – 19mm Superpave	4.7
H	Section 401 – Scratch Course	6.2
I	Section 402 – 9.5mm Superpave	6.1
J	Section 401 – Wearing I	6.1
K	Section 402 – Wearing I	6.0
L	Section 401 – 4.75mm Superpave	7.6
M	Section 402 – 4.75mm Superpave	7.2
N	Section 401 – Wearing III	7.3
O	Section 402 – Wearing III	7.5
AF	Asphalt HPTO, SP496	7.1
AI	Ultra-Thin Asphalt Overlay, SP498	7.6

4.2 Price Adjustment of Fuel Oil No. 2 (Diesel Fuel): Due to the uncertainty in estimating the cost of diesel fuel that will be used during the life of this contract, adjustment in compensation for Contract Items A through O and Contract Items AF and AI is provided for in the Standard Specs.

The bidding index for asphalt binder will be listed on the Contract Administration website for Fuel and Asphalt adjustments for December 2018.

REQUEST FOR QUOTATION
Asphalt
Materials, Delivery and Labor by the Vendor, ONLY

5. **ACCEPTANCE PLAN:** Quality control at the plant and in-the-field shall be the responsibility of the Vendor and shall meet the requirements of MP 401.03.50. Compaction quality control shall be in accordance with MP 401.05.20. Acceptance testing shall be the responsibility of the WVDOH. Quality assurance of the material shall be as set forth in MP 401.02.27 for Marshall Mix designs or MP 401.02.29 for Superpave mix designs.

6. **CONTRACT AWARD:**

6.1 **Contract Award:** The Contract is intended to provide Agencies with a purchase price on all Contract Items. All qualified responsible Vendors shall be awarded a contract for those Contract Items bid which meet all mandatory requirements of this Contract.

6.2 **Pricing Pages/E-Catalog Spreadsheet and Information Attachment form:**

6.2.1 **Pricing Pages/E-Catalog Spreadsheet:** Vendor should complete the Pricing Pages/E-Catalog Spreadsheet by providing the following information, per each Contract Item Bid. Vendor should not modify or add any information into the Column Headers.

- 1) Column A – Vendor Customer Code should identify the Vendor’s wvOASIS vendor/customer number. If the Vendor does not know this number, please leave this column blank.
- 2) Column C – Supplier Name should identify the Vendor’s Plant name.
- 3) Column I – Vendor shall not modify or change any Unit of Measure identified in this column.
- 4) Column J – List Price shall identify the Vendor’s unit prices per Contract Items bid. Vendor should not place formulas or any type of Excel calculations into the List Price column, only the actual bid price, per each Contract Item Bid.

Vendors may bid any or all items on the Pricing Pages/E-Catalog Spreadsheet. Bidding on any one Contract Item may not be conditioned on the acceptance of the bid on any other Contract Item or Items.

6.2.2 **Information Attachment Form:** The Information Attachment Form shall identify the Plant and its location that will be supplying the materials bid on the Pricing Page/E-Catalog Spreadsheet. The Vendor **shall** provide the 911 address or the most recent physical street address, city and state, for the Plant Location. If the Vendor fails to provide the Plant Location

REQUEST FOR QUOTATION
Asphalt
Materials, Delivery and Labor by the Vendor, ONLY

information as requested, the Vendor's bid will be disqualified for that bid submission.

NOTE:

- If a Vendor will be supplying materials from multiple Plant Locations, and ALL pricing is the same, ALL Plant Locations can be listed on one Information Attachment Form and one Pricing Page/E-Catalog Spreadsheet submission is acceptable.
- If a Vendor will be supplying materials from multiple Plant Locations, at varying prices, additional, separate Information Attachment Forms and Pricing Pages/E-Catalog Spreadsheet must be submitted. Multiple Plant Locations, with varying prices, shall be submitted on separate bid submissions.
- A bid submission SHALL include the Pricing Pages/E-Catalog Spreadsheet AND the Information Attachment Form. Any bid submitted without the Information Attachment Form WILL BE DISQUALIFIED.

The Pricing Pages/E-Catalog Spreadsheet contains a list of the Contract Items with no guarantee that any Contract Item will be purchased throughout the life of this contract. Estimated quantities are not available.

Vendor should type or electronically enter the information into the Pricing Pages/E-Catalog Spreadsheet to prevent errors in the evaluation. In most cases, the Vendor can request an electronic copy of the Pricing Pages/E-Catalog Spreadsheet for bid purposes by sending an email request to the following address: angie.j.moorman@wv.gov.

- 6.3 Contract award transition:** Upon the award of this contract, whether the effective date or the completed and encumbered date or an established date by the WVDOH, the WVDOH Maintenance Division will announce the effective date of use of this contract to the Districts and the Vendors. Upon the announced effective date of use by the WVDOH Maintenance Division to the Districts and Vendors, any Delivery Order issued toward the 2018 Contracts for material, delivery and labor by the vendor shall remain in effect and should not be cancelled until that Delivery Order is filled; however, after ten (10) working days of the Districts' and Vendors' notice, any Delivery Order that has not been completely filled by the Vendors from the 2018 Contracts for material, delivery and labor by the vendor shall NOT be completed, but a cancellation notice will be sent to that Vendor from the issuing District for cancellation of the balance of that Delivery Order only. No Delivery Order from the 2018 Contracts for material, delivery and labor by the vendor should be held open by the District or the Vendor longer ten (10) working days after the

REQUEST FOR QUOTATION
Asphalt
Materials, Delivery and Labor by the Vendor, ONLY

notice to the Districts and the Vendors of the effective date of use of the new contracts.

This directive is issued to assist the Districts and the Vendors when fulfilling open Delivery Orders only. It is NOT issued to cause harm or to take contracts from one Vendor to give to another Vendor, but to establish a transition process from one contract into another contract.

- 7. DETERMINING LOW BID PER PROJECT:** To determine the low bid Vendor for individual repair paving projects, the WVDOH District Engineer will calculate the lowest overall total cost of the price of material plus any additional cost items. Charges for hauling will be calculated according to Section 3.2.4 of these Contract Specifications.

WVDOH reserves the right to request any one or combination of items for which bids are awarded at the lowest overall total as set forth in this section.

8. ORDERING AND PAYMENT:

8.1 Ordering: Vendor shall accept orders through wvOASIS, regular mail, facsimile, e-mail, or any other written forms of communication. Vendor may, but is not required to, accept on-line orders through a secure internet ordering portal/website. If Vendor can accept on-line orders, it should include in its response a brief description of how Agencies may utilize the on-line ordering system. Vendor shall ensure that its on-line ordering system is properly secured prior to processing Agency orders on-line.

8.2 Payment: Vendor shall accept payment in accordance with the payment procedures of the State of West Virginia. The State of West Virginia currently utilizes a Purchasing Card program, administered under contract by a banking institution, to process payment for goods and services. The Vendor must accept the State of West Virginia's Purchasing Card for payment of all orders under this Contract.

9. PROJECT ACCEPTANCE, DELIVERY AND RETURN:

9.1 Project Acceptance: Upon receipt of a Delivery Order, the Vendor shall advise the WVDOH, in writing, within five (5) calendar days of their acceptance of the project work of the Delivery Order. Failure on the Vendor's part to acknowledge acceptance of the project work may result in cancellation of the Delivery Order and re-award of the project to the next lowest bidder.

REQUEST FOR QUOTATION
Asphalt
Materials, Delivery and Labor by the Vendor, ONLY

- 9.2 Delivery Time:** Delivery Orders shall specify a starting date and a completion date based on the Vendor's acceptance of a Delivery Order. If work is not started by the Vendor by the specified starting date on the Delivery Order, the Delivery Order may be cancelled and issued to the next low bidder. If work is not completed by the completion date as specified on the Delivery Order, liquidated damages may be assessed in accordance with Standard Specs Section 108.7. Vendor shall deliver emergency orders within an agreed upon acceptable timeframe after orders are received. Vendor shall ship all orders in accordance with the dates assigned to each project per the Delivery Order and shall not hold orders until a minimum delivery quantity is met. No Vendor is authorized to ship, nor is the WVDOH authorized to receive materials prior to the issuance of a Delivery Order.
- 9.3 Late Delivery:** The Agency placing the order under this Contract must be notified in writing if orders will be delayed for any reason. Any delay in delivery that could cause harm to an Agency will be grounds for cancellation of the delayed order, and/or obtaining the items ordered from a third party.
- 9.4 Delivery Payment/Risk of Loss:** Standard order delivery shall be F.O.B. Vendor's Plant Location. Haul by Vendor, Item S shall be requested on the Delivery Order. The Agency will pay delivery charges on all emergency orders provided that Vendor invoices those delivery costs as a separate charge with the original freight bill attached to the invoice.
- 9.5 Return of Unacceptable Items:** If the Agency deems the Contract Items to be unacceptable, the Contract Items shall be returned to Vendor at Vendor's expense and with no restocking charge. Vendor shall either make arrangements for the return within five (5) days of being notified that items are unacceptable, or permit the Agency to arrange for the return and reimburse Agency for delivery expenses. If the original packaging cannot be utilized for the return, Vendor will supply the Agency with appropriate return packaging upon request. All returns of unacceptable items shall be F.O.B. the Agency's location. The returned product shall either be replaced, or the Agency shall receive a full credit or refund for the purchase price, at the Agency's discretion.
- 9.6 Return Due to Agency Error:** Items ordered in error by the Agency will be returned for credit within 30 days of receipt, F.O.B. Vendor's location. Vendor shall not charge a restocking fee if returned products are in a resalable condition. Items shall be deemed to be in a resalable condition if they are unused and in the original packaging. Any restocking fee for items not in a resalable condition shall be the lower of the Vendor's customary restocking fee or 5% of the total invoiced value of the returned items.

REQUEST FOR QUOTATION
Asphalt
Materials, Delivery and Labor by the Vendor, ONLY

10. ANTI-COLLUSION CLAUSE:

10.1 Contractor affirms that in regard to this contract and the bidding process which underlies this contract, neither Contractor nor anyone on its behalf, including affiliate and subsidiary entities of Contractor, has:

10.1.1. been a party to any collusion among potential or actual bidders or with any state or federal official or employee in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding;

10.1.2 been a party to any collusion with any other potential or actual bidders, federal or state official or employee as to quantity, quality or price in the contract, or any other terms of the contract;

10.1.3 been a party to any discussions between or among potential or actual bidders and any federal or state official or employees concerning exchange of money or other thing of value for special consideration in the letting or award of this of contract;

10.1.4 exchanged money or other thing of value with other potential or actual bidders, federal or state officials or employees for special consideration in the letting or award of this contract;

10.1.5 otherwise taken any action in restraint of free competitive bidding.

10.2 Contractor further affirms that that neither Contractor nor anyone on its behalf, including affiliate and subsidiary entities of Contractor, has:

10.2.1 made its bid in the interest of, or on behalf of, any undisclosed person, partnership, company, association, organization, or corporation and that the bid is genuine and is not a sham;

10.2.2 directly or indirectly colluded, conspired, connived, or agreed with any potential or actual bidder or anyone else to put in a sham bid;

10.2.3 otherwise taken any action to put in a sham bid.

11. VENDOR DEFAULT:

11.1 The following shall be considered a vendor default under this Contract.

REQUEST FOR QUOTATION
Asphalt
Materials, Delivery and Labor by the Vendor, ONLY

- 11.1.1 Failure to provide Contract Items in accordance with the requirements contained herein.
- 11.1.2 Failure to comply with other specifications and requirements contained herein.
- 11.1.3 Failure to comply with any laws, rules and ordinances applicable to the Contract Services provided under this Contract.
- 11.1.4 Failure to remedy deficient performance upon request.
- 11.2 The following remedies shall be available to Agency upon default.
 - 11.2.1 Immediate cancellation of the Contract.
 - 11.2.2 Immediate cancellation of one or more Delivery Orders issued under this Contract.
 - 11.2.3 Any other remedies available in law or equity.

12. MISCELLENOUS:

- 12.1 **No Substitutions:** The Vendor shall supply only Contract Items submitted in response to the Solicitation unless a contract modification is approved in accordance with the provisions contained in this Contract.
- 12.2 **Vendor Supply:** The Vendor must carry sufficient inventory of the Contract Items being offered to fulfill its obligations under this Contract. By signing its bid, the Vendor certifies that it can supply the Contract Items contained in its bid response.
- 12.3 **Vendor's Invoices:** Invoices for materials, Items A through R and Items AF, AI and AG, must be submitted separately from all other items. All other items shall be submitted on a separate invoice. The Vendor's invoices must be submitted as an original and one copy containing the following information:
 - a) All weigh ticket numbers for material delivered and cuttings hauled during the invoice period.
 - b) WVDOH Delivery Order number and this contract number.
 - c) Total quantity and unit price with the total cost of each type of material furnished.

REQUEST FOR QUOTATION
Asphalt
Materials, Delivery and Labor by the Vendor, ONLY

- d) No payment will be made to a Contractor for Daytime Paving Mobilization, Item AP-1 unless the quantity is less than 500 tons or Nighttime Paving Mobilization, Item AP-2 unless the Delivery Order directs that the paving is to be done at night.

12.4 Reports: The Vendor shall provide quarterly reports and annual summaries to the Agency showing the Contract Items purchased, quantities of Contract Items purchased and the total dollar value of the Contract Items purchased. The Vendor shall also provide reports, upon request, showing the Contract Items purchased during the term of this Contract, the quantity purchased for each of those Contract Items and the total value of purchases for each of those Contract Items. Failure to supply such reports may be grounds for cancellation of this Contract.

12.5 Contract Manager: During its performance of this Contract, the Vendor must designate and maintain a primary contract manager responsible for overseeing the Vendor's responsibilities under this Contract. The Contract manager must be available during normal business hours to address any customer service or other issues related to this Contract. The Vendor should list its Contract manager and his or her contact information below.

Contract Manager: Rick Johnson
Telephone Number: 304-768-9733
Fax Number: 304-768-9351
Email Address: rjohnson@wvpaving.com

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

DIVISION OF HIGHWAYS

SPECIAL PROVISION

FOR

STATE PROJECT NUMBER: _____

FEDERAL PROJECT NUMBER: _____

SECTION 401

ASPHALT BASE, WEARING, AND PATCHING AND LEVELING COURSES

ADD THE FOLLOWING SUBSECTION TO THE SECTION:

401.4.3-Increase of Reclaimed Asphalt Pavement (RAP) in Asphalt Concrete Mixes: This Special Provision has been written to address the use of increased amounts of reclaimed asphalt pavement (RAP) used within mixes produced for projects in the WVDOH construction program.

The increased use of RAP can become an effective measure to help reduce overall construction costs and ultimately allow the WVDOH to treat more mileage within the established annual budgets. This will also allow the WVDOH to accomplish savings while at the same time, doing so in an environmentally responsible manner. However, it is important that any steps taken to use increased amounts of RAP be performed in a manner that will also not be detrimental to the quality of the asphalt concrete mixes produced.

The WVDOH will allow the increased use of RAP in Marshall Base 1 and Base 2, and Superpave 19 mm, 25 mm, and 37.5 mm mixes up to 25%. Initially, all mix designs shall be submitted in accordance to MP 401.02.24, with the exception that Section 5.0, Line 5.4 pertaining to RAP contents between 16% and 25% will be waived. The addition of up to 25% RAP will be allowed in Marshall Base 1, and Superpave 25 mm and 37.5 mm mixes for all applications provided that the processing of RAP is consistent with that discussed for State Funded projects below. For Marshall Base 2 and SP 19 mm, the following criteria shall be used for acceptance during production:

401.4.3.1-Interstates, APD Corridors, and Multilane Roadways:

- a) **Superpave 401 projects with PWL factors:** 25% RAP Base 2 or SP 19mm will be allowed.
- b) **All other projects will require one random loose roadway sample per 1000 ton placed.** Samples will be taken generally as per MP 401.07.21, by the Contractor along with WVDOH personnel. Each sample then will be tested by the Contractor in order to determine AC and gradation, and all such testing shall be witnessed by the WVDOH. The contractor must have an established ignition oven correction factor for both AC Content and gradation for each mixture. In addition this correction factor must be established prior to the project and will only be valid during the paving season it was established. All

sample results for AC and Gradation shall then be evaluated for additional pay factors as per Table 401.13.3.1 of the SP 401 Square Yard PWL, then applied in the formula shown below. The results for AC and gradation (minus #200) from QC samples at the plant will not be used for determination of pay adjustment. A lot will be 5,000 tons or portion thereof with a minimum of three samples. Portions less than 2,000 tons shall be incorporated into the previous lot. There will be no incentive for PWL from 96 to 100.

$$\text{Pay Deduction per Ton or SY (\%)} = \frac{100 - [(PF_{AC} + PF_G) / 2]}{2}$$

401.4.3.2-Other Federal Aid and NHS routes:

- a) WVDOH will monitor plant QC Samples for AC and gradation for the mix being produced. The contractor must have an established ignition oven correction factor for both AC Content and gradation for each mixture. In addition this correction factor must be established prior to the project and will only be valid during the paving season it was established. These results shall then be evaluated for additional pay factors as per Table 401.13.3.1 of SP 401 Square Yard PWL, and then applied in the formula shown below. A lot will be five samples or portion thereof with a minimum of three samples. Testing frequency shall be a minimum of 1 sample per 1,000 tons of daily production (maximum of 750 tons for adjusted sublots) and shall include gradation and AC content for each sample. There shall be at least one sample per day of production. Lots may cover more than one project, but no more than three. Any penalties calculated shall be applied to all the material represented by the testing of the evaluated lot. Portions less than two samples shall be incorporated into the previous lot. There will be no incentive for PWL from 96 to 100.

$$\text{Pay Deduction per Ton or SY (\%)} = \frac{100 - [(PF_{AC} + PF_G) / 2]}{2}$$

401.4.3.3-State Funded Projects (including Marshall Wearing IV or Superpave 19mm may be used as surface mix on routes with ADT below 3000):

- a) Process for addition of RAP shall include initial scalping to remove + 3/4" (19 mm) material and proper stockpile management in accordance with Best Practices for RAP Management as documented by NCHRP report 752, Appendix D, and as discussed in Publication No. FHWA-HRT-11-0-21. These documents can be accessed at the respective links below:

http://onlinepubs.trb.org/onlinepubs/nchrp/nchrp_rpt_752.pdf

<http://www.fhwa.dot.gov/publications/research/infrastructure/pavements/11021/11021.pdf>

The submission of mix designs shall be done in the same manner as described for Marshall Base 2/Superpave 19 mm above and production shall be monitored as described above for other Federal Aid or NHS Routes.

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

DIVISION OF HIGHWAYS

SPECIAL PROVISION

FOR

STATE PROJECT NUMBER: _____

FEDERAL PROJECT NUMBER: _____

SECTION 496

ASPHALT HIGH PERFORMANCE THIN OVERLAY

496.1-DESCRIPTION:

This work shall consist of constructing a single course of an asphalt high performance thin overlay (HPTO), mixed mechanically in a plant, composed of aggregate and asphalt material designed in accordance with the Superpave Design System, on a prepared foundation in accordance with these specifications and in reasonable close conformity with the lines, grades, weights or thicknesses, and cross sections shown on the Plans or established by the Engineer.

The unit of measurement for HPTO will be either by the ton (megagram) or square yard (square meter).

The work will be accepted in accordance with these Specifications and the applicable requirements of Sections 105, 106, and 109.

496.2-MATERIALS:

The materials shall conform to the following requirements:

MATERIAL	SUBSECTION
Coarse Aggregate ^{Note-1 & 2}	703.1 thru 703.3 (See MP 401.02.28 for exceptions and additions required for Superpave aggregates)
Fine Aggregate ^{Note-2}	702.3 (See MP 401.02.28 for additions required for Superpave aggregates)
Mineral Filler	702.4
Non-Tracking Asphalt Material	705.13
PG 64E-22 Performance Graded Binder for Mixture	705.5

MATERIAL	SUBSECTION
PG 64S-22 Performance Graded Binder for Tack Coat	705.5

- Note-1:** The total coal and other lightweight deleterious material and friable particles shall not exceed 1.0%.
- Note-2:** All aggregate shall be 100% crushed and come from a source identified as approved for polish resistant aggregate meeting the requirements of Section 402

CONSTRUCTION METHODS

496.3-GENERAL:

Construction methods to be used in performing the work shall be submitted to the Engineer for review prior to the start of work. This review may require modification of the proposed methods to provide the desired end product. All equipment, tools, machinery, and plant shall be maintained in a satisfactory working condition.

496.4-COMPOSITION OF MIXTURES:

496.4.1-General: The aggregate for use in the designated mixture shall consist of a mixture of aggregate (coarse and fine) and mineral filler as required. Reclaimed asphalt pavement (RAP) shall not be used in a HPTO mix.

496.4.2-Job Mix Formula: The Job Mix Formula (JMF) is the specification for a single mix produced at a single plant. This mix may be specific to a single project or be used on multiple projects if the basic design criteria (aggregate gradation, design compaction level and PG Binder grade) are the same.

The Contractor shall submit a proposed JMF for each combination of aggregate and asphalt material for HPTO to be produced. The JMF gradations shall be within the tolerances set forth in Table 496.4.2A.

The HPTO design shall be developed using the guidelines of MP 401.02.28, with the exception that the volumetric properties shall meet the requirements of Table 496.4.2B. The percent voids-filled-with-asphalt (VFA) requirement of the MP shall be waived.

Each proposed JMF must be documented on the Division Form T400SP and the entire JMF package shall be forwarded for review to the District Materials Engineer/Supervisor. After review and verification of completeness the T400SP and JMF package shall then be forwarded to the Materials Control, Soils and Testing Division (MCS&T) for final review. If the JMF requires revision, it will be returned to the designer through the District. The T400SP Form shall contain the following information:

- i. Identification of the source and type of materials used in the design.
- ii. The aggregate blend percentages and the percentage for each sieve fraction of aggregate considered the desirable target for that fraction.
- iii. The percentage of asphalt binder representing the optimum asphalt content for the JMF submitted, which is to be considered the desirable target percentage.

- iv. The temperature of the completed mixture at the plant which shall be within ± 25 °F (± 14 °C) of the median mix temperature established by the temperature-viscosity chart or as recommended by the asphalt supplier.
- v. The ratio (calculated to the nearest one-tenth percent) of the fines to effective asphalt.
- vi. The amount and type of anti-strip agent, if used.

Standard Sieve Size	Percent Passing
1/2 in. (12.5 mm)	100
3/8 in. (9.5 mm)	90-100
No.4 (4.75 mm)	95 max
No.8 (2.36 mm)	30-60
No.16 (1.18 mm)	25-40
No.30 (600 μ m)	15-30
No.50 (300 μ m)	10-25
No.100 (150 μ m)	5-15
No. 200 (75 μ m)	4-12
Asphalt Content	7.0 Min

TABLE 496.4.2B

Design Volumetric Property Requirements for HPTO Mix Design ^{Note-3}	
Design Criteria	Ndesign
Number of Design Gyration	50
Air Voids (%)	3.0
Voids-in-Mineral Aggregate (%)	18.0 minimum
Fines-to-Effective Asphalt Ratio	0.6-1.2
Tensile strength ratio (AASHTO T283) ^{Note-3}	85% minimum

Note 3: If the tensile strength ratio (TSR) is less than 85% without an anti-stripping agent, then an anti-stripping agent may be added and the mixture retested. If retesting with the agent still produces a TSR of less than 85% then a new mix design will be required.

If it becomes necessary to change aggregate sources, a new mix design shall be developed and submitted for approval. The source of the polymer modified binder may only be changed if the source is another facility owned and operated by the same company as the original source. The new facility shall submit verification that the binder is produced in the same manner and with the same grade and amount of polymer material as the original source. They shall also verify that the blending of the two binders in the same storage tanks will not have an adverse effect on the properties of the binder grade in use.

496.5-TESTING:

496.5.1-Test Methods: Test methods shall be those listed in Section 401.5.1.

496.6-CONTRACTORS QUALITY CONTROL:

496.6.1-Quality Control Testing: Quality control of HPTO is the responsibility of the Contractor. The Contractor shall maintain equipment and qualified personnel including at least one certified HMA asphalt technician at each plant. The technician shall be in charge of all plant quality control activities such as mix proportioning and adjustment and all sampling and testing activities necessary to maintain the various properties of HPTO within the limits of the specification.

The Contractor shall maintain equipment and qualified personnel including at least one certified Compaction Technician at each project. A certified Compaction Technician shall perform all testing necessary to assure compaction of the HPTO meets specification requirements. The Contractor, or Contractor-Producer, shall design a workable Quality Control Plan, detailing the type and frequency of sampling and testing deemed necessary to measure and control the magnitude of the various properties of the HPTO governed by these Specifications. This plan, prepared in accordance with MP 401.03.50 shall be submitted to the Engineer for review prior to production of material under this Specification.

496.6.2-Quality Control Testing Requirements: Test requirements for quality control shall be as set forth in MP 401.02.29, with the exception that the job mix formula field design verification and quality control testing for HPTO shall be monitored for conformance to the mix property requirements of Table 496.6.2. Additionally, the minimum quality control sampling frequency shall be one random sample per every 750 tons of HPTO mixture delivered to the project. In order to evaluate conformance to the specifications using MP 401.02.29, all job mix formula field design verification and quality control samples obtained for the project shall be used in the moving average calculations and the final evaluation of all test data shall be project specific.

TABLE 496.6.2

Quality Control Mix Property Tolerances	
Property	Production Tolerances
Asphalt Content (%)	JMF \pm 0.3 %
Air Voids (%)	2.0 to 4.0 %
Voids in Mineral Aggregate (VMA) %	\geq 18.0%
% Passing No. 8 (2.36 mm) Sieve	JMF \pm 4
% Passing No. 200 (75 μ m) Sieve	JMF \pm 2.0

496.7-ACCEPTANCE TESTING:

496.7.1-Acceptance Testing of HMA: Acceptance testing of HPTO is the responsibility of the Division. The acceptance sampling and testing requirements for the mixture shall be as set forth in MP 401.02.29, with the exception that the HPTO shall be monitored for conformance to the mix property requirements of Table 496.6.2.

496.7.2-Compaction: Acceptance testing for compaction shall be performed in accordance with the Lot-by-Lot method described in Section 496.7.2.1. Any patching-and-leveling and scratch courses placed prior to the placement of the HPTO shall be compacted to the satisfaction of the Engineer. When HPTO is placed in areas that require a nonuniform

thickness or is tapered to a thin edge, the method of acceptance testing shall be determined by the Engineer. Acceptance testing is not required on areas in which a full-size roller is restricted from properly compacting the mat. These areas shall be compacted to the satisfaction of the Engineer.

496.7.2.1-Lot-By-Lot Testing: Randomly located nuclear density tests will be performed in accordance with the Lot by Lot test procedure as described in MP 401.05.20. The pavement shall be divided into Lots not exceeding 1000 feet (300 meters) of paving lane. A randomly located density test shall be conducted in each Lot. The density shall be monitored for conformance to the range of 94% to 97% of the maximum density of the approved mix design. If the density is outside the range, an additional five tests shall be conducted for the Lot and the average of these five tests used to judge acceptance of the Lot in accordance with Table 496.13.3A.

496.8-WEATHER RESTRICTIONS:

HPTO shall not be placed on a wet surface or when the surface temperature of the underlying course is less than 50 °F (10 °C).

496.9-EQUIPMENT:

496.9.1-Plants: Shall meet the requirements of Sections 401.9.1.

496.9.2-Dust Collector: Shall meet the requirements of Sections 401.9.2.

496.9.3-Truck Scales: Shall meet the requirements of Sections 401.9.3.

496.9.4-Test Weights: Shall meet the requirements of Sections 401.9.4.

496.9.5-Surge and Storage Bins: During the normal daily operation of the plant, HPTO may be stored in a surge or storage bin for a maximum of 4 hours, provided the bin has received prior evaluation and acceptance through the District plant inspection. The temperature of the material at time of placement and compaction shall be sufficient to properly perform these activities.

Loading of trucks through the storage bin will only be permitted when a minimum 25 ton (23 Mg) buffer of material is being maintained or an amount as recommended by the bin manufacturer. Means shall be provided for loading the trucks directly from the mixer when the storage bin is not in operation.

496.9.6-Inspection of Equipment and Plant Operations: Shall meet the requirements of Sections 401.9.6.

496.9.7-Trucks for Transporting Mixture: Shall meet the requirements of Sections 401.9.7.

496.9.8-Laboratory: Shall meet the requirements of Sections 401.9.8.

496.9.9-Spreading Equipment: Shall meet the requirements of Sections 401.9.9.

496.9.10-Compaction Equipment: Shall meet the requirements of Sections 401.9.10.

496.9.11-Materials Transfer Vehicle: Provide and use a Material Transfer Vehicle (MTV) to place asphalt mixtures. The MTV shall include a system in the storage bin to continuously blend the asphalt mixture prior to discharge, and a system to independently deliver asphalt mixtures from the hauling equipment to the paving equipment. It shall also have a high capacity truck unloading system, capable of 600 tons per hour, that will receive asphalt mixtures from the hauling equipment, and have a minimum combined capacity, including the MTV storage bin and paver hopper, of 15 tons of asphalt mixture. Additionally, the MTV should have a discharge conveyor, with the ability to swivel and deliver the mixture to the paving spreader while allowing the MTV to operate from an adjacent lane.

496.10-PAVING OPERATIONS:

496.10.1-Cleaning and Sweeping: Shall meet the requirements of Sections 401.10.1.

496.10.2-Patching and Leveling and Scratch Courses:

496.10.2.1-Patching and Leveling: Shall meet the requirements of Sections 401.10.2.1. When patching and leveling is used, a PG 64S-22 tack coat or approved Non-Tracking Asphalt Material shall be applied to the existing pavement sections being patched in accordance with Section 496.10.3 prior to placement.

496.10.2.2-Scratch Course: Scratch course should not be used on most projects, but if it is used, it shall meet the requirements of Sections 401.10.2.2. When scratch course is used, a PG 64S-22 tack coat or NTSS-1HM shall be applied to the existing pavement in accordance with Section 496.10.3 prior to placement.

496.10.3-Spreading and Finishing: Before spreading any HPTO, a hot tack coat of PG 64S-22 or Non-Tracking Asphalt Material shall be applied to the existing surface according to Section 408. The contact surfaces of curbs, gutters, manholes, and of adjacent Portland cement concrete pavement edges shall be painted or sealed with the same tack coat material. When precipitation has occurred during the previous 24 hours, the engineer will determine if the tack coat may be applied or if the work will be delayed until the surface is completely dry. No more tack coat shall be applied than can be covered in the same day. Traffic control shall be provided to prevent vehicles from riding on surfaces upon which tack coat has been applied. The PG 64S-22 tack coat shall be applied at a rate of 0.05 – 0.12 gal/yd² (0.23 – 0.54 L/m²) and at a spraying temperature of approximately 325 °F (163 °C). Non-Tracking Asphalt Material shall be applied at a rate to produce a residual rate of 0.05 - 0.12 gal/yd² (0.23 – 0.54 L/m²) and shall be applied at a temperature of approximately 170 °F (77 °C). The spraying temperature and application rate will be adjusted by the Engineer as required to produce a uniform coating so that every part of the surface is covered, with no excess material. All uncoated or lightly coated areas shall be corrected. All areas showing an excess of asphalt binder shall be corrected by removing the excess material. The application is not acceptable if the material is streaked or ribboned.

The HPTO mixture shall meet the temperature requirements recommended by the asphalt supplier which will be referenced on the JMF. The mix temperature shall be monitored by inserting a dial type thermometer into the mix through a hole in the truck bed. The mixture shall not be placed if the temperature is below 265 °F (130 °C).

The temperature of the completed mix, when measured at the plant, shall be within the tolerance as established by the JMF. The first load, which demonstrates temperatures outside of that range shall be accepted provided that the temperature is still within the master temperature range. Any truckload of material which exceeds the master temperature range may be rejected by the Engineer. No additional loads of material shall be run out until necessary steps are taken to reestablish the temperature of the mix within the plant tolerance. When measured at the project site, the temperature of the mix shall be within the tolerance established by the JMF. The first truck load of material which demonstrates temperatures outside of that range or any trucks in transit at that time shall be accepted provided the temperature is not below 265 °F (130 °C). Any truckload of material which exceeds the JMF temperature range and/or is below 265 °F (130 °C) shall be rejected by the Engineer. The plant shall immediately be notified that no additional loads of material are to be dispatched until necessary action is taken to reestablish temperature within JMF specification limits.

The Contractor shall monitor the surface temperature at a minimum of once every hour. When the surface temperature begins dropping toward the 50 °F (10 °C) minimum temperature for placement, temperature monitoring shall increase to a minimum of once every ½ hour. Placement shall be halted when the surface temperature drops below 50 °F (10 °C).

The placement of all HPTO material at the job site shall be accomplished using a Materials Transfer Vehicle as discussed in 496.9.11.

496.10.4-Rolling Procedure: Shoulders, ramps, and similar areas shall be compacted in the same method as the mainline.

During rolling, roller wheels shall be kept moist with only enough water to avoid picking up material. Fuel oil or other petroleum products are not allowed on roller wheels or pneumatic tires. Rollers shall move at a slow but uniform speed with the drive roll or wheels nearest the paver. The sequence of rolling operations and the type of rollers used shall be at the discretion of the Contractor. A sufficient number of rollers shall be furnished to handle the output of the plant.

If rolling causes material displacement, the affected area shall be loosened at once with lutes or rakes and restored to their original grade with loose material before being re-rolled. Heavy equipment, including rollers, should not be permitted to stand on the finished surface before it has thoroughly cooled or set.

Any mixture that becomes loose and broken, mixed with dirt, contains check-cracking, or in any way defective shall be removed and replaced with fresh HPTO mixture and immediately compacted to conform to the surrounding area at the Contractor's expense.

496.10.5-Joints: The formation of all joints shall be made in such a manner as to ensure a continuous bond between the courses and obtain the required density. All contact surfaces shall be given a tack coat of asphalt binder prior to placing any fresh mixture against the joint.

The longitudinal joint in any layer shall offset that in the layer immediately below by approximately six inches; however, the joint in the top layer shall be at the centerline of the pavement if the roadway comprises two lanes of the width, or at lane lines if the roadway is

more than two lanes in width. The transverse joint in any layer shall offset that in the layer immediately below by approximately six feet.

All transverse joints between existing and new pavement shall be "heeled-in" to the existing surface at the beginning and at the end of the project and at all other locations where the new pavement terminates against an existing pavement. Transverse joints between one day's production and the next shall be carefully constructed and shall be formed by cutting back into the existing section to expose the full depth of the course. All joints shall be squared up to the full vertical depth of the course to be placed, and a tack coat of asphalt material shall be applied. Joints adjacent to curbs, gutters, or adjoining pavement shall be formed by transporting back sufficient hot material to fill any space left uncovered by the paver.

Longitudinal joints which are irregular, damaged, un-compacted, or otherwise defective shall be cut back to expose a clean, sound surface for the full depth of the course. The longitudinal joint between adjacent mats shall be set up to a sufficient height to receive the full compactive effort from the rollers and shall be tacked prior to placing adjacent material. Transverse joints shall be checked for smoothness with a ten foot straight edge provided by the Contractor. All surface irregularities shall be corrected prior to proceeding with paving operations.

496.11-PROTECTION OF PAVEMENT AND TRAFFIC CONTROL: Shall meet the requirements of Sections 401.11.

496.12-METHOD OF MEASUREMENT:

HPTO will be measured by the ton (Mg), or square yard (square meter). If the project is to be paid by the ton, the quantity will be determined by the Contractor from the total weight slips for each vehicle load weighed upon an approved standard scale or from digital printout slips from an automatic batching plant, and certified by the Contractor as correct. If the project is to be paid by the square yard, the quantity will be determined by the Plan Quantity as provided for in the proposal unless otherwise directed by the Engineer.

Any patching or leveling mixture placed on a subbase or base course constructed in the same Contract with the HPTO item shall be at the expense of the Contractor. No additional compensation will be allowed for the material or any work incidental to its placement.

496.13-BASIS OF PAYMENT:

The quantities determined as provided above, will be paid for at the contract unit price for the items listed below, which prices and payment shall be full compensation for furnishing all the materials and doing all the work herein prescribed in a workmanlike and acceptable manner, including all labor, tools, equipment, field laboratory, supplies, and incidentals necessary to complete the work.

When a Lot of HMA pavement does not meet the density requirements of 496.7.2, the price shall be adjusted as follows:

Formula 1: Projects requiring only mat density testing:

$$\text{Lot Price Adjustment (Mat only)} = (\text{unit price}) \times (\text{Lot quantity}) \times (\text{mat density price adjustment \% from Table 496.13.3A})$$

Formula 2: Projects requiring both mat and joint density testing:

$$\text{Lot Price Adjustment (Mat + Joint)} = (\text{unit price}) \times (\text{Lot quantity}) \times [(\text{mat density price adjustment \% from Table 496.13.3A}) + (\text{joint density price adjustment \% from Table 496.13.3B})]$$

TABLE 496.13.3A

Adjustment of Contract Price for Pavement Mat Density Not Within Tolerance	
Percent of Mat Density	Percent of Contract Price To Be Paid
Greater than 97 %	Note 1
96% to 97%	102
94 % to 96 %	100
93 %	98
92 %	96
91 %	92
90 %	88
Less Than 90 %	Note 2

Note 1: Mat density slightly above 97% is normally only a problem if it leads to asphalt flushing on the surface of the mat or rutting due to an unstable mix. The Division will make a special evaluation of the material and determine the appropriate action.

Note 2: For price adjustments on mat densities less than 90%, the percent of Contract Bid Price will be decreased by 10% per percentage of mat density less than 90%, unless a special evaluation performed by the Division determines a more appropriate action.

TABLE 496.13.3B

Adjustment of Contract Price For Pavement Joint Density Not Within Tolerance	
Percent of Joint Density	Percent Adjustment
Greater than 97 %	Note 3
96 % to 97 %	+2.0%
94% to 95%	+1.0
92% to 93% ^{Note 4}	0%
91 % ^{Note 6}	-1.0%
90 % ^{Notes 5 & 6}	-10.0%

- Note 3:** Density greater than 97% is normally only a problem if it leads to asphalt flushing on the surface of the mat or rutting due to an unstable mix. The Division will make a special evaluation of the material and determine the appropriate action.
- Note 4:** If the longitudinal joint density is determined to be less than 94% on at least 20% of the total project Lots, then the Contractor shall be required to seal the joint a minimum of 3" on each side of the joint with a heated PG 64S-22 binder (or approved equivalent) on the entire project at no additional cost to the Division
- Note 5:** Density values less than the minimum specified 92% will be more susceptible to accelerated deterioration of both the joint and the surrounding pavement. Less than 90% will require the Division to make a special evaluation of the material and determine the appropriate action.
- Note 6:** Note 6: Any joint densities determined to be below 92% the Contractor shall be required to seal the joint a minimum of 3" on each side of the joint on the entire project with a heated PG 64S-22 binder (or approved equivalent) at no additional cost to the Division

The conditioning, cleaning, and sweeping of the existing base or underlying surface shall be considered as part of the construction of the appropriate items listed in 496.14, and no additional compensation will be allowed for "Cleaning and Sweeping".

There will be no additional compensation for tack coat material used for minor (spot) areas to be patched and leveled; the cost of this tack coat material will be included in the unit bid price for Item 401003.

There will be no additional compensation for Interim Pavement Markings.

496.14-PAY ITEMS:

ITEM	DESCRIPTION	UNIT
496001-001	Asphalt High Performance Thin Overlay, "aggregate type"	Ton (MG)
496001-003	Asphalt High Performance Thin Overlay,	Square Yard (Meter)
496002-001	Performance Graded Binder for Tack Coat, Type 64S-22	Gallon (Liter)

"aggregate type" shall be either stone and gravel or slag.

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

DIVISION OF HIGHWAYS

SPECIAL PROVISION

FOR

STATE PROJECT NUMBER: _____

FEDERAL PROJECT NUMBER: _____

SECTION 498

ULTRA-THIN ASPHALT OVERLAY

498.1 – DESCRIPTION:

This Special Provision covers the materials, equipment, construction, and application procedures for placing Ultra-Thin Asphalt Overlays on existing paved surfaces. Ultra-Thin, as described in this Special Provision shall be defined as a single lift ranging from 5/8" (70 psy) to 3/4" (85 psy).

498.2 – MATERIALS:

The mixture components of the asphalt mixture shall conform to the following requirements:

498.2.1 – Tack Coat: The Tack Coat shall conform to the requirements of Section 408.2.

498.2.2 - Performance Graded Binders: The PG Binders shall conform to Section 705.5. The binder grade shall be noted on the typical section of the plans.

498.2.3 - Fine Aggregate: The fine aggregate used shall meet the requirements of ASTM D1073, except that the gradation requirements will be waived. In addition, aggregates used for surface courses on projects with an ADT greater than 3000 shall be from an approved source identified as having polish-resistant aggregates and considered potential skid-resistant aggregate sources.

498.2.3.1 – Sand Equivalency - (ASTM D2419): The Sand Equivalency value of the fine aggregate shall be 60 minimum.

498.2.3.2 – Soundness - (MP 700.00.22): When subjected to five cycles of the Sodium Sulfate test, the weighted percentage of loss shall not exceed twelve (12%).

498.2.3.3 – Fine Aggregate Angularity - (AASHTO T304): When using Method A, the Fine Aggregate blend shall have a Minimum uncompacted void content of 43%.

498.2.4 – Coarse Aggregate: If coarse aggregate is used, it shall meet the requirements of Sections 703.1 through 703.3, with the exception that the total shale, coal and other lightweight deleterious material and friable particles shall not exceed 3%. In addition, aggregates used for surface courses on projects with an ADT greater than 3000 shall be from an approved source identified as having polish-resistant aggregates and considered potential skid-resistant aggregate sources. No more that 50% of the coarse aggregate shall be Dolomite.

498.3 – ASPHALT MIXTURE:

498.3.1 – Job Mix Formula: A Job Mix Formula (JMF) shall be developed in accordance with MP 401.02.22 procedurally, but the asphalt mixture shall conform to the requirements detailed in the following Tables. The asphalt mixture shall be identified as Wearing- III – Heavy on the T-400 Form. The asphalt mixture shall be produced at a WVDOH approved plant.

Table 498.3.1.1 – Ultra-Thin Asphalt Overlay Mixture Marshall Design Requirements

Test Property	Design Criteria (Marshall)
Compactive Effort (# of blows – each end of specimen)	75 Blows
Percent Air Voids	4.0 %
Percent VMA	17.0 % - Minimum
Percent VFA	73 – 80
Stability (Newtons)	10,000 - Minimum
Flow (0.25 mm)	7 – 16
Fines to Asphalt Ratio	0.5 – 1.0

Table 498.3.1.2 – Ultra-Thin Asphalt Overlay Mixture Design Gradation Requirements

Sieve Size	Total Percent Passing by Weight
1 / 2 Inch	100
3 / 8 Inch	96 – 100
No. 4	70 – 95
No. 8	40 – 65
No. 16	20 – 45
No. 30	15 – 30
No. 50	8 – 20
No. 200	3.0 – 8.0

498.4 – CONSTRUCTION:

498.4.1 – Tack Coat: The Tack Coat shall be applied uniformly, completely covering the entire prepared surface, at an application rate of 0.03 – 0.05 gallon/square yard undiluted or 0.06 – 0.10 gallon/square yard diluted, regardless of existing surface. All requirements of Sections 408.3 through 408.10 shall be followed.

498.4.2 – Asphalt Overlay Placement: The asphalt overlay shall be produced, placed and compacted in accordance with Sections 401.9 and 401.10. It shall be placed at the application rate stated in the plans, which shall be within the rates noted in Section 498.1. Application rate shall be checked at a maximum interval of 2500 feet.

Due to the rapid cooling rate of the asphalt mixture at this application rate range, the weather restrictions as stated in Section 401.8 shall be strictly enforced. The paving operation shall be paced as to not outrun the rollers. The following number of rollers shall be required:

Average Laydown Rate (Tons / Hour)	Compaction Rollers Required	Finish Rollers Required
Less than 75	1	1
75 - 150	2	1

498.5 – TESTING:

The standard test methods as outlined in Section 401.5.1 shall be followed.

498.5.1 – Contractor’s Quality Control: Contractor shall follow the requirements of Section 401.6 for Quality Control Testing except that samples for determination of mix properties shall be obtained at intervals of 250 tons production.. The tolerances shown in Table 498.5.1.1 below shall be used for production, and be applied for basis of payment as per Section 498.7.

**Table 498.5.1.1
Ultra-Thin Asphalt Overlay Production Tolerances for Quality Control and Acceptance**

Parameter	Range from JMF
Air Voids ¹	± 1.5
Binder Content ²	± 0.40
% Passing ½” Sieve	0
% Passing 3/8” Sieve	± 2.0
% Passing # 8 Sieve	± 5.0
% Passing # 30 Sieve	± 4.0
% Passing # 200 Sieve	± 1.5

¹ The limits for air voids shall apply to Quality Control testing only

² The asphalt binder content shall be determined by the ignition oven method.

498.5.2 – Acceptance Testing: Acceptance testing is the responsibility of the Division.

498.5.3 – Compaction Testing: Since the nuclear gauge does not accurately read densities at this specified lift thickness and the asphalt will cool rapidly, the compaction shall consist of making six (6) roller passes. A roller pass is one complete coverage over the material. The compaction needs to be completed before the mat temperature reaches 175° F.

498.5.4 – Quality Control and Verification Testing: The Contractor shall designate a person to monitor and document the number of passes and the mat temperature through the duration of the Project. This person shall be certified as WVDOH Asphalt Field and Compaction Technician.

498.6 – METHOD OF MEASUREMENT:

498.6.1 – Tack Coat: The tack coat shall be measured in accordance to Section 408.12.

498.6.2 – Asphalt Overlay: Depending on the items specified in Section 498.8, the asphalt overlay shall be either measured by the square yard as placed or shall be measured in accordance to Section 401.12.

498.7 – BASIS OF PAYMENT:

498.7.1 – Tack Coat: The tack coat shall be paid in accordance to Section 408.13.

498.7.2 – Ultrathin Asphalt Overlay: The completed work shall be paid for based on the measurements obtained as per Section 498.6.2 and paid at the contract unit price per the items shown in Section 498.8. Based on the results of testing performed as per 498.5, the following price adjustment schedule will be used when appropriate and applied accordingly to representative material:

- (i) One percent reduction in the bid price per square yard for each one-tenth percent the asphalt content is out of tolerance.
- (ii) One-quarter percent price adjustment in the bid price per square yard for each one percent that the aggregate gradation is out of the job mix range on each sieve
- (iii) One and a half percent reduction in the bid price per square yard for application rate dropping below the plan rate by more than 2 lb/sq yd. Reduction shall apply to each increment of 1lb/sq yd thereafter. If the application rate drops below the plan rate by more than 5 lb/sq yd, the material will not be accepted and measures will need to be taken by the contractor to correct for such deficiency

Price adjustments under 1, 2, and 3 above shall apply concurrently; however, price adjustment will not apply in the event the material is rejected. The disposition of rejected material will be subject to the approval of the Engineer

498.8 – PAY ITEMS:

ITEM	DESCRIPTION	UNIT
498000-001	Ultrathin Asphalt Overlay	Square Yard (SY)
498001-001	Ultrathin Asphalt Overlay	Ton (TN)

VENDOR CUSTOMER CODE	SUPPLIER NAME	MANUFACTURER NAME	MANUFACTURER PART NUMBER	COMMODITY CODE	ITEM DESCRIPTION	EXTENDED DESCRIPTION	UNIT OF MEASURE	LIST PRICE	DELIVERY DAY
0000002030889	WV Paving - Whitman Creek	N/A	1-A	30121601	Asphalt	District 1 - Asphalt Section 401 - Base I	TON	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-B	30121601	Asphalt	District 1 - Asphalt Section 401 - 37.5mm Superpave	TON	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-C	30121601	Asphalt	District 1 - Asphalt Section 401 - Base II	TON	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-D	30121601	Asphalt	District 1 - Asphalt Section 401 - Patch and Level	TON	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-E	30121601	Asphalt	District 1 - Asphalt Section 401 - Wearing IV	TON	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-F	30121601	Asphalt	District 1 - Asphalt Section 402 - Wearing IV	TON	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-G	30121601	Asphalt	District 1 - Asphalt Section 401 - 19mm Superpave	TON	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-H	30121601	Asphalt	District 1 - Asphalt Section 401 - Scratch Course	TON	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-I	30121601	Asphalt	District 1 - Asphalt Section 402 - 9.5mm Superpave	TON	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-J	30121601	Asphalt	District 1 - Asphalt Section 401 - Wearing I	TON	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-K	30121601	Asphalt	District 1 - Asphalt Section 402 - Wearing I	TON	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-L	30121601	Asphalt	District 1 - Asphalt Section 401 - 4.75mm Superpave	TON	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-M	30121601	Asphalt	District 1 - Asphalt Section 402 - 4.75mm Superpave	TON	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-N	30121601	Asphalt	District 1 - Asphalt Section 401 - Wearing III	TON	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-O	30121601	Asphalt	District 1 - Asphalt Section 402 - Wearing III	TON	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-Q	30121601	Asphalt	District 1 - Surcharge for PG Binder - 70 minus 22	TON	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-R	30121601	Asphalt	District 1 - Surcharge for PG Binder - 76 minus 22 - ordered in 400 ton increments	TON	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-S1	30121601	Asphalt	District 1 - Haul by Vendor - First Ton Mile	MILE	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-S2	30121601	Asphalt	District 1 - Haul by Vendor - Each Additional Mile	MILE	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-T1	30121601	Asphalt	District 1 - Lay Down of Materials - Items A-O and AI, Each Site 0 to 100 Tons	TON	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-T2	30121601	Asphalt	District 1 - Lay Down of Materials - Items A-O and AI, Each Site 101 to 200 Tons	TON	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-T3	30121601	Asphalt	District 1 - Lay Down of Materials - Items A-O and AI, Each Site 201 to 500 Tons	TON	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-T4	30121601	Asphalt	District 1 - Lay Down of Materials - Items A-O and AI, Each Site 501 Tons or Greater	TON	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-U1	30121601	Asphalt	District 1 - Excavation for Shoulder Paving - 0 to 1000 Square Yards	SY	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-U2	30121601	Asphalt	District 1 - Excavation for Shoulder Paving - 1001 to 2000 Square Yards	SY	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-U3	30121601	Asphalt	District 1 - Excavation for Shoulder Paving - 2001 to 3000 Square Yards	SY	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-U4	30121601	Asphalt	District 1 - Excavation for Shoulder Paving - 3001 Square Yards or Greater	SY	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-V1	30121601	Asphalt	District 1 - Asphalt Base I Shoulder Paving Surcharge - 0 to 100 Tons	TON	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-V2	30121601	Asphalt	District 1 - Asphalt Base II Shoulder Paving Surcharge - 101 to 200 Tons	TON	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-V3	30121601	Asphalt	District 1 - Asphalt Base I Shoulder Paving Surcharge - 201 to 500 Tons	TON	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-V4	30121601	Asphalt	District 1 - Asphalt Base II Shoulder Paving Surcharge - 501 Tons or Greater	TON	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-W1	30121601	Asphalt	District 1 - Asphalt Base I Shoulder Paving Surcharge - 0 to 100 Tons	TON	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-W2	30121601	Asphalt	District 1 - Asphalt Base II Shoulder Paving Surcharge - 101 to 200 Tons	TON	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-W3	30121601	Asphalt	District 1 - Asphalt Base I Shoulder Paving Surcharge - 201 to 500 Tons	TON	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-W4	30121601	Asphalt	District 1 - Asphalt Base II Shoulder Paving Surcharge - 501 Tons or Greater	TON	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-X	30121601	Asphalt	District 1 - Asphalt Material for Tack Coat or Prime Material	GL	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-Y	30121601	Asphalt	District 1 - Additional Heel-In Joints	LF	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-Z	30121601	Asphalt	District 1 - Skip Paving Surcharge	TON	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-AA	30121601	Asphalt	District 1 - Mobilization for Profiling	OR	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-AB1	30121601	Asphalt	District 1 - Pavement Profiling (Milling) - 0 to 250 Square Yards	SY	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-AB2	30121601	Asphalt	District 1 - Pavement Profiling (Milling) - 251 to 500 Square Yards	SY	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-AB3	30121601	Asphalt	District 1 - Pavement Profiling (Milling) - 501 to 1000 Square Yards	SY	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-AB4	30121601	Asphalt	District 1 - Pavement Profiling (Milling) - 1001 to 2500 Square Yards	SY	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-AB5	30121601	Asphalt	District 1 - Pavement Profiling (Milling) - 2501 to 5000 Square Yards	SY	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-AB6	30121601	Asphalt	District 1 - Pavement Profiling (Milling) - 5001 Square Yards or Greater	SY	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-AC	30121601	Asphalt	District 1 - Pavement Repair - Asphalt Base II	TON	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-AF	30121601	Asphalt	District 1 - Asphalt HPTO - SP496 - P.G.64E-22 ordered 300 TN increments	TON	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-AG	30121601	Asphalt	District 1 - Non Tracking Tack - to be used with AF	GL	No Bid	7
0000002030889	WV Paving - Whitman Creek	N/A	1-AH	30121601	Asphalt	District 1 - Lay Down of Materials - to be used with AF - 300 TN or Greater	TON	No Bid	7

VENDOR CODE	SUPPLIER NAME	SUPPLIER R PART NUMBER	MANUFACTURER NAME	MANUFACTURER PART NUMBER	COMMODITY CODE	ITEM DESCRIPTION	EXTENDED DESCRIPTION	UNIT OF MEASURE	LIST PRICE	DELIVERY DAY S
000000203089	WV Paving - Whitman Creek	1-A1	N/A	1-A1	30121601	Asphalt	District 1 - Ultra-Thin Asphalt Overlay - SP498	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	1-AJ1	N/A	1-AJ1	30121601	Asphalt	District 1 - Fine Milling of Asphalt Pavement Surfaces - 0 to 250 Sq Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	1-AJ2	N/A	1-AJ2	30121601	Asphalt	District 1 - Fine Milling of Asphalt Pavement Surfaces - 251 to 500 Sq Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	1-AJ3	N/A	1-AJ3	30121601	Asphalt	District 1 - Fine Milling of Asphalt Pavement Surfaces - 501 to 1000 Sq Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	1-AJ4	N/A	1-AJ4	30121601	Asphalt	District 1 - Fine Milling of Asphalt Pavement Surfaces - 1001 to 2500 Sq Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	1-AJ5	N/A	1-AJ5	30121601	Asphalt	District 1 - Fine Milling of Asphalt Pavement Surfaces - 2501 to 5000 Sq Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	1-AJ6	N/A	1-AJ6	30121601	Asphalt	District 1 - Fine Milling of Asphalt Pavement Surfaces - 5001 SY or Greater	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	1-AK	N/A	1-AK	30121601	Asphalt	District 1 - Mobilization for Milled Rumble Strips	OR	No Bid	7
000000203089	WV Paving - Whitman Creek	1-AL	N/A	1-AL	30121601	Asphalt	District 1 - Milled Rumble Strips	LF	No Bid	7
000000203089	WV Paving - Whitman Creek	1-AM	N/A	1-AM	30121601	Asphalt	District 1 - Surcharge for Parking Lot and Facility Paving - Items A thru O	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	1-AN	N/A	1-AN	30121601	Asphalt	District 1 - Cleaning and Sweeping	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	1-AO1	N/A	1-AO1	30121601	Asphalt	District 1 - Maintaining Traffic - Pilot Truck and Driver	DAY	No Bid	7
000000203089	WV Paving - Whitman Creek	1-AO2	N/A	1-AO2	30121601	Asphalt	District 1 - Maintaining Traffic - Traffic Control Devices	UNIT	No Bid	7
000000203089	WV Paving - Whitman Creek	1-AO3	N/A	1-AO3	30121601	Asphalt	District 1 - Maintaining Traffic - Flagger	HOUR	No Bid	7
000000203089	WV Paving - Whitman Creek	1-AO4	N/A	1-AO4	30121601	Asphalt	District 1 - Maintaining Traffic - Arrow Board	DAY	No Bid	7
000000203089	WV Paving - Whitman Creek	1-AP1	N/A	1-AP1	30121601	Asphalt	District 1 - Daytime Paving Mobilization	OR	No Bid	7
000000203089	WV Paving - Whitman Creek	1-AP2	N/A	1-AP2	30121601	Asphalt	District 1 - Nighttime Paving Mobilization	OR	No Bid	7
000000203089	WV Paving - Whitman Creek	1-AQ1	N/A	1-AQ1	30121601	Asphalt	District 1 - Off-Season Plant Opening - First Day	DAY	No Bid	7
000000203089	WV Paving - Whitman Creek	1-AQ2	N/A	1-AQ2	30121601	Asphalt	District 1 - Off-Season Plant Opening - Each Additional Day	DAY	No Bid	7
000000203089	WV Paving - Whitman Creek	2-A	N/A	2-A	30121601	Asphalt	District 2 - Asphalt Section 401 - Base I	TON	72.00	7
000000203089	WV Paving - Whitman Creek	2-B	N/A	2-B	30121601	Asphalt	District 2 - Asphalt Section 401 - 37.5mm Superpave	TON	70.00	7
000000203089	WV Paving - Whitman Creek	2-C	N/A	2-C	30121601	Asphalt	District 2 - Asphalt Section 401 - Base II	TON	75.00	7
000000203089	WV Paving - Whitman Creek	2-D	N/A	2-D	30121601	Asphalt	District 2 - Asphalt Section 401 - Patch and Level	TON	75.00	7
000000203089	WV Paving - Whitman Creek	2-E	N/A	2-E	30121601	Asphalt	District 2 - Asphalt Section 401 - Wearing IV	TON	76.00	7
000000203089	WV Paving - Whitman Creek	2-F	N/A	2-F	30121601	Asphalt	District 2 - Asphalt Section 402 - Wearing IV	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	2-G	N/A	2-G	30121601	Asphalt	District 2 - Asphalt Section 401 - 19mm Superpave	TON	77.00	7
000000203089	WV Paving - Whitman Creek	2-H	N/A	2-H	30121601	Asphalt	District 2 - Asphalt Section 401 - Scratch Course	TON	78.00	7
000000203089	WV Paving - Whitman Creek	2-I	N/A	2-I	30121601	Asphalt	District 2 - Asphalt Section 402 - 9.5mm Superpave	TON	83.00	7
000000203089	WV Paving - Whitman Creek	2-J	N/A	2-J	30121601	Asphalt	District 2 - Asphalt Section 401 - Wearing 1	TON	78.00	7
000000203089	WV Paving - Whitman Creek	2-K	N/A	2-K	30121601	Asphalt	District 2 - Asphalt Section 402 - Wearing 1	TON	83.00	7
000000203089	WV Paving - Whitman Creek	2-L	N/A	2-L	30121601	Asphalt	District 2 - Asphalt Section 401 - 4.75mm Superpave	TON	87.00	7
000000203089	WV Paving - Whitman Creek	2-M	N/A	2-M	30121601	Asphalt	District 2 - Asphalt Section 402 - 4.75mm Superpave	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	2-N	N/A	2-N	30121601	Asphalt	District 2 - Asphalt Section 401 - Wearing III	TON	86.00	7
000000203089	WV Paving - Whitman Creek	2-O	N/A	2-O	30121601	Asphalt	District 2 - Asphalt Section 402 - Wearing III	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	2-Q	N/A	2-Q	30121601	Asphalt	District 2 - Surcharge for PG Binder - 70 minus 22	TON	4.00	7
000000203089	WV Paving - Whitman Creek	2-R	N/A	2-R	30121601	Asphalt	District 2 - Surcharge for PG Binder - 76 minus 22 - ordered in 400 ton increments	TON	12.00	7
000000203089	WV Paving - Whitman Creek	2-S1	N/A	2-S1	30121601	Asphalt	District 2 - Haul by Vendor - First Ton Mile	MILE	1.50	7
000000203089	WV Paving - Whitman Creek	2-S2	N/A	2-S2	30121601	Asphalt	District 2 - Haul by Vendor - Each Additional Mile	MILE	0.21	7
000000203089	WV Paving - Whitman Creek	2-T1	N/A	2-T1	30121601	Asphalt	District 2 - Lay Down of Materials - Items A-O and AI, Each Site 0 to 100 Tons	TON	63.00	7
000000203089	WV Paving - Whitman Creek	2-T2	N/A	2-T2	30121601	Asphalt	District 2 - Lay Down of Materials - Items A-O and AI, Each Site 101 to 200 Tons	TON	23.00	7
000000203089	WV Paving - Whitman Creek	2-T3	N/A	2-T3	30121601	Asphalt	District 2 - Lay Down of Materials - Items A-O and AI, Each Site 201 to 500 Tons	TON	11.00	7
000000203089	WV Paving - Whitman Creek	2-T4	N/A	2-T4	30121601	Asphalt	District 2 - Lay Down of Materials - Items A-O and AI, Each Site 501 Tons or Greater	TON	9.50	7
000000203089	WV Paving - Whitman Creek	2-U1	N/A	2-U1	30121601	Asphalt	District 2 - Excavation for Shoulder Paving - 0 to 1000 Square Yards	SY	5.00	7
000000203089	WV Paving - Whitman Creek	2-U2	N/A	2-U2	30121601	Asphalt	District 2 - Excavation for Shoulder Paving - 1001 to 2000 Square Yards	SY	3.50	7
000000203089	WV Paving - Whitman Creek	2-U3	N/A	2-U3	30121601	Asphalt	District 2 - Excavation for Shoulder Paving - 2001 to 3000 Square Yards	SY	2.50	7
000000203089	WV Paving - Whitman Creek	2-U4	N/A	2-U4	30121601	Asphalt	District 2 - Excavation for Shoulder Paving - 3001 Square Yards or Greater	SY	1.50	7
000000203089	WV Paving - Whitman Creek	2-V1	N/A	2-V1	30121601	Asphalt	District 2 - Asphalt Base I Shoulder Paving Surcharge - 0 to 100 Tons	TON	20.00	7
000000203089	WV Paving - Whitman Creek	2-V2	N/A	2-V2	30121601	Asphalt	District 2 - Asphalt Base I Shoulder Paving Surcharge - 101 to 200 Tons	TON	15.00	7
000000203089	WV Paving - Whitman Creek	2-V3	N/A	2-V3	30121601	Asphalt	District 2 - Asphalt Base I Shoulder Paving Surcharge - 201 to 500 Tons	TON	4.00	7

VENDOR CODE	SUPPLIER PART NUMBER	SUPPLIER NAME	MANUFACTURER PART NUMBER	COMMODITY CODE	ITEM DESCRIPTION	EXTENDED DESCRIPTION	UNIT OF MEASURE	LIST PRICE	DELIVERY DAY
000000203089	2-V4	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Asphalt Base I Shoulder Paving Surcharge - 501 Tons or Greater	TON	2.00	7
000000203089	2-W1	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Asphalt Base II Shoulder Paving Surcharge - 0 to 100 Tons	TON	20.00	7
000000203089	2-W2	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Asphalt Base II Shoulder Paving Surcharge - 101 to 200 Tons	TON	15.00	7
000000203089	2-W3	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Asphalt Base II Shoulder Paving Surcharge - 201 to 500 Tons	TON	4.00	7
000000203089	2-W4	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Asphalt Base II Shoulder Paving Surcharge - 501 Tons or Greater	TON	2.00	7
000000203089	2-X	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Asphalt Material for Tack Coat or Prime Material	GL	2.50	7
000000203089	2-Y	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Additional Heel-In Joints	LF	12.00	7
000000203089	2-Z	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Skip Paving Surcharge	TON	4.25	7
000000203089	2-AA	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Mobilization for Profiling	OR	3000.00	7
000000203089	2-AB1	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Pavement Profiling (Milling) - 0 to 250 Square Yards	SY	20.00	7
000000203089	2-AB2	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Pavement Profiling (Milling) - 251 to 500 Square Yards	SY	15.00	7
000000203089	2-AB3	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Pavement Profiling (Milling) - 501 to 1000 Square Yards	SY	10.00	7
000000203089	2-AB4	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Pavement Profiling (Milling) - 1001 to 2500 Square Yards	SY	5.00	7
000000203089	2-AB5	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Pavement Profiling (Milling) - 2501 to 5000 Square Yards	SY	3.10	7
000000203089	2-AB6	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Pavement Profiling (Milling) - 5001 Square Yards or Greater	SY	1.95	7
000000203089	2-AC	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Pavement Repair - Asphalt Base II	TON	300.00	7
000000203089	2-AF	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Asphalt HPTO - SP496 - PG 64E-22 ordered 300 TN increments	TON	No Bid	7
000000203089	2-AG	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Non Tracking Tack - to be used with AF	GL	No Bid	7
000000203089	2-AH	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Lay Down of Materials - to be used with AF - 300 TN or Greater	TON	No Bid	7
000000203089	2-AI	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Ultra-Thin Asphalt Overlay - SP498	TON	No Bid	7
000000203089	2-AJ1	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Fine Milling of Asphalt Pavement Surfaces - 0 to 250 Sq Yards	SY	22.00	7
000000203089	2-AJ2	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Fine Milling of Asphalt Pavement Surfaces - 251 to 500 Sq Yards	SY	17.00	7
000000203089	2-AJ3	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Fine Milling of Asphalt Pavement Surfaces - 501 to 1000 Sq Yards	SY	12.00	7
000000203089	2-AJ4	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Fine Milling of Asphalt Pavement Surfaces - 1001 to 2500 Sq Yards	SY	5.85	7
000000203089	2-AJ5	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Fine Milling of Asphalt Pavement Surfaces - 2501 to 5000 Sq Yards	SY	3.60	7
000000203089	2-AJ6	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Fine Milling of Asphalt Pavement Surfaces - 5001 SY or Greater	SY	2.20	7
000000203089	2-AK	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Mobilization for Milling Rumble Strips	OR	3000.00	7
000000203089	2-AL	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Milled Rumble Strips	LF	0.30	7
000000203089	2-AM	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Surcharge for Parking Lot and Facility Paving - Items A thru O	TON	6.50	7
000000203089	2-AN	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Cleaning and Sweeping	SY	0.01	7
000000203089	2-AO1	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Maintaining Traffic - Pilot Truck and Driver	DAY	850.00	7
000000203089	2-AO2	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Maintaining Traffic - Traffic Control Devices	UNIT	0.95	7
000000203089	2-AO3	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Maintaining Traffic - Flagger	HOURL	60.00	7
000000203089	2-AO4	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Maintaining Traffic - Arrow Board	DAY	25.00	7
000000203089	2-AP1	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Daytime Paving Mobilization	OR	800.00	7
000000203089	2-AP2	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Nighttime Paving Mobilization	OR	2000.00	7
000000203089	2-AQ1	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Off-Season Plant Opening - First Day	DAY	3000.00	7
000000203089	2-AQ2	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 2 - Off-Season Plant Opening - Each Additional Day	DAY	750.00	7
000000203089	3-A	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 3 - Asphalt Section 401 - Base I	TON	No Bid	7
000000203089	3-B	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 3 - Asphalt Section 401 - 37.5mm Superpave	TON	No Bid	7
000000203089	3-C	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 3 - Asphalt Section 401 - Base II	TON	No Bid	7
000000203089	3-D	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 3 - Asphalt Section 401 - Patch and Level	TON	No Bid	7
000000203089	3-E	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 3 - Asphalt Section 401 - Wearing IV	TON	No Bid	7
000000203089	3-F	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 3 - Asphalt Section 402 - Wearing IV	TON	No Bid	7
000000203089	3-G	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 3 - Asphalt Section 401 - 19mm Superpave	TON	No Bid	7
000000203089	3-H	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 3 - Asphalt Section 401 - Scratch Course	TON	No Bid	7
000000203089	3-I	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 3 - Asphalt Section 402 - 9.5mm Superpave	TON	No Bid	7
000000203089	3-J	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 3 - Asphalt Section 401 - Wearing 1	TON	No Bid	7
000000203089	3-K	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 3 - Asphalt Section 402 - Wearing 1	TON	No Bid	7

VENDOR CODE	SUPPLIER NAME	MANUFACTURER NAME	MANUFACTURER PART NUMBER	COMMODITY CODE	ITEM DESCRIPTION	EXTENDED DESCRIPTION	UNIT OF MEASURE	LIST PRICE	DELIVERY DAYS
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-L	30121601	Asphalt	District 3 - Asphalt Section 401 - 4.75mm Superpave	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-M	30121601	Asphalt	District 3 - Asphalt Section 402 - 4.75mm Superpave	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-N	30121601	Asphalt	District 3 - Asphalt Section 401 - Wearing III	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-O	30121601	Asphalt	District 3 - Asphalt Section 402 - Wearing III	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-Q	30121601	Asphalt	District 3 - Surcharge for PG Binder - 70 minus 22	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-R	30121601	Asphalt	District 3 - Surcharge for PG Binder - 76 minus 22 - ordered in 400 ton increments	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-S1	30121601	Asphalt	District 3 - Haul by Vendor - First Ton Mile	MILE	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-S2	30121601	Asphalt	District 3 - Haul by Vendor - Each Additional Mile	MILE	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-T1	30121601	Asphalt	District 3 - Lay Down of Materials - Items A-O and AI, Each Site 0 to 100 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-T2	30121601	Asphalt	District 3 - Lay Down of Materials - Items A-O and AI, Each Site 101 to 200 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-T3	30121601	Asphalt	District 3 - Lay Down of Materials - Items A-O and AI, Each Site 201 to 500 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-T4	30121601	Asphalt	District 3 - Lay Down of Materials - Items A-O and AI, Each Site 501 Tons or Greater	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-U1	30121601	Asphalt	District 3 - Excavation for Shoulder Paving - 0 to 1000 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-U2	30121601	Asphalt	District 3 - Excavation for Shoulder Paving - 1001 to 2000 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-U3	30121601	Asphalt	District 3 - Excavation for Shoulder Paving - 2001 to 3000 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-U4	30121601	Asphalt	District 3 - Excavation for Shoulder Paving - 3001 Square Yards or Greater	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-V1	30121601	Asphalt	District 3 - Asphalt Base I Shoulder Paving Surcharge - 0 to 100 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-V2	30121601	Asphalt	District 3 - Asphalt Base I Shoulder Paving Surcharge - 101 to 200 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-V3	30121601	Asphalt	District 3 - Asphalt Base I Shoulder Paving Surcharge - 201 to 500 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-V4	30121601	Asphalt	District 3 - Asphalt Base I Shoulder Paving Surcharge - 501 Tons or Greater	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-W1	30121601	Asphalt	District 3 - Asphalt Base II Shoulder Paving Surcharge - 0 to 100 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-W2	30121601	Asphalt	District 3 - Asphalt Base II Shoulder Paving Surcharge - 101 to 200 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-W3	30121601	Asphalt	District 3 - Asphalt Base II Shoulder Paving Surcharge - 201 to 500 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-W4	30121601	Asphalt	District 3 - Asphalt Base II Shoulder Paving Surcharge - 501 Tons or Greater	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-X	30121601	Asphalt	District 3 - Asphalt Material for Tack Coat or Prime Material	GL	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-Y	30121601	Asphalt	District 3 - Additional Hot-In Joints	LF	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-Z	30121601	Asphalt	District 3 - Skip Paving Surcharge	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-AA	30121601	Asphalt	District 3 - Mobilization for Profiling	OR	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-AB1	30121601	Asphalt	District 3 - Pavement Profiling (Milling) - 0 to 250 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-AB2	30121601	Asphalt	District 3 - Pavement Profiling (Milling) - 251 to 500 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-AB3	30121601	Asphalt	District 3 - Pavement Profiling (Milling) - 501 to 1000 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-AB4	30121601	Asphalt	District 3 - Pavement Profiling (Milling) - 1001 to 2500 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-AB5	30121601	Asphalt	District 3 - Pavement Profiling (Milling) - 2501 to 5000 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-AB6	30121601	Asphalt	District 3 - Pavement Profiling (Milling) - 5001 Square Yards or Greater	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-AC	30121601	Asphalt	District 3 - Asphalt HPTO - SP496 - PG 64E-22 ordered 300 TN increments	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-AF	30121601	Asphalt	District 3 - Asphalt HPTO - SP496 - PG 64E-22 ordered 300 TN increments	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-AG	30121601	Asphalt	District 3 - Non Tracking Tack - to be used with AF	GL	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-AH	30121601	Asphalt	District 3 - Lay Down of Materials - to be used with AF - 300 TN or Greater	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-AI	30121601	Asphalt	District 3 - Ultra-Thin Asphalt Overlay - SP488	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-AJ1	30121601	Asphalt	District 3 - Fine Milling of Asphalt Pavement Surfaces - 0 to 250 Sq Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-AJ2	30121601	Asphalt	District 3 - Fine Milling of Asphalt Pavement Surfaces - 251 to 500 Sq Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-AJ3	30121601	Asphalt	District 3 - Fine Milling of Asphalt Pavement Surfaces - 501 to 1000 Sq Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-AJ4	30121601	Asphalt	District 3 - Fine Milling of Asphalt Pavement Surfaces - 1001 to 2500 Sq Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-AJ5	30121601	Asphalt	District 3 - Fine Milling of Asphalt Pavement Surfaces - 2501 to 5000 Sq Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-AJ6	30121601	Asphalt	District 3 - Fine Milling of Asphalt Pavement Surfaces - 5001 SY or Greater	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-AK	30121601	Asphalt	District 3 - Mobilization for Milling Rumble Strips	OR	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-AL	30121601	Asphalt	District 3 - Milled Rumble Strips	LF	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-AM	30121601	Asphalt	District 3 - Surcharge for Parking Lot and Facility Paving - Items A thru O	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A 3-AN	30121601	Asphalt	District 3 - Cleaning and Sweeping	SY	No Bid	7

VENDOR CODE	SUPPLIER NAME	SUPPLIER PART NUMBER	MANUFACTURER PART NUMBER	COMMODITY CODE	ITEM DESCRIPTION	EXTENDED DESCRIPTION	UNIT OF MEASURE	LIST PRICE	DELIVERY DAY S
000000203089	WV Paving - Whitman Creek	3-AO1	N/A	30121601	Asphalt	District 3 - Maintaining Traffic - Pilot Truck and Driver	DAY	No Bid	7
000000203089	WV Paving - Whitman Creek	3-AO2	N/A	30121601	Asphalt	District 3 - Maintaining Traffic - Traffic Control Devices	UNIT	No Bid	7
000000203089	WV Paving - Whitman Creek	3-AO3	N/A	30121601	Asphalt	District 3 - Maintaining Traffic - Flagger	HOURL	No Bid	7
000000203089	WV Paving - Whitman Creek	3-AO4	N/A	30121601	Asphalt	District 3 - Maintaining Traffic - Arrow Board	DAY	No Bid	7
000000203089	WV Paving - Whitman Creek	3-AP1	N/A	30121601	Asphalt	District 3 - Daytime Paving Mobilization	OR	No Bid	7
000000203089	WV Paving - Whitman Creek	3-AP2	N/A	30121601	Asphalt	District 3 - Nighttime Paving Mobilization	OR	No Bid	7
000000203089	WV Paving - Whitman Creek	3-AQ1	N/A	30121601	Asphalt	District 3 - Off-Season Plant Opening - First Day	DAY	No Bid	7
000000203089	WV Paving - Whitman Creek	3-AQ2	N/A	30121601	Asphalt	District 3 - Off-Season Plant Opening - Each Additional Day	DAY	No Bid	7
000000203089	WV Paving - Whitman Creek	4-A	N/A	30121601	Asphalt	District 4 - Asphalt Section 401 - Base I	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	4-B	N/A	30121601	Asphalt	District 4 - Asphalt Section 401 - 37.5mm Superpave	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	4-C	N/A	30121601	Asphalt	District 4 - Asphalt Section 401 - Base II	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	4-D	N/A	30121601	Asphalt	District 4 - Asphalt Section 401 - Patch and Level	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	4-E	N/A	30121601	Asphalt	District 4 - Asphalt Section 401 - Wearing IV	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	4-F	N/A	30121601	Asphalt	District 4 - Asphalt Section 402 - Wearing IV	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	4-G	N/A	30121601	Asphalt	District 4 - Asphalt Section 401 - 19mm Superpave	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	4-H	N/A	30121601	Asphalt	District 4 - Asphalt Section 401 - Scratch Course	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	4-I	N/A	30121601	Asphalt	District 4 - Asphalt Section 402 - 9.5mm Superpave	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	4-J	N/A	30121601	Asphalt	District 4 - Asphalt Section 401 - Wearing I	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	4-K	N/A	30121601	Asphalt	District 4 - Asphalt Section 402 - Wearing I	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	4-L	N/A	30121601	Asphalt	District 4 - Asphalt Section 401 - 4.75mm Superpave	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	4-M	N/A	30121601	Asphalt	District 4 - Asphalt Section 402 - 4.75mm Superpave	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	4-N	N/A	30121601	Asphalt	District 4 - Asphalt Section 401 - Wearing III	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	4-O	N/A	30121601	Asphalt	District 4 - Asphalt Section 402 - Wearing III	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	4-Q	N/A	30121601	Asphalt	District 4 - Surcharge for PG Binder - 70 minus 22	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	4-R	N/A	30121601	Asphalt	District 4 - Surcharge for PG Binder - 76 minus 22 - ordered in 400 ton increments	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	4-S1	N/A	30121601	Asphalt	District 4 - Haul by Vendor - First Ton Mile	MILE	No Bid	7
000000203089	WV Paving - Whitman Creek	4-S2	N/A	30121601	Asphalt	District 4 - Haul by Vendor - Each Additional Mile	MILE	No Bid	7
000000203089	WV Paving - Whitman Creek	4-T1	N/A	30121601	Asphalt	District 4 - Lay Down of Materials - Items A-O and AI, Each Site 0 to 100 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	4-T2	N/A	30121601	Asphalt	District 4 - Lay Down of Materials - Items A-O and AI, Each Site 101 to 200 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	4-T3	N/A	30121601	Asphalt	District 4 - Lay Down of Materials - Items A-O and AI, Each Site 201 to 500 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	4-T4	N/A	30121601	Asphalt	District 4 - Lay Down of Materials - Items A-O and AI, Each Site 501 Tons or Greater	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	4-U1	N/A	30121601	Asphalt	District 4 - Excavation for Shoulder Paving - 0 to 1000 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	4-U2	N/A	30121601	Asphalt	District 4 - Excavation for Shoulder Paving - 1001 to 2000 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	4-U3	N/A	30121601	Asphalt	District 4 - Excavation for Shoulder Paving - 2001 to 3000 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	4-U4	N/A	30121601	Asphalt	District 4 - Excavation for Shoulder Paving - 3001 Square Yards or Greater	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	4-V1	N/A	30121601	Asphalt	District 4 - Asphalt Base I Shoulder Paving Surcharge - 0 to 100 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	4-V2	N/A	30121601	Asphalt	District 4 - Asphalt Base I Shoulder Paving Surcharge - 101 to 200 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	4-V3	N/A	30121601	Asphalt	District 4 - Asphalt Base I Shoulder Paving Surcharge - 201 to 500 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	4-V4	N/A	30121601	Asphalt	District 4 - Asphalt Base I Shoulder Paving Surcharge - 501 Tons or Greater	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	4-W1	N/A	30121601	Asphalt	District 4 - Asphalt Base II Shoulder Paving Surcharge - 0 to 100 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	4-W2	N/A	30121601	Asphalt	District 4 - Asphalt Base II Shoulder Paving Surcharge - 101 to 200 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	4-W3	N/A	30121601	Asphalt	District 4 - Asphalt Base II Shoulder Paving Surcharge - 201 to 500 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	4-W4	N/A	30121601	Asphalt	District 4 - Asphalt Base II Shoulder Paving Surcharge - 501 Tons or Greater	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	4-X	N/A	30121601	Asphalt	District 4 - Asphalt Material for Tack Coat or Prime Material	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	4-Y	N/A	30121601	Asphalt	District 4 - Additional Heel-In Joints	GL	No Bid	7
000000203089	WV Paving - Whitman Creek	4-Z	N/A	30121601	Asphalt	District 4 - Ship Paving Surcharge	LF	No Bid	7
000000203089	WV Paving - Whitman Creek	4-AA	N/A	30121601	Asphalt	District 4 - Mobilization for Profiling	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	4-AB1	N/A	30121601	Asphalt	District 4 - Pavement Profiling (Milling) - 0 to 250 Square Yards	OR	No Bid	7
000000203089	WV Paving - Whitman Creek	4-AB2	N/A	30121601	Asphalt	District 4 - Pavement Profiling (Milling) - 251 to 500 Square Yards	SY	No Bid	7

VENDOR CUSTOMER CODE	SUPPLIER PART NUMBER	SUPPLIER NAME	MANUFACTURER NAME	MANUFACTURER PART NUMBER	COMMODITY CODE	ITEM DESCRIPTION	EXTENDED DESCRIPTION	UNIT OF MEASURE	LIST PRICE	DELIVERY DAY
000000203089	4-AB3	WV Paving - Whitman Creek	N/A	4-AB3	30121601	Asphalt	District 4 - Pavement Profiling (Milling) - 501 to 1000 Square Yards	SY	No Bid	7
000000203089	4-AB4	WV Paving - Whitman Creek	N/A	4-AB4	30121601	Asphalt	District 4 - Pavement Profiling (Milling) - 1001 to 2500 Square Yards	SY	No Bid	7
000000203089	4-AB5	WV Paving - Whitman Creek	N/A	4-AB5	30121601	Asphalt	District 4 - Pavement Profiling (Milling) - 2501 to 5000 Square Yards	SY	No Bid	7
000000203089	4-AB6	WV Paving - Whitman Creek	N/A	4-AB6	30121601	Asphalt	District 4 - Pavement Profiling (Milling) - 5001 Square Yards or Greater	SY	No Bid	7
000000203089	4-AC	WV Paving - Whitman Creek	N/A	4-AC	30121601	Asphalt	District 4 - Pavement Repair - Asphalt Base II	TON	No Bid	7
000000203089	4-AF	WV Paving - Whitman Creek	N/A	4-AF	30121601	Asphalt	District 4 - Asphalt HPTO - SP498 - PG 64E-22 ordered 300 TN increments	TON	No Bid	7
000000203089	4-AG	WV Paving - Whitman Creek	N/A	4-AG	30121601	Asphalt	District 4 - Non Tracking Tack - to be used with AF	GL	No Bid	7
000000203089	4-AH	WV Paving - Whitman Creek	N/A	4-AH	30121601	Asphalt	District 4 - Lay Down of Materials - to be used with AF - 300 TN or Greater	TON	No Bid	7
000000203089	4-AI	WV Paving - Whitman Creek	N/A	4-AI	30121601	Asphalt	District 4 - Ultra-Thin Asphalt Overlay - SP498	TON	No Bid	7
000000203089	4-AJ1	WV Paving - Whitman Creek	N/A	4-AJ1	30121601	Asphalt	District 4 - Fine Milling of Asphalt Pavement Surfaces - 0 to 250 Sq Yards	SY	No Bid	7
000000203089	4-AJ2	WV Paving - Whitman Creek	N/A	4-AJ2	30121601	Asphalt	District 4 - Fine Milling of Asphalt Pavement Surfaces - 251 to 500 Sq Yards	SY	No Bid	7
000000203089	4-AJ3	WV Paving - Whitman Creek	N/A	4-AJ3	30121601	Asphalt	District 4 - Fine Milling of Asphalt Pavement Surfaces - 501 to 1000 Sq Yards	SY	No Bid	7
000000203089	4-AJ4	WV Paving - Whitman Creek	N/A	4-AJ4	30121601	Asphalt	District 4 - Fine Milling of Asphalt Pavement Surfaces - 1001 to 2500 Sq Yards	SY	No Bid	7
000000203089	4-AJ5	WV Paving - Whitman Creek	N/A	4-AJ5	30121601	Asphalt	District 4 - Fine Milling of Asphalt Pavement Surfaces - 2501 to 5000 Sq Yards	SY	No Bid	7
000000203089	4-AJ6	WV Paving - Whitman Creek	N/A	4-AJ6	30121601	Asphalt	District 4 - Fine Milling of Asphalt Pavement Surfaces - 5001 SY or Greater	SY	No Bid	7
000000203089	4-AK	WV Paving - Whitman Creek	N/A	4-AK	30121601	Asphalt	District 4 - Mobilization for Milled Rumble Strips	OR	No Bid	7
000000203089	4-AL	WV Paving - Whitman Creek	N/A	4-AL	30121601	Asphalt	District 4 - Milled Rumble Strips	LF	No Bid	7
000000203089	4-AM	WV Paving - Whitman Creek	N/A	4-AM	30121601	Asphalt	District 4 - Surcharge for Parking Lot and Facility Paving - Items A thru O	TON	No Bid	7
000000203089	4-AN	WV Paving - Whitman Creek	N/A	4-AN	30121601	Asphalt	District 4 - Cleaning and Sweeping	SY	No Bid	7
000000203089	4-AO1	WV Paving - Whitman Creek	N/A	4-AO1	30121601	Asphalt	District 4 - Maintaining Traffic - Pilot Truck and Driver	DAY	No Bid	7
000000203089	4-AO2	WV Paving - Whitman Creek	N/A	4-AO2	30121601	Asphalt	District 4 - Maintaining Traffic - Traffic Control Devices	UNIT	No Bid	7
000000203089	4-AO3	WV Paving - Whitman Creek	N/A	4-AO3	30121601	Asphalt	District 4 - Maintaining Traffic - Flagger	HOURL	No Bid	7
000000203089	4-AO4	WV Paving - Whitman Creek	N/A	4-AO4	30121601	Asphalt	District 4 - Maintaining Traffic - Arrow Board	DAY	No Bid	7
000000203089	4-AP1	WV Paving - Whitman Creek	N/A	4-AP1	30121601	Asphalt	District 4 - Daytime Paving Mobilization	OR	No Bid	7
000000203089	4-AP2	WV Paving - Whitman Creek	N/A	4-AP2	30121601	Asphalt	District 4 - Nighttime Paving Mobilization	OR	No Bid	7
000000203089	4-AQ1	WV Paving - Whitman Creek	N/A	4-AQ1	30121601	Asphalt	District 4 - Off-Season Plant Opening - First Day	DAY	No Bid	7
000000203089	4-AQ2	WV Paving - Whitman Creek	N/A	4-AQ2	30121601	Asphalt	District 4 - Off-Season Plant Opening - Each Additional Day	DAY	No Bid	7
000000203089	5-A	WV Paving - Whitman Creek	N/A	5-A	30121601	Asphalt	District 5 - Asphalt Section 401 - Base I	TON	No Bid	7
000000203089	5-B	WV Paving - Whitman Creek	N/A	5-B	30121601	Asphalt	District 5 - Asphalt Section 401 - 37.5mm Superpave	TON	No Bid	7
000000203089	5-C	WV Paving - Whitman Creek	N/A	5-C	30121601	Asphalt	District 5 - Asphalt Section 401 - Base II	TON	No Bid	7
000000203089	5-D	WV Paving - Whitman Creek	N/A	5-D	30121601	Asphalt	District 5 - Asphalt Section 401 - Patch and Level	TON	No Bid	7
000000203089	5-E	WV Paving - Whitman Creek	N/A	5-E	30121601	Asphalt	District 5 - Asphalt Section 401 - Wearing IV	TON	No Bid	7
000000203089	5-F	WV Paving - Whitman Creek	N/A	5-F	30121601	Asphalt	District 5 - Asphalt Section 402 - Wearing IV	TON	No Bid	7
000000203089	5-G	WV Paving - Whitman Creek	N/A	5-G	30121601	Asphalt	District 5 - Asphalt Section 401 - 19mm Superpave	TON	No Bid	7
000000203089	5-H	WV Paving - Whitman Creek	N/A	5-H	30121601	Asphalt	District 5 - Asphalt Section 401 - Scratch Course	TON	No Bid	7
000000203089	5-I	WV Paving - Whitman Creek	N/A	5-I	30121601	Asphalt	District 5 - Asphalt Section 402 - 9.5mm Superpave	TON	No Bid	7
000000203089	5-J	WV Paving - Whitman Creek	N/A	5-J	30121601	Asphalt	District 5 - Asphalt Section 401 - Wearing 1	TON	No Bid	7
000000203089	5-K	WV Paving - Whitman Creek	N/A	5-K	30121601	Asphalt	District 5 - Asphalt Section 402 - Wearing 1	TON	No Bid	7
000000203089	5-L	WV Paving - Whitman Creek	N/A	5-L	30121601	Asphalt	District 5 - Asphalt Section 401 - 4.75mm Superpave	TON	No Bid	7
000000203089	5-M	WV Paving - Whitman Creek	N/A	5-M	30121601	Asphalt	District 5 - Asphalt Section 402 - 4.75mm Superpave	TON	No Bid	7
000000203089	5-N	WV Paving - Whitman Creek	N/A	5-N	30121601	Asphalt	District 5 - Asphalt Section 401 - Wearing III	TON	No Bid	7
000000203089	5-O	WV Paving - Whitman Creek	N/A	5-O	30121601	Asphalt	District 5 - Asphalt Section 402 - Wearing III	TON	No Bid	7
000000203089	5-Q	WV Paving - Whitman Creek	N/A	5-Q	30121601	Asphalt	District 5 - Surcharge for PG Binder - 70 minus 22	TON	No Bid	7
000000203089	5-R	WV Paving - Whitman Creek	N/A	5-R	30121601	Asphalt	District 5 - Surcharge for PG Binder - 76 minus 22 - ordered in 400 ton increments	TON	No Bid	7
000000203089	5-S1	WV Paving - Whitman Creek	N/A	5-S1	30121601	Asphalt	District 5 - Haul by Vendor - First Ton Mile	MILE	No Bid	7
000000203089	5-S2	WV Paving - Whitman Creek	N/A	5-S2	30121601	Asphalt	District 5 - Haul by Vendor - Each Additional Mile	MILE	No Bid	7
000000203089	5-T1	WV Paving - Whitman Creek	N/A	5-T1	30121601	Asphalt	District 5 - Lay Down of Materials - Items A-O and AI, Each Site 0 to 100 Tons	TON	No Bid	7
000000203089	5-T2	WV Paving - Whitman Creek	N/A	5-T2	30121601	Asphalt	District 5 - Lay Down of Materials - Items A-O and AI, Each Site 101 to 200 Tons	TON	No Bid	7
000000203089	5-T3	WV Paving - Whitman Creek	N/A	5-T3	30121601	Asphalt	District 5 - Lay Down of Materials - Items A-O and AI, Each Site 201 to 500 Tons	TON	No Bid	7

VENDOR CUSTOMER CODE	SUPPLIER PART NUMBER	SUPPLIER NAME	MANUFACTURER NAME	MANUFACTURER NUMBER	COMMODITY CODE	ITEM DESCRIPTION	EXTENDED DESCRIPTION	UNIT OF MEASURE	LIST PRICE	DELIVERY DAY
000000203089	5-T4	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Lay Down of Materials - Items A-O and AI, Each Site 501 Tons or Greater	TON	No Bid	7
000000203089	5-U1	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Excavation for Shoulder Paving - 0 to 1000 Square Yards	SY	No Bid	7
000000203089	5-U2	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Excavation for Shoulder Paving - 1001 to 2000 Square Yards	SY	No Bid	7
000000203089	5-U3	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Excavation for Shoulder Paving - 2001 to 3000 Square Yards	SY	No Bid	7
000000203089	5-U4	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Excavation for Shoulder Paving - 3001 Square Yards or Greater	SY	No Bid	7
000000203089	5-V1	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Asphalt Base I Shoulder Paving Surcharge - 0 to 100 Tons	TON	No Bid	7
000000203089	5-V2	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Asphalt Base I Shoulder Paving Surcharge - 101 to 200 Tons	TON	No Bid	7
000000203089	5-V3	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Asphalt Base I Shoulder Paving Surcharge - 201 to 500 Tons	TON	No Bid	7
000000203089	5-V4	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Asphalt Base I Shoulder Paving Surcharge - 501 Tons or Greater	TON	No Bid	7
000000203089	5-W1	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Asphalt Base II Shoulder Paving Surcharge - 0 to 100 Tons	TON	No Bid	7
000000203089	5-W2	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Asphalt Base II Shoulder Paving Surcharge - 101 to 200 Tons	TON	No Bid	7
000000203089	5-W3	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Asphalt Base II Shoulder Paving Surcharge - 201 to 500 Tons	TON	No Bid	7
000000203089	5-W4	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Asphalt Base II Shoulder Paving Surcharge - 501 Tons or Greater	TON	No Bid	7
000000203089	5-X	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Asphalt Material for Tack Coat or Prime Material	GL	No Bid	7
000000203089	5-Y	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Additional Heel-In Joints	LF	No Bid	7
000000203089	5-Z	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Skip Paving Surcharge	TON	No Bid	7
000000203089	5-AA	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Mobilization for Profiling	OR	No Bid	7
000000203089	5-AB1	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Pavement Profiling (Milling) - 0 to 250 Square Yards	SY	No Bid	7
000000203089	5-AB2	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Pavement Profiling (Milling) - 251 to 500 Square Yards	SY	No Bid	7
000000203089	5-AB3	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Pavement Profiling (Milling) - 501 to 1000 Square Yards	SY	No Bid	7
000000203089	5-AB4	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Pavement Profiling (Milling) - 1001 to 2500 Square Yards	SY	No Bid	7
000000203089	5-AB5	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Pavement Profiling (Milling) - 2501 to 5000 Square Yards	SY	No Bid	7
000000203089	5-AB6	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Pavement Profiling (Milling) - 5001 Square Yards or Greater	SY	No Bid	7
000000203089	5-AC	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Pavement Repair - Asphalt Base II	TON	No Bid	7
000000203089	5-AF	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Asphalt HPTO - SP496 - PG 64E-22 ordered 300 TN increments	TON	No Bid	7
000000203089	5-AG	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Non Tracking Tack - to be used with AF	GL	No Bid	7
000000203089	5-AH	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Lay Down of Materials - to be used with AF - 300 TN or Greater	TON	No Bid	7
000000203089	5-AI	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Ultra-Thin Asphalt Overlay - SP498	TON	No Bid	7
000000203089	5-AJ1	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Fine Milling of Asphalt Pavement Surfaces - 0 to 250 Sq Yards	SY	No Bid	7
000000203089	5-AJ2	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Fine Milling of Asphalt Pavement Surfaces - 251 to 500 Sq Yards	SY	No Bid	7
000000203089	5-AJ3	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Fine Milling of Asphalt Pavement Surfaces - 501 to 1000 Sq Yards	SY	No Bid	7
000000203089	5-AJ4	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Fine Milling of Asphalt Pavement Surfaces - 1001 to 2500 Sq Yards	SY	No Bid	7
000000203089	5-AJ5	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Fine Milling of Asphalt Pavement Surfaces - 2501 to 5000 Sq Yards	SY	No Bid	7
000000203089	5-AJ6	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Fine Milling of Asphalt Pavement Surfaces - 5001 SY or Greater	SY	No Bid	7
000000203089	5-AK	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Mobilization for Milled Rumble Strips	OR	No Bid	7
000000203089	5-AL	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Milled Rumble Strips	LF	No Bid	7
000000203089	5-AM	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Surcharge for Parking Lot and Facility Paving - Items A thru O	TON	No Bid	7
000000203089	5-AN	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Cleaning and Sweeping	SY	No Bid	7
000000203089	5-AO1	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Maintaining Traffic - Pilot Truck and Driver	DAY	No Bid	7
000000203089	5-AO2	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Maintaining Traffic - Traffic Control Devices	UNIT	No Bid	7
000000203089	5-AO3	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Maintaining Traffic - Flagger	HOURL	No Bid	7
000000203089	5-AO4	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Maintaining Traffic - Arrow Board	DAY	No Bid	7
000000203089	5-AP1	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Daytime Paving Mobilization	OR	No Bid	7
000000203089	5-AP2	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Nighttime Paving Mobilization	OR	No Bid	7
000000203089	5-AQ1	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Off-Season Plant Opening - First Day	DAY	No Bid	7
000000203089	5-AQ2	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 5 - Off-Season Plant Opening - Each Additional Day	DAY	No Bid	7
000000203089	6-A	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Asphalt Section 401 - Base I	TON	No Bid	7
000000203089	6-B	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Asphalt Section 401 - 37.5mm Superpave	TON	No Bid	7
000000203089	6-C	WV Paving - Whitman Creek	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Asphalt Section 401 - Base II	TON	No Bid	7

VENDOR CUSTOMER CODE	SUPPLIER NAME	MANUFACTURER NAME	COMMODITY CODE	ITEM DESCRIPTION	EXTENDED DESCRIPTION	UNIT OF MEASURE	LIST PRICE	DELIVERY DAYS
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Asphalt Section 401 - Patch and Level	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Asphalt Section 401 - Wearing IV	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Asphalt Section 402 - Wearing IV	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Asphalt Section 401 - 19mm Superpave	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Asphalt Section 401 - Scratch Course	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Asphalt Section 402 - 9.5mm Superpave	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Asphalt Section 401 - Wearing 1	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Asphalt Section 402 - Wearing 1	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Asphalt Section 401 - 4.75mm Superpave	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Asphalt Section 402 - 4.75mm Superpave	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Asphalt Section 401 - Wearing III	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Asphalt Section 402 - Wearing III	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Asphalt Section 401 - Wearing III	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Surcharge for PG Binder - 70 minus 22	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Surcharge for PG Binder - 76 minus 22 - ordered in 400 ton increments	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Haul by Vendor - First Ton Mile	MILE	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Haul by Vendor - Each Additional Mile	MILE	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Lay Down of Materials - Items A-O and AI, Each Site 0 to 100 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Lay Down of Materials - Items A-O and AI, Each Site 101 to 200 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Lay Down of Materials - Items A-O and AI, Each Site 201 to 500 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Lay Down of Materials - Items A-O and AI, Each Site 501 Tons or Greater	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Excavation for Shoulder Paving - 0 to 1000 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Excavation for Shoulder Paving - 1001 to 2000 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Excavation for Shoulder Paving - 2001 to 3000 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Excavation for Shoulder Paving - 3001 Square Yards or Greater	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Asphalt Base I Shoulder Paving Surcharge - 0 to 100 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Asphalt Base I Shoulder Paving Surcharge - 101 to 200 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Asphalt Base I Shoulder Paving Surcharge - 201 to 500 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Asphalt Base I Shoulder Paving Surcharge - 501 Tons or Greater	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Asphalt Base II Shoulder Paving Surcharge - 0 to 100 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Asphalt Base II Shoulder Paving Surcharge - 101 to 200 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Asphalt Base II Shoulder Paving Surcharge - 201 to 500 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Asphalt Base II Shoulder Paving Surcharge - 501 Tons or Greater	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Asphalt Material for Tack Coat or Prime Material	GL	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Additional Heel-In Joints	LF	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Skip Paving Surcharge	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Mobilization for Profiling	OR	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Pavement Profiling (Milling) - 0 to 250 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Pavement Profiling (Milling) - 251 to 500 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Pavement Profiling (Milling) - 501 to 1000 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Pavement Profiling (Milling) - 1001 to 2500 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Pavement Profiling (Milling) - 2501 to 5000 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Pavement Profiling (Milling) - 5001 Square Yards or Greater	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Pavement Repair - Asphalt Base II	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Asphalt HPTO - SP498 - PG 64E-22 ordered 300 TN increments	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Non Tracking Tack - to be used with AF	GL	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Lay Down of Materials - to be used with AF - 300 TN or Greater	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Ultra-Thin Asphalt Overlay - SP498	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Fine Milling of Asphalt Pavement Surfaces - 0 to 250 Sq Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 6 - Fine Milling of Asphalt Pavement Surfaces - 251 to 500 Sq Yards	SY	No Bid	7

VENDOR CODE	SUPPLIER NAME	SUPPLIER PART NUMBER	MANUFACTURER PART NUMBER	COMMODITY CODE	ITEM DESCRIPTION	EXTENDED DESCRIPTION	UNIT OF MEASURE	LIST PRICE	DELIVERY DAY
000000203089	Whitman Creek	6-AJ3	N/A	30121601	Asphalt	District 6 - Fine Milling of Asphalt Pavement Surfaces - 501 to 1000 Sq Yards	SY	No Bid	7
000000203089	Whitman Creek	6-AJ4	N/A	30121601	Asphalt	District 6 - Fine Milling of Asphalt Pavement Surfaces - 1001 to 2500 Sq Yards	SY	No Bid	7
000000203089	Whitman Creek	6-AJ5	N/A	30121601	Asphalt	District 6 - Fine Milling of Asphalt Pavement Surfaces - 2501 to 5000 Sq Yards	SY	No Bid	7
000000203089	Whitman Creek	6-AJ6	N/A	30121601	Asphalt	District 6 - Fine Milling of Asphalt Pavement Surfaces - 5001 SY or Greater	SY	No Bid	7
000000203089	Whitman Creek	6-AK	N/A	30121601	Asphalt	District 6 - Mobilization for Milling Rumble Strips	OR	No Bid	7
000000203089	Whitman Creek	6-AL	N/A	30121601	Asphalt	District 6 - Milling Rumble Strips	LF	No Bid	7
000000203089	Whitman Creek	6-AM	N/A	30121601	Asphalt	District 6 - Surcharge for Parking Lot and Facility Paving - Items A thru O	TON	No Bid	7
000000203089	Whitman Creek	6-AN	N/A	30121601	Asphalt	District 6 - Cleaning and Sweeping	SY	No Bid	7
000000203089	Whitman Creek	6-AO1	N/A	30121601	Asphalt	District 6 - Maintaining Traffic - Pilot Truck and Driver	DAY	No Bid	7
000000203089	Whitman Creek	6-AO2	N/A	30121601	Asphalt	District 6 - Maintaining Traffic - Traffic Control Devices	UNIT	No Bid	7
000000203089	Whitman Creek	6-AO3	N/A	30121601	Asphalt	District 6 - Maintaining Traffic - Flagger	HOURL	No Bid	7
000000203089	Whitman Creek	6-AO4	N/A	30121601	Asphalt	District 6 - Maintaining Traffic - Arrow Board	DAY	No Bid	7
000000203089	Whitman Creek	6-AP1	N/A	30121601	Asphalt	District 6 - Daytime Paving Mobilization	OR	No Bid	7
000000203089	Whitman Creek	6-AP2	N/A	30121601	Asphalt	District 6 - Nighttime Paving Mobilization	OR	No Bid	7
000000203089	Whitman Creek	6-AQ1	N/A	30121601	Asphalt	District 6 - Off-Season Plant Opening - First Day	DAY	No Bid	7
000000203089	Whitman Creek	6-AQ2	N/A	30121601	Asphalt	District 6 - Off-Season Plant Opening - Each Additional Day	DAY	No Bid	7
000000203089	Whitman Creek	7-A	N/A	30121601	Asphalt	District 7 - Asphalt Section 401 - Base I	TON	No Bid	7
000000203089	Whitman Creek	7-B	N/A	30121601	Asphalt	District 7 - Asphalt Section 401 - 37.5mm Superpave	TON	No Bid	7
000000203089	Whitman Creek	7-C	N/A	30121601	Asphalt	District 7 - Asphalt Section 401 - Base II	TON	No Bid	7
000000203089	Whitman Creek	7-D	N/A	30121601	Asphalt	District 7 - Asphalt Section 401 - Patch and Level	TON	No Bid	7
000000203089	Whitman Creek	7-E	N/A	30121601	Asphalt	District 7 - Asphalt Section 401 - Wearing IV	TON	No Bid	7
000000203089	Whitman Creek	7-F	N/A	30121601	Asphalt	District 7 - Asphalt Section 402 - Wearing IV	TON	No Bid	7
000000203089	Whitman Creek	7-G	N/A	30121601	Asphalt	District 7 - Asphalt Section 401 - 19mm Superpave	TON	No Bid	7
000000203089	Whitman Creek	7-H	N/A	30121601	Asphalt	District 7 - Asphalt Section 401 - Scratch Course	TON	No Bid	7
000000203089	Whitman Creek	7-I	N/A	30121601	Asphalt	District 7 - Asphalt Section 402 - 9.5mm Superpave	TON	No Bid	7
000000203089	Whitman Creek	7-J	N/A	30121601	Asphalt	District 7 - Asphalt Section 401 - Wearing 1	TON	No Bid	7
000000203089	Whitman Creek	7-K	N/A	30121601	Asphalt	District 7 - Asphalt Section 402 - Wearing 1	TON	No Bid	7
000000203089	Whitman Creek	7-L	N/A	30121601	Asphalt	District 7 - Asphalt Section 401 - 4.75mm Superpave	TON	No Bid	7
000000203089	Whitman Creek	7-M	N/A	30121601	Asphalt	District 7 - Asphalt Section 402 - 4.75mm Superpave	TON	No Bid	7
000000203089	Whitman Creek	7-N	N/A	30121601	Asphalt	District 7 - Asphalt Section 401 - Wearing III	TON	No Bid	7
000000203089	Whitman Creek	7-O	N/A	30121601	Asphalt	District 7 - Asphalt Section 402 - Wearing III	TON	No Bid	7
000000203089	Whitman Creek	7-Q	N/A	30121601	Asphalt	District 7 - Surcharge for PG Binder - 70 minus 22	TON	No Bid	7
000000203089	Whitman Creek	7-R	N/A	30121601	Asphalt	District 7 - Surcharge for PG Binder - 76 minus 22 - ordered in 400 ton increments	TON	No Bid	7
000000203089	Whitman Creek	7-S1	N/A	30121601	Asphalt	District 7 - Haul by Vendor - First Ton Mile	MILE	No Bid	7
000000203089	Whitman Creek	7-S2	N/A	30121601	Asphalt	District 7 - Haul by Vendor - Each Additional Mile	MILE	No Bid	7
000000203089	Whitman Creek	7-T1	N/A	30121601	Asphalt	District 7 - Lay Down of Materials - Items A-O and AI, Each Site 0 to 100 Tons	TON	No Bid	7
000000203089	Whitman Creek	7-T2	N/A	30121601	Asphalt	District 7 - Lay Down of Materials - Items A-O and AI, Each Site 101 to 200 Tons	TON	No Bid	7
000000203089	Whitman Creek	7-T3	N/A	30121601	Asphalt	District 7 - Lay Down of Materials - Items A-O and AI, Each Site 201 to 500 Tons	TON	No Bid	7
000000203089	Whitman Creek	7-T4	N/A	30121601	Asphalt	District 7 - Lay Down of Materials - Items A-O and AI, Each Site 501 Tons or Greater	TON	No Bid	7
000000203089	Whitman Creek	7-U1	N/A	30121601	Asphalt	District 7 - Excavation for Shoulder Paving - 0 to 1000 Square Yards	SY	No Bid	7
000000203089	Whitman Creek	7-U2	N/A	30121601	Asphalt	District 7 - Excavation for Shoulder Paving - 1001 to 2000 Square Yards	SY	No Bid	7
000000203089	Whitman Creek	7-U3	N/A	30121601	Asphalt	District 7 - Excavation for Shoulder Paving - 2001 to 3000 Square Yards	SY	No Bid	7
000000203089	Whitman Creek	7-U4	N/A	30121601	Asphalt	District 7 - Excavation for Shoulder Paving - 3001 Square Yards or Greater	SY	No Bid	7
000000203089	Whitman Creek	7-V1	N/A	30121601	Asphalt	District 7 - Asphalt Base I Shoulder Paving Surcharge - 0 to 100 Tons	TON	No Bid	7
000000203089	Whitman Creek	7-V2	N/A	30121601	Asphalt	District 7 - Asphalt Base I Shoulder Paving Surcharge - 101 to 200 Tons	TON	No Bid	7
000000203089	Whitman Creek	7-V3	N/A	30121601	Asphalt	District 7 - Asphalt Base I Shoulder Paving Surcharge - 201 to 500 Tons	TON	No Bid	7
000000203089	Whitman Creek	7-V4	N/A	30121601	Asphalt	District 7 - Asphalt Base I Shoulder Paving Surcharge - 501 Tons or Greater	TON	No Bid	7
000000203089	Whitman Creek	7-W1	N/A	30121601	Asphalt	District 7 - Asphalt Base II Shoulder Paving Surcharge - 0 to 100 Tons	TON	No Bid	7
000000203089	Whitman Creek	7-W2	N/A	30121601	Asphalt	District 7 - Asphalt Base II Shoulder Paving Surcharge - 101 to 200 Tons	TON	No Bid	7

VENDOR CODE	SUPPLIER NAME	SUPPLIER PART NUMBER	MANUFACTURER NAME	MANUFACTURER PART NUMBER	COMMODITY CODE	ITEM DESCRIPTION	EXTENDED DESCRIPTION	UNIT OF MEASURE	LIST PRICE	DELIVERY DAY
000000203089	WV Paving - Whitman Creek	7-W3	N/A	7-W3	30121601	Asphalt	District 7 - Asphalt Base II Shoulder Paving Surcharge - 201 to 500 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	7-W4	N/A	7-W4	30121601	Asphalt	District 7 - Asphalt Base II Shoulder Paving Surcharge - 501 Tons or Greater	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	7-X	N/A	7-X	30121601	Asphalt	District 7 - Asphalt Material for Tack Coat or Prime Material	GL	No Bid	7
000000203089	WV Paving - Whitman Creek	7-Y	N/A	7-Y	30121601	Asphalt	District 7 - Additional Heel-In Joints	LF	No Bid	7
000000203089	WV Paving - Whitman Creek	7-Z	N/A	7-Z	30121601	Asphalt	District 7 - Skip Paving Surcharge	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	7-AA	N/A	7-AA	30121601	Asphalt	District 7 - Mobilization for Profiling	OR	No Bid	7
000000203089	WV Paving - Whitman Creek	7-AB1	N/A	7-AB1	30121601	Asphalt	District 7 - Pavement Profiling (Milling) - 0 to 250 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	7-AB2	N/A	7-AB2	30121601	Asphalt	District 7 - Pavement Profiling (Milling) - 251 to 500 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	7-AB3	N/A	7-AB3	30121601	Asphalt	District 7 - Pavement Profiling (Milling) - 501 to 1000 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	7-AB4	N/A	7-AB4	30121601	Asphalt	District 7 - Pavement Profiling (Milling) - 1001 to 2500 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	7-AB5	N/A	7-AB5	30121601	Asphalt	District 7 - Pavement Profiling (Milling) - 2501 to 5000 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	7-AB6	N/A	7-AB6	30121601	Asphalt	District 7 - Pavement Profiling (Milling) - 5001 Square Yards or Greater	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	7-AC	N/A	7-AC	30121601	Asphalt	District 7 - Pavement Repair - Asphalt Base II	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	7-AF	N/A	7-AF	30121601	Asphalt	District 7 - Asphalt HPTO - SP496 - PG 64E-22 ordered 300 TN increments	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	7-AG	N/A	7-AG	30121601	Asphalt	District 7 - Non Tracking Tack - to be used with AF	GL	No Bid	7
000000203089	WV Paving - Whitman Creek	7-AH	N/A	7-AH	30121601	Asphalt	District 7 - Lay Down of Materials - to be used with AF - 300 TN or Greater	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	7-AI	N/A	7-AI	30121601	Asphalt	District 7 - Ultra-Thin Asphalt Overlay - SP438	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	7-AJ1	N/A	7-AJ1	30121601	Asphalt	District 7 - Fine Milling of Asphalt Pavement Surfaces - 0 to 250 Sq Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	7-AJ2	N/A	7-AJ2	30121601	Asphalt	District 7 - Fine Milling of Asphalt Pavement Surfaces - 251 to 500 Sq Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	7-AJ3	N/A	7-AJ3	30121601	Asphalt	District 7 - Fine Milling of Asphalt Pavement Surfaces - 501 to 1000 Sq Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	7-AJ4	N/A	7-AJ4	30121601	Asphalt	District 7 - Fine Milling of Asphalt Pavement Surfaces - 1001 to 2500 Sq Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	7-AJ5	N/A	7-AJ5	30121601	Asphalt	District 7 - Fine Milling of Asphalt Pavement Surfaces - 2501 to 5000 Sq Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	7-AJ6	N/A	7-AJ6	30121601	Asphalt	District 7 - Fine Milling of Asphalt Pavement Surfaces - 5001 SY or Greater	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	7-AK	N/A	7-AK	30121601	Asphalt	District 7 - Mobilization for Milled Rumble Strips	OR	No Bid	7
000000203089	WV Paving - Whitman Creek	7-AL	N/A	7-AL	30121601	Asphalt	District 7 - Milled Rumble Strips	LF	No Bid	7
000000203089	WV Paving - Whitman Creek	7-AM	N/A	7-AM	30121601	Asphalt	District 7 - Surcharge for Parking Lot and Facility Paving - Items A thru O	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	7-AN	N/A	7-AN	30121601	Asphalt	District 7 - Cleaning and Sweeping	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	7-AO1	N/A	7-AO1	30121601	Asphalt	District 7 - Maintaining Traffic - Pilot Truck and Driver	DAY	No Bid	7
000000203089	WV Paving - Whitman Creek	7-AO2	N/A	7-AO2	30121601	Asphalt	District 7 - Maintaining Traffic - Traffic Control Devices	UNIT	No Bid	7
000000203089	WV Paving - Whitman Creek	7-AO3	N/A	7-AO3	30121601	Asphalt	District 7 - Maintaining Traffic - Flagger	HOURL	No Bid	7
000000203089	WV Paving - Whitman Creek	7-AO4	N/A	7-AO4	30121601	Asphalt	District 7 - Maintaining Traffic - Arrow Board	DAY	No Bid	7
000000203089	WV Paving - Whitman Creek	7-AP1	N/A	7-AP1	30121601	Asphalt	District 7 - Daytime Paving Mobilization	OR	No Bid	7
000000203089	WV Paving - Whitman Creek	7-AP2	N/A	7-AP2	30121601	Asphalt	District 7 - Nighttime Paving Mobilization	OR	No Bid	7
000000203089	WV Paving - Whitman Creek	7-AQ1	N/A	7-AQ1	30121601	Asphalt	District 7 - Off-Season Plant Opening - First Day	DAY	No Bid	7
000000203089	WV Paving - Whitman Creek	7-AQ2	N/A	7-AQ2	30121601	Asphalt	District 7 - Off-Season Plant Opening - Each Additional Day	DAY	No Bid	7
000000203089	WV Paving - Whitman Creek	8-A	N/A	8-A	30121601	Asphalt	District 8 - Asphalt Section 401 - Base I	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-B	N/A	8-B	30121601	Asphalt	District 8 - Asphalt Section 401 - 37.5mm Superpave	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-C	N/A	8-C	30121601	Asphalt	District 8 - Asphalt Section 401 - Base II	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-D	N/A	8-D	30121601	Asphalt	District 8 - Asphalt Section 401 - Patch and Level	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-E	N/A	8-E	30121601	Asphalt	District 8 - Asphalt Section 401 - Wearing IV	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-F	N/A	8-F	30121601	Asphalt	District 8 - Asphalt Section 402 - Wearing IV	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-G	N/A	8-G	30121601	Asphalt	District 8 - Asphalt Section 401 - 19mm Superpave	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-H	N/A	8-H	30121601	Asphalt	District 8 - Asphalt Section 401 - Scratch Course	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-I	N/A	8-I	30121601	Asphalt	District 8 - Asphalt Section 402 - 9.5mm Superpave	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-J	N/A	8-J	30121601	Asphalt	District 8 - Asphalt Section 401 - Wearing I	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-K	N/A	8-K	30121601	Asphalt	District 8 - Asphalt Section 402 - Wearing I	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-L	N/A	8-L	30121601	Asphalt	District 8 - Asphalt Section 401 - 4.75mm Superpave	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-M	N/A	8-M	30121601	Asphalt	District 8 - Asphalt Section 402 - 4.75mm Superpave	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-N	N/A	8-N	30121601	Asphalt	District 8 - Asphalt Section 401 - Wearing III	TON	No Bid	7

VENDOR CODE	SUPPLIER NAME	SUPPLIER PART NUMBER	MANUFACTURER NAME	MANUFACTURER PART NUMBER	COMMODITY CODE	ITEM DESCRIPTION	EXTENDED DESCRIPTION	UNIT OF MEASURE	LIST PRICE	DELIVERY DAYS
000000203089	WV Paving - Whitman Creek	8-O	N/A	8-O	30121601	Asphalt	District 8 - Asphalt Section 402 - Wearing III	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-Q	N/A	8-Q	30121601	Asphalt	District 8 - Surcharge for PG Binder - 70 minus 22	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-R	N/A	8-R	30121601	Asphalt	District 8 - Surcharge for PG Binder - 76 minus 22 - ordered in 400 ton increments	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-S1	N/A	8-S1	30121601	Asphalt	District 8 - Haul by Vendor - First Ton Mile	MILE	No Bid	7
000000203089	WV Paving - Whitman Creek	8-S2	N/A	8-S2	30121601	Asphalt	District 8 - Haul by Vendor - Each Additional Mile	MILE	No Bid	7
000000203089	WV Paving - Whitman Creek	8-T1	N/A	8-T1	30121601	Asphalt	District 8 - Lay Down of Materials - Items A-O and AI, Each Site 0 to 100 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-T2	N/A	8-T2	30121601	Asphalt	District 8 - Lay Down of Materials - Items A-O and AI, Each Site 101 to 200 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-T3	N/A	8-T3	30121601	Asphalt	District 8 - Lay Down of Materials - Items A-O and AI, Each Site 201 to 500 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-T4	N/A	8-T4	30121601	Asphalt	District 8 - Lay Down of Materials - Items A-O and AI, Each Site 501 Tons or Greater	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-U1	N/A	8-U1	30121601	Asphalt	District 8 - Excavation for Shoulder Paving - 0 to 1000 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	8-U2	N/A	8-U2	30121601	Asphalt	District 8 - Excavation for Shoulder Paving - 1001 to 2000 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	8-U3	N/A	8-U3	30121601	Asphalt	District 8 - Excavation for Shoulder Paving - 2001 to 3000 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	8-U4	N/A	8-U4	30121601	Asphalt	District 8 - Excavation for Shoulder Paving - 3001 Square Yards or Greater	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	8-V1	N/A	8-V1	30121601	Asphalt	District 8 - Asphalt Base I Shoulder Paving Surcharge - 0 to 100 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-V2	N/A	8-V2	30121601	Asphalt	District 8 - Asphalt Base I Shoulder Paving Surcharge - 101 to 200 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-V3	N/A	8-V3	30121601	Asphalt	District 8 - Asphalt Base I Shoulder Paving Surcharge - 201 to 500 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-V4	N/A	8-V4	30121601	Asphalt	District 8 - Asphalt Base I Shoulder Paving Surcharge - 501 Tons or Greater	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-W1	N/A	8-W1	30121601	Asphalt	District 8 - Asphalt Base II Shoulder Paving Surcharge - 0 to 100 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-W2	N/A	8-W2	30121601	Asphalt	District 8 - Asphalt Base II Shoulder Paving Surcharge - 101 to 200 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-W3	N/A	8-W3	30121601	Asphalt	District 8 - Asphalt Base II Shoulder Paving Surcharge - 201 to 500 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-W4	N/A	8-W4	30121601	Asphalt	District 8 - Asphalt Base II Shoulder Paving Surcharge - 501 Tons or Greater	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-X	N/A	8-X	30121601	Asphalt	District 8 - Asphalt Material for Tack Coat or Prime Material	GL	No Bid	7
000000203089	WV Paving - Whitman Creek	8-Y	N/A	8-Y	30121601	Asphalt	District 8 - Additional Heel-In Joints	LF	No Bid	7
000000203089	WV Paving - Whitman Creek	8-Z	N/A	8-Z	30121601	Asphalt	District 8 - Skip Paving Surcharge	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-AA	N/A	8-AA	30121601	Asphalt	District 8 - Mobilization for Profiling	OR	No Bid	7
000000203089	WV Paving - Whitman Creek	8-AB1	N/A	8-AB1	30121601	Asphalt	District 8 - Pavement Profiling (Milling) - 0 to 250 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	8-AB2	N/A	8-AB2	30121601	Asphalt	District 8 - Pavement Profiling (Milling) - 251 to 500 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	8-AB3	N/A	8-AB3	30121601	Asphalt	District 8 - Pavement Profiling (Milling) - 501 to 1000 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	8-AB4	N/A	8-AB4	30121601	Asphalt	District 8 - Pavement Profiling (Milling) - 1001 to 2500 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	8-AB5	N/A	8-AB5	30121601	Asphalt	District 8 - Pavement Profiling (Milling) - 2501 to 5000 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	8-AB6	N/A	8-AB6	30121601	Asphalt	District 8 - Pavement Profiling (Milling) - 5001 Square Yards or Greater	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	8-AC	N/A	8-AC	30121601	Asphalt	District 8 - Pavement Repair - Asphalt Base II	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-AF	N/A	8-AF	30121601	Asphalt	District 8 - Asphalt HPTO - SP496 - PG 64E-22 ordered 300 TN increments	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-AG	N/A	8-AG	30121601	Asphalt	District 8 - Non Tracking Tack - to be used with AF	GL	No Bid	7
000000203089	WV Paving - Whitman Creek	8-AH	N/A	8-AH	30121601	Asphalt	District 8 - Lay Down of Materials - to be used with AF	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-AI	N/A	8-AI	30121601	Asphalt	District 8 - Ultra-Thin Asphalt Overlay - SP498	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-AJ1	N/A	8-AJ1	30121601	Asphalt	District 8 - Fine Milling of Asphalt Pavement Surfaces - 0 to 250 Sq Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	8-AJ2	N/A	8-AJ2	30121601	Asphalt	District 8 - Fine Milling of Asphalt Pavement Surfaces - 251 to 500 Sq Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	8-AJ3	N/A	8-AJ3	30121601	Asphalt	District 8 - Fine Milling of Asphalt Pavement Surfaces - 501 to 1000 Sq Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	8-AJ4	N/A	8-AJ4	30121601	Asphalt	District 8 - Fine Milling of Asphalt Pavement Surfaces - 1001 to 2500 Sq Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	8-AJ5	N/A	8-AJ5	30121601	Asphalt	District 8 - Fine Milling of Asphalt Pavement Surfaces - 2501 to 5000 Sq Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	8-AJ6	N/A	8-AJ6	30121601	Asphalt	District 8 - Fine Milling of Asphalt Pavement Surfaces - 5001 SY or Greater	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	8-AK	N/A	8-AK	30121601	Asphalt	District 8 - Mobilization for Milled Rumble Strips	OR	No Bid	7
000000203089	WV Paving - Whitman Creek	8-AL	N/A	8-AL	30121601	Asphalt	District 8 - Milled Rumble Strips	LF	No Bid	7
000000203089	WV Paving - Whitman Creek	8-AM	N/A	8-AM	30121601	Asphalt	District 8 - Surcharge for Parking Lot and Facility Paving - Items A thru O	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	8-AN	N/A	8-AN	30121601	Asphalt	District 8 - Cleaning and Sweeping	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	8-AO1	N/A	8-AO1	30121601	Asphalt	District 8 - Maintaining Traffic - Pilot Truck and Driver	DAY	No Bid	7
000000203089	WV Paving - Whitman Creek	8-AO2	N/A	8-AO2	30121601	Asphalt	District 8 - Maintaining Traffic - Traffic Control Devices	UNIT	No Bid	7
000000203089	WV Paving - Whitman Creek	8-AO3	N/A	8-AO3	30121601	Asphalt	District 8 - Maintaining Traffic - Flagger	HOURL	No Bid	7

VENDOR CODE	SUPPLIER NAME	MANUFACTURER NAME	COMMODITY CODE	ITEM DESCRIPTION	EXTENDED DESCRIPTION	UNIT OF MEASURE	LIST PRICE	DELIVERY DAY
000000203089	8-AO4	WV Paving - Whitman Creek	30121601	Asphalt	District 8 - Maintaining Traffic - Arrow Board	DAY	No Bid	7
000000203089	8-AP1	WV Paving - Whitman Creek	30121601	Asphalt	District 8 - Daytime Paving Mobilization	OR	No Bid	7
000000203089	8-AP2	WV Paving - Whitman Creek	30121601	Asphalt	District 8 - Nighttime Paving Mobilization	OR	No Bid	7
000000203089	8-AQ1	WV Paving - Whitman Creek	30121601	Asphalt	District 8 - Off-Season Plant Opening - First Day	DAY	No Bid	7
000000203089	8-AQ2	WV Paving - Whitman Creek	30121601	Asphalt	District 8 - Off-Season Plant Opening - Each Additional Day	DAY	No Bid	7
000000203089	9-A	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Asphalt Section 401 - Base I	TON	No Bid	7
000000203089	9-B	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Asphalt Section 401 - 37.5mm Superpave	TON	No Bid	7
000000203089	9-C	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Asphalt Section 401 - Base II	TON	No Bid	7
000000203089	9-D	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Asphalt Section 401 - Patch and Level	TON	No Bid	7
000000203089	9-E	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Asphalt Section 401 - Wearing IV	TON	No Bid	7
000000203089	9-F	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Asphalt Section 402 - Wearing IV	TON	No Bid	7
000000203089	9-G	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Asphalt Section 401 - 19mm Superpave	TON	No Bid	7
000000203089	9-H	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Asphalt Section 401 - Scratch Course	TON	No Bid	7
000000203089	9-I	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Asphalt Section 402 - 9.5mm Superpave	TON	No Bid	7
000000203089	9-J	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Asphalt Section 401 - Wearing I	TON	No Bid	7
000000203089	9-K	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Asphalt Section 402 - Wearing I	TON	No Bid	7
000000203089	9-L	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Asphalt Section 401 - 4.75mm Superpave	TON	No Bid	7
000000203089	9-M	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Asphalt Section 402 - 4.75mm Superpave	TON	No Bid	7
000000203089	9-N	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Asphalt Section 401 - Wearing III	TON	No Bid	7
000000203089	9-O	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Asphalt Section 402 - Wearing III	TON	No Bid	7
000000203089	9-Q	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Surcharge for PG Binder - 70 minus 22	TON	No Bid	7
000000203089	9-R	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Surcharge for PG Binder - 76 minus 22 - ordered in 400 ton increments	TON	No Bid	7
000000203089	9-S1	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Haul by Vendor - First Ton Mile	MILE	No Bid	7
000000203089	9-S2	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Haul by Vendor - Each Additional Mile	MILE	No Bid	7
000000203089	9-T1	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Lay Down of Materials - Items A-O and AI, Each Site 0 to 100 Tons	TON	No Bid	7
000000203089	9-T2	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Lay Down of Materials - Items A-O and AI, Each Site 101 to 200 Tons	TON	No Bid	7
000000203089	9-T3	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Lay Down of Materials - Items A-O and AI, Each Site 201 to 500 Tons	TON	No Bid	7
000000203089	9-T4	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Lay Down of Materials - Items A-O and AI, Each Site 501 Tons or Greater	TON	No Bid	7
000000203089	9-U1	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Excavation for Shoulder Paving - 0 to 1000 Square Yards	SY	No Bid	7
000000203089	9-U2	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Excavation for Shoulder Paving - 1001 to 2000 Square Yards	SY	No Bid	7
000000203089	9-U3	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Excavation for Shoulder Paving - 2001 to 3000 Square Yards	SY	No Bid	7
000000203089	9-U4	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Excavation for Shoulder Paving - 3001 Square Yards or Greater	SY	No Bid	7
000000203089	9-V1	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Asphalt Base I Shoulder Paving Surcharge - 0 to 100 Tons	TON	No Bid	7
000000203089	9-V2	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Asphalt Base I Shoulder Paving Surcharge - 101 to 200 Tons	TON	No Bid	7
000000203089	9-V3	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Asphalt Base I Shoulder Paving Surcharge - 201 to 500 Tons	TON	No Bid	7
000000203089	9-V4	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Asphalt Base I Shoulder Paving Surcharge - 501 Tons or Greater	TON	No Bid	7
000000203089	9-W1	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Asphalt Base II Shoulder Paving Surcharge - 0 to 100 Tons	TON	No Bid	7
000000203089	9-W2	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Asphalt Base II Shoulder Paving Surcharge - 101 to 200 Tons	TON	No Bid	7
000000203089	9-W3	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Asphalt Base II Shoulder Paving Surcharge - 201 to 500 Tons	TON	No Bid	7
000000203089	9-W4	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Asphalt Base II Shoulder Paving Surcharge - 501 Tons or Greater	TON	No Bid	7
000000203089	9-X	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Asphalt Material for Tack Coat or Prime Material	GL	No Bid	7
000000203089	9-Y	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Additional Heel-In Joints	LF	No Bid	7
000000203089	9-Z	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Skip Paving Surcharge	TON	No Bid	7
000000203089	9-AA	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Mobilization for Profiling	OR	No Bid	7
000000203089	9-AB1	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Pavement Profiling (Milling) - 0 to 250 Square Yards	SY	No Bid	7
000000203089	9-AB2	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Pavement Profiling (Milling) - 251 to 500 Square Yards	SY	No Bid	7
000000203089	9-AB3	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Pavement Profiling (Milling) - 501 to 1000 Square Yards	SY	No Bid	7
000000203089	9-AB4	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Pavement Profiling (Milling) - 1001 to 2500 Square Yards	SY	No Bid	7
000000203089	9-AB5	WV Paving - Whitman Creek	30121601	Asphalt	District 9 - Pavement Profiling (Milling) - 2501 to 5000 Square Yards	SY	No Bid	7

VENDOR CUSTOMER CODE	SUPPLIER PART NUMBER	SUPPLIER NAME	MANUFACTURER PART NUMBER	COMMODITY CODE	ITEM DESCRIPTION	EXTENDED DESCRIPTION	UNIT OF MEASURE	LIST PRICE	DELIVERY DAY S
000000203089	9-AB6	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 9 - Pavement Profiling (Milling) - 5001 Square Yards or Greater	SY	No Bid	7
000000203089	9-AC	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 9 - Pavement Repair - Asphalt Base II	TON	No Bid	7
000000203089	9-AF	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 9 - Asphalt HPTO - SP496 - PG 64E-22 ordered 300 TN increments	TON	No Bid	7
000000203089	9-AG	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 9 - Non Tracking Tack - to be used with AF	GL	No Bid	7
000000203089	9-AH	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 9 - Lay Down of Materials - to be used with AF - 300 TN or Greater	TON	No Bid	7
000000203089	9-AI	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 9 - Ultra-Thin Asphalt Overlay - SP498	TON	No Bid	7
000000203089	9-AJ1	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 9 - Fine Milling of Asphalt Pavement Surfaces - 0 to 250 Sq Yards	SY	No Bid	7
000000203089	9-AJ2	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 9 - Fine Milling of Asphalt Pavement Surfaces - 251 to 500 Sq Yards	SY	No Bid	7
000000203089	9-AJ3	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 9 - Fine Milling of Asphalt Pavement Surfaces - 501 to 1000 Sq Yards	SY	No Bid	7
000000203089	9-AJ4	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 9 - Fine Milling of Asphalt Pavement Surfaces - 1001 to 2500 Sq Yards	SY	No Bid	7
000000203089	9-AJ5	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 9 - Fine Milling of Asphalt Pavement Surfaces - 2501 to 5000 Sq Yards	SY	No Bid	7
000000203089	9-AJ6	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 9 - Fine Milling of Asphalt Pavement Surfaces - 5001 SY or Greater	SY	No Bid	7
000000203089	9-AK	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 9 - Mobilization for Milling Rumble Strips	OR	No Bid	7
000000203089	9-AL	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 9 - Milled Rumble Strips	LF	No Bid	7
000000203089	9-AM	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 9 - Surcharge for Parking Lot and Facility Paving - Items A thru O	TON	No Bid	7
000000203089	9-AN	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 9 - Cleaning and Sweeping	SY	No Bid	7
000000203089	9-AO1	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 9 - Maintaining Traffic - Pilot Truck and Driver	DAY	No Bid	7
000000203089	9-AO2	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 9 - Maintaining Traffic - Traffic Control Devices	UNIT	No Bid	7
000000203089	9-AO3	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 9 - Maintaining Traffic - Flagger	HOURL	No Bid	7
000000203089	9-AO4	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 9 - Maintaining Traffic - Arrow Board	DAY	No Bid	7
000000203089	9-AP1	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 9 - Daytime Paving Mobilization	OR	No Bid	7
000000203089	9-AP2	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 9 - Nighttime Paving Mobilization	OR	No Bid	7
000000203089	9-AQ1	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 9 - Off-Season Plant Opening - First Day	DAY	No Bid	7
000000203089	9-AQ2	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 9 - Off-Season Plant Opening - Each Additional Day	DAY	No Bid	7
000000203089	10-A	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 10 - Asphalt Section 401 - Base I	TON	No Bid	7
000000203089	10-B	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 10 - Asphalt Section 401 - 37.5mm Superpave	TON	No Bid	7
000000203089	10-C	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 10 - Asphalt Section 401 - Base II	TON	No Bid	7
000000203089	10-D	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 10 - Asphalt Section 401 - Patch and Level	TON	No Bid	7
000000203089	10-E	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 10 - Asphalt Section 401 - Wearing IV	TON	No Bid	7
000000203089	10-F	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 10 - Asphalt Section 402 - Wearing IV	TON	No Bid	7
000000203089	10-G	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 10 - Asphalt Section 401 - 19mm Superpave	TON	No Bid	7
000000203089	10-H	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 10 - Asphalt Section 401 - Scratch Course	TON	No Bid	7
000000203089	10-I	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 10 - Asphalt Section 402 - 9.5mm Superpave	TON	No Bid	7
000000203089	10-J	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 10 - Asphalt Section 401 - Wearing I	TON	No Bid	7
000000203089	10-K	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 10 - Asphalt Section 402 - Wearing I	TON	No Bid	7
000000203089	10-L	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 10 - Asphalt Section 401 - 4.75mm Superpave	TON	No Bid	7
000000203089	10-M	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 10 - Asphalt Section 402 - 4.75mm Superpave	TON	No Bid	7
000000203089	10-N	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 10 - Asphalt Section 401 - Wearing III	TON	No Bid	7
000000203089	10-O	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 10 - Asphalt Section 402 - Wearing III	TON	No Bid	7
000000203089	10-Q	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 10 - Surcharge for PG Binder - 70 minus 22	TON	No Bid	7
000000203089	10-R	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 10 - Surcharge for PG Binder - 70 minus 22 - ordered in 400 ton increments	TON	No Bid	7
000000203089	10-S1	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 10 - Haul by Vendor - First Ton Mile	MILE	No Bid	7
000000203089	10-S2	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 10 - Haul by Vendor - Each Additional Mile	MILE	No Bid	7
000000203089	10-T1	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 10 - Lay Down of Materials - Items A-O and AI, Each Site 0 to 100 Tons	TON	No Bid	7
000000203089	10-T2	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 10 - Lay Down of Materials - Items A-O and AI, Each Site 101 to 200 Tons	TON	No Bid	7
000000203089	10-T3	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 10 - Lay Down of Materials - Items A-O and AI, Each Site 201 to 500 Tons	TON	No Bid	7
000000203089	10-T4	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 10 - Lay Down of Materials - Items A-O and AI, Each Site 501 Tons or Greater	TON	No Bid	7
000000203089	10-U1	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 10 - Excavation for Shoulder Paving - 0 to 1000 Square Yards	SY	No Bid	7
000000203089	10-U2	WV Paving - Whitman Creek	N/A	30121601	Asphalt	District 10 - Excavation for Shoulder Paving - 1001 to 2000 Square Yards	SY	No Bid	7

VENDOR CODE	SUPPLIER NAME	MANUFACTURER NAME	MANUFACTURER PART NUMBER	COMMODITY CODE	ITEM DESCRIPTION	EXTENDED DESCRIPTION	UNIT OF MEASURE	LIST PRICE	DELIVERY DAY S
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-U3	30121601	Asphalt	District 10 - Excavation for Shoulder Paving - 2001 to 3000 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-U4	30121601	Asphalt	District 10 - Excavation for Shoulder Paving - 3001 Square Yards or Greater	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-V1	30121601	Asphalt	District 10 - Asphalt Base I Shoulder Paving Surcharge - 0 to 100 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-V2	30121601	Asphalt	District 10 - Asphalt Base I Shoulder Paving Surcharge - 101 to 200 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-V3	30121601	Asphalt	District 10 - Asphalt Base I Shoulder Paving Surcharge - 201 to 500 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-V4	30121601	Asphalt	District 10 - Asphalt Base I Shoulder Paving Surcharge - 501 Tons or Greater	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-W1	30121601	Asphalt	District 10 - Asphalt Base II Shoulder Paving Surcharge - 0 to 100 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-W2	30121601	Asphalt	District 10 - Asphalt Base II Shoulder Paving Surcharge - 101 to 200 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-W3	30121601	Asphalt	District 10 - Asphalt Base II Shoulder Paving Surcharge - 201 to 500 Tons	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-W4	30121601	Asphalt	District 10 - Asphalt Base II Shoulder Paving Surcharge - 501 Tons or Greater	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-X	30121601	Asphalt	District 10 - Asphalt Material for Tack Coat or Prime Material	GL	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-Y	30121601	Asphalt	District 10 - Additional Heel-In Joints	LF	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-Z	30121601	Asphalt	District 10 - Skip Paving Surcharge	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-AA	30121601	Asphalt	District 10 - Mobilization for Profiling	OR	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-AB1	30121601	Asphalt	District 10 - Pavement Profiling (Milling) - 0 to 250 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-AB2	30121601	Asphalt	District 10 - Pavement Profiling (Milling) - 251 to 500 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-AB3	30121601	Asphalt	District 10 - Pavement Profiling (Milling) - 501 to 1000 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-AB4	30121601	Asphalt	District 10 - Pavement Profiling (Milling) - 1001 to 2500 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-AB5	30121601	Asphalt	District 10 - Pavement Profiling (Milling) - 2501 to 5000 Square Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-AB6	30121601	Asphalt	District 10 - Pavement Profiling (Milling) - 5001 Square Yards or Greater	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-AC	30121601	Asphalt	District 10 - Pavement Repair - Asphalt Base II	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-AF	30121601	Asphalt	District 10 - Asphalt HPTO - SP496 - PG 64E-22 ordered 300 TN increments	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-AG	30121601	Asphalt	District 10 - Non Tracking Tack - to be used with AF	GL	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-AH	30121601	Asphalt	District 10 - Lay Down of Materials - to be used with AF - 300 TN or Greater	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-AI	30121601	Asphalt	District 10 - Ultra-Thin Asphalt Overlay - SP498	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-AJ1	30121601	Asphalt	District 10 - Fine Milling of Asphalt Pavement Surfaces - 0 to 250 Sq Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-AJ2	30121601	Asphalt	District 10 - Fine Milling of Asphalt Pavement Surfaces - 251 to 500 Sq Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-AJ3	30121601	Asphalt	District 10 - Fine Milling of Asphalt Pavement Surfaces - 501 to 1000 Sq Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-AJ4	30121601	Asphalt	District 10 - Fine Milling of Asphalt Pavement Surfaces - 1001 to 2500 Sq Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-AJ5	30121601	Asphalt	District 10 - Fine Milling of Asphalt Pavement Surfaces - 2501 to 5000 Sq Yards	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-AJ6	30121601	Asphalt	District 10 - Fine Milling of Asphalt Pavement Surfaces - 5001 SY or Greater	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-AK	30121601	Asphalt	District 10 - Mobilization for Milled Rumble Strips	OR	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-AL	30121601	Asphalt	District 10 - Milled Rumble Strips	LF	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-AM	30121601	Asphalt	District 10 - Surcharge for Parking Lot and Facility Paving - Items A thru O	TON	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-AN	30121601	Asphalt	District 10 - Cleaning and Sweeping	SY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-AO1	30121601	Asphalt	District 10 - Maintaining Traffic - Pilot Truck and Driver	DAY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-AO2	30121601	Asphalt	District 10 - Maintaining Traffic - Traffic Control Devices	UNIT	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-AO3	30121601	Asphalt	District 10 - Maintaining Traffic - Flagger	HOOR	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-AO4	30121601	Asphalt	District 10 - Maintaining Traffic - Arrow Board	DAY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-AP1	30121601	Asphalt	District 10 - Daytime Paving Mobilization	OR	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-AP2	30121601	Asphalt	District 10 - Nighttime Paving Mobilization	OR	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-AQ1	30121601	Asphalt	District 10 - Off-Season Plant Opening - First Day	DAY	No Bid	7
000000203089	WV Paving - Whitman Creek	WV Paving - Whitman Creek	10-AQ2	30121601	Asphalt	District 10 - Off-Season Plant Opening - Each Additional Day	DAY	No Bid	7

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

CONSTRUCTION CONTRACTS: Under W. Va. Code § 5-22-1(i), the contracting public entity shall not award a construction contract to any bidder that is known to be in default on any monetary obligation owed to the state or a political subdivision of the state, including, but not limited to, obligations related to payroll taxes, property taxes, sales and use taxes, fire service fees, or other fines or fees.

ALL CONTRACTS: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that: (1) for construction contracts, the vendor is not in default on any monetary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

WITNESS THE FOLLOWING SIGNATURE:

Vendor's Name: West Virginia Paving Corporation

Authorized Signature: [Signature] Date: 12-18-18


State of West Virginia

County of Kanawha, to-wit:

Taken, subscribed, and sworn to before me this 19 day of December, 2018

My Commission expires 3-10, 2019.

AFFIX SEAL HERE



NOTARY PUBLIC

[Signature]



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Liberty Mutual Insurance Co. National Insurance East 2000 Westwood Dr. Wausau, WI 54401 www.LibertyMutual.com	CONTACT NAME: Mark A. Truelove PHONE (A/C, No, Ext): 513-867-3822 FAX (A/C, No): E-MAIL ADDRESS: CMeCertProduction@libertymutual.com																				
	<table border="1"> <tr> <th colspan="2">INSURER(S) AFFORDING COVERAGE</th> <th>NAIC #</th> </tr> <tr> <td>INSURER A:</td> <td>Liberty Mutual Fire Insurance Company</td> <td>23035</td> </tr> <tr> <td>INSURER B:</td> <td></td> <td></td> </tr> <tr> <td>INSURER C:</td> <td></td> <td></td> </tr> <tr> <td>INSURER D:</td> <td></td> <td></td> </tr> <tr> <td>INSURER E:</td> <td></td> <td></td> </tr> <tr> <td>INSURER F:</td> <td></td> <td></td> </tr> </table>	INSURER(S) AFFORDING COVERAGE		NAIC #	INSURER A:	Liberty Mutual Fire Insurance Company	23035	INSURER B:			INSURER C:			INSURER D:			INSURER E:			INSURER F:	
INSURER(S) AFFORDING COVERAGE		NAIC #																			
INSURER A:	Liberty Mutual Fire Insurance Company	23035																			
INSURER B:																					
INSURER C:																					
INSURER D:																					
INSURER E:																					
INSURER F:																					
INSURED West Virginia Paving, Inc. 2950 Charles Ave. Dunbar, WV 25064																					

COVERAGES **CERTIFICATE NUMBER:** 43786585 **REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR <input checked="" type="checkbox"/> Primary/Non-Contributory <input checked="" type="checkbox"/> Separation of Insured GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input checked="" type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC OTHER:			TB2-C81-004095-118 XCU Coverage Included	9/1/2018	9/1/2019	EACH OCCURRENCE \$2,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$250,000 MED EXP (Any one person) \$50,000 PERSONAL & ADV INJURY \$2,000,000 GENERAL AGGREGATE \$2,000,000 PRODUCTS - COM/OP AGG \$2,000,000 \$
A	<input checked="" type="checkbox"/> AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS NON-OWNED AUTOS ONLY <input type="checkbox"/> HIRED AUTOS ONLY			AS2-C81-004095-128 AS2-C81-054502-528 Physical Damage only: Comprehensive Ded \$10,000 Collision Ded \$10,000	9/1/2018	9/1/2019	COMBINED SINGLE LIMIT (Ea accident) \$2,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$
	<input type="checkbox"/> UMBRELLA LIAB <input type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED RETENTION \$						EACH OCCURRENCE \$ AGGREGATE \$ \$
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below		Y/N	N/A			PER STATUTE OTH-ER E.L. EACH ACCIDENT \$ E.L. DISEASE - EA EMPLOYEE \$ E.L. DISEASE - POLICY LIMIT \$

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

Project: CRFQ 0803 DOT 1900000021 Asphalt Materials, Delivery & Laydown by WVDOT
 WVDOT-Division of Highways is listed as additional insured with regards to the general liability and automobile liability policies, where required by written contract.

CERTIFICATE HOLDER State of West Virginia 1900 Kanawh Blvd. East Bldg. 5 Room A737 Charleston, WV 25305	CANCELLATION SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS. AUTHORIZED REPRESENTATIVE Mark A. Truelove
--	--

© 1988-2015 ACORD CORPORATION. All rights reserved.

ACORD 25 (2016/03) The ACORD name and logo are registered marks of ACORD



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
09/04/2018

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Mountain State Insurance Agency 1206 Kanawha Blvd. E. Suite 100 Charleston WV 25301-2949	CONTACT NAME: Jennifer Drake PHONE (A/C, No, Ext): (304) 720-2000 FAX (A/C, No): (304) 720-2002 E-MAIL ADDRESS: jdrake@mountainstateinsurance.com																				
	<table border="1"> <tr> <th colspan="2">INSURER(S) AFFORDING COVERAGE</th> <th>NAIC #</th> </tr> <tr> <td>INSURER A :</td> <td>BrickStreet Mutual Ins Co</td> <td>12372</td> </tr> <tr> <td>INSURER B :</td> <td>Argonaut Insurance Company</td> <td></td> </tr> <tr> <td>INSURER C :</td> <td></td> <td></td> </tr> <tr> <td>INSURER D :</td> <td></td> <td></td> </tr> <tr> <td>INSURER E :</td> <td></td> <td></td> </tr> <tr> <td>INSURER F :</td> <td></td> <td></td> </tr> </table>	INSURER(S) AFFORDING COVERAGE		NAIC #	INSURER A :	BrickStreet Mutual Ins Co	12372	INSURER B :	Argonaut Insurance Company		INSURER C :			INSURER D :			INSURER E :			INSURER F :	
INSURER(S) AFFORDING COVERAGE		NAIC #																			
INSURER A :	BrickStreet Mutual Ins Co	12372																			
INSURER B :	Argonaut Insurance Company																				
INSURER C :																					
INSURER D :																					
INSURER E :																					
INSURER F :																					
INSURED West Virginia Paving, Inc. P.O. Box 544 Dunbar WV 25084																					

COVERAGES **CERTIFICATE NUMBER:** 1819 WV Paving **REVISION NUMBER:**


THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
	COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC OTHER:						EACH OCCURRENCE \$ DAMAGE TO RENTED PREMISES (Ea occurrence) \$ MED EXP (Any one person) \$ PERSONAL & ADV INJURY \$ GENERAL AGGREGATE \$ PRODUCTS - COMP/OP AGG \$ \$
	AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> NON-OWNED AUTOS ONLY						COMBINED SINGLE LIMIT (Ea accident) \$ BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$
	UMBRELLA LIAB <input type="checkbox"/> OCCUR EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED RETENTION \$						EACH OCCURRENCE \$ AGGREGATE \$ \$
A	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below		N/A	WCS3001197	09/01/2018	09/01/2019	<input checked="" type="checkbox"/> PER STATUTE <input checked="" type="checkbox"/> OTH-ER WV Code 23-4-2 E.L. EACH ACCIDENT \$ 1,000,000 E.L. DISEASE - EA EMPLOYEE \$ 1,000,000 E.L. DISEASE - POLICY LIMIT \$ 1,000,000
B	Workers Compensation Jones Act			WC928428361384	09/01/2018	09/01/2019	EL Each Accident 1,000,000 EL Disease-EA Employee 1,000,000 EL Disease-Policy Limit 1,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

CERTIFICATE HOLDER

CANCELLATION

Verification of Insurance	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
	AUTHORIZED REPRESENTATIVE 

© 1988-2015 ACORD CORPORATION. All rights reserved.

West Virginia Ethics Commission



Disclosure of Interested Parties to Contracts

Pursuant to *W. Va. Code* § 6D-1-2, a state agency may not enter into a contract, or a series of related contracts, that has/have an actual or estimated value of \$1 million or more until the business entity submits to the contracting state agency a Disclosure of Interested Parties to the applicable contract. In addition, the business entity awarded a contract is obligated to submit a supplemental Disclosure of Interested Parties reflecting any new or differing interested parties to the contract within 30 days following the completion or termination of the applicable contract.

For purposes of complying with these requirements, the following definitions apply:

"Business entity" means any entity recognized by law through which business is conducted, including a sole proprietorship, partnership or corporation, but does not include publicly traded companies listed on a national or international stock exchange.

"Interested party" or *"Interested parties"* means:

- (1) A business entity performing work or service pursuant to, or in furtherance of, the applicable contract, including specifically sub-contractors;
- (2) the person(s) who have an ownership interest equal to or greater than 25% in the business entity performing work or service pursuant to, or in furtherance of, the applicable contract. (This subdivision does not apply to a publicly traded company); and
- (3) the person or business entity, if any, that served as a compensated broker or intermediary to actively facilitate the applicable contract or negotiated the terms of the applicable contract with the state agency. (This subdivision does not apply to persons or business entities performing legal services related to the negotiation or drafting of the applicable contract.)

"State agency" means a board, commission, office, department or other agency in the executive, judicial or legislative branch of state government, including publicly funded institutions of higher education: Provided, that for purposes of *W. Va. Code* § 6D-1-2, the West Virginia Investment Management Board shall not be deemed a state agency nor subject to the requirements of that provision.

The contracting business entity must complete this form and submit it to the contracting state agency prior to contract award and to complete another form within 30 days of contract completion or termination.

This form was created by the State of West Virginia Ethics Commission, 210 Brooks Street, Suite 300, Charleston, WV 25301-1804. Telephone: (304)558-0664; fax: (304)558-2169; e-mail: ethics@wv.gov; website: www.ethics.wv.gov.

West Virginia Ethics Commission
Disclosure of Interested Parties to Contracts

(Required by W. Va. Code § 6D-1-2)

Name of Contracting Business Entity: West Virginia Paving, Inc. Address: 2950 Charles Ave.
Dunbar, WV 25064

Name of Authorized Agent: Robert Brookover Address: 2950 Charles Ave. Dunbar, WV 25064

Contract Number: CRFQ 0803 DOT 180000021 Contract Description: Asphalt Materials, Delivery & Laydown

Governmental agency awarding contract: WVDOT

Check here if this is a Supplemental Disclosure

List the Names of Interested Parties to the contract which are known or reasonably anticipated by the contracting business entity for each category below (attach additional pages if necessary):

1. Subcontractors or other entities performing work or service under the Contract

Check here if none, otherwise list entity/individual names below.

2. Any person or entity who owns 25% or more of contracting entity (not applicable to publicly traded entities)

Check here if none, otherwise list entity/individual names below.

3. Any person or entity that facilitated, or negotiated the terms of, the applicable contract (excluding legal services related to the negotiation or drafting of the applicable contract)

Check here if none, otherwise list entity/individual names below.

Signature: Robert Brookover Date Signed: December 19, 2018



Notary Verification

State of West Virginia, County of Kanawha:


I, Robert Brookover, the authorized agent of the contracting business entity listed above, being duly sworn, acknowledge that the Disclosure herein is being made under oath and under the penalty of perjury.

Taken, sworn to and subscribed before me this 19th day of December, 2018.

Victoria W. McGrew
Notary Public's Signature

To be completed by State Agency:

Date Received by State Agency: _____
Date submitted to Ethics Commission: _____
Governmental agency submitting Disclosure: _____



CONTRACTOR LICENSE

Authorized by the

West Virginia Contractor Licensing Board

Number: WV001429

Classification:
GENERAL ENGINEERING

WEST VIRGINIA PAVING INC
DBA WEST VIRGINIA PAVING INC
PO BOX 544
DUNBAR, WV 25064-0544

Date Issued


AUGUST 15, 2018

Expiration Date

AUGUST 15, 2019



Authorized Company Signature



Chair, West Virginia Contractor
Licensing Board



**WEST VIRGINIA
CONTRACTOR
LICENSING
BOARD**

This license, or a copy thereof, must be posted in a conspicuous place at every construction site where work is being performed. This license number must appear in all advertisements, on all bid submissions and on all fully executed and binding contracts. This license cannot be assigned or transferred by licensee. Issued under provisions of West Virginia Code, Chapter 21, Article 11.



**WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS**

Thomas J. Smith, P.E.
Secretary of Transportation / Commissioner of Highways

CONTRACTOR'S CERTIFICATE OF QUALIFICATION

NO. 26130

THIS CERTIFIES THAT WEST VIRGINIA PAVING, INC.
DUNBAR, WV

HAS FILED WITH THE DIVISION OF HIGHWAYS A FINANCIAL AND EXPERIENCE QUESTIONNAIRE AS REQUIRED BY THE COMMISSIONER, AND IS HEREBY AUTHORIZED TO BID AT ANY DIVISION OF HIGHWAYS LETTING UNTIL THE UNCOMPLETED WORK UNDER CONTRACT IN TERMS OF ESTIMATED COSTS AT ANY ONE TIME DOES NOT EXCEED IN THE AGGREGATE \$331,668,000 FOR THE FOLLOWING TYPES OF WORK: ITEM(S) A

THIS CERTIFICATE EXPIRES ON
April 30, 2019

WEST VIRGINIA DIVISION OF HIGHWAYS

A handwritten signature in blue ink, appearing to read "J. Smith".

DATED AT CHARLESTON, WV ON
April 12, 2018

DIRECTOR, CONTRACT
ADMINISTRATION DIVISION