

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	275-GALLON TOTE OF PAVEPRO OR EQUAL	10.00000	EA	8786.250000	87862.50

Comm Code	Manufacturer	Specification	Model #
30121600			

Commodity Line Comments: We are bidding PAVE-SAFE Asphalt Solvent/Asphalt Release

Extended Description:

PAVEPRO ASPHALT SOLVENT OR EQUAL (MUST MEET SPECIFICATIONS LISTED IN RFQ)

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	55-GALLON DRUM OF PAVEPRO OR EQUAL	20.00000	EA	1867.250000	37345.00

Comm Code	Manufacturer	Specification	Model #
30121600			

Commodity Line Comments: We are bidding PAVE-SAFE Asphalt Solvent/Asphalt Release

Extended Description:

PAVEPRO ASPHALT SOLVENT OR EQUAL (MUST MEET SPECIFICATIONS LISTED IN RFQ)

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
3	5-GALLON PAIL OF PAVEPRO OR EQUAL	5.00000	EA	184.750000	923.75

Comm Code	Manufacturer	Specification	Model #
30121600			

Commodity Line Comments: We are bidding PAVE-SAFE Asphalt Solvent/Asphalt Release
Minimum purchase is 4 pails

Extended Description:

PAVEPRO ASPHALT SOLVENT OR EQUAL (MUST MEET SPECIFICATIONS LISTED IN RFQ)



State of West Virginia
Agency Request for Quote

Proc Folder: 1196706			Reason for Modification:
Doc Description: 0523C0283 - PAVEPRO OR EQUAL ASPHALT SOLVENT			
Proc Type: Agency Master Agreement			
Date Issued	Solicitation Closes	Solicitation No	Version
2023-03-20	2023-04-06 14:30	ARFQ 0803 DOT2300000085	1

BID RECEIVING LOCATION

BUDGET & PROCUREMENT
DIVISION OF HIGHWAYS
BLDG 5, RM A-317
1900 KANAWHA BLVD E
CHARLESTON WV 25305
US

VENDOR

Vendor Customer Code: 186600
Vendor Name: RHOMAR INDUSTRIES, INC.
Address: 2107 E ROCKHURST ST
Street:
City: SPRINGFIELD
State: Mo Country: GREENE Zip: 65802
Principal Contact: DAVID SLAYDEN
Vendor Contact Phone: 417-866-5592 Extension:

FOR INFORMATION CONTACT THE BUYER
Kristine E James
304-414-7104
kristy.e.james@wv.gov

Vendor Signature X  FEIN# 43-1534807 DATE 3/22/2023

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION

THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION- BUDGET AND PROCUREMENT DIVISION - THIS IS AN AGENCY ONE-TIME PURCHASE FOR PAVEPRO OR EQUAL.
 QUESTIONS REGARDING THE SOLICITATION MUST BE SUBMITTED IN WRITING TO KRISTY.E.JAMES@WV.GOV PRIOR TO

THE QUESTION PERIOD DEADLINE CONTAINED IN THE INSTRUCTIONS TO VENDORS SUBMITTING BIDS.

*****NOTICE*****

WE DO NOT ACCEPT EMAIL BIDS
 MUST USE ONE THE FOLLOWING TO SUBMIT A BID:

- * UPLOAD TO OASIS
- * HAND DELIVERY
- * MAIL IN HARD COPY
- * FAX

MAKE SURE YOU DOWNLOAD ALL INFORMATION

THE- COMPLETE SOLICITATION-PRICING PAGES-SIGN THE PAGES THAT NEED SIGNED
 PLEASE NOTE THAT TO BE AWARDED THIS CONTRACT YOU WILL BE TO A REGISTER VENDOR WITH WV STATE PURCHASING, AND COMPLIANT WITH SEVERAL AGENCIES SUCH AS THE WVSOS, TAX DEPARTMENT, WORKER'S COMPENSATION, AND UNEMPLOYMENT INSURANCE

INVOICE TO		SHIP TO	
DIVISION OF HIGHWAYS DISTRICT FIVE		STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICATED BY ORDER	
PO BOX 99 BURLINGTON US	WV	No City US	WV

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	275-GALLON TOTE OF PAVEPRO OR EQUAL	10.00000	EA	8,186.25	81,862.50

Comm Code	Manufacturer	Specification	Model #
30121600	RHOMAR	PAVE-SAFE	RH-750-275

Extended Description:

PAVEPRO ASPHALT SOLVENT OR EQUAL (MUST MEET SPECIFICATIONS LISTED IN RFQ)

INVOICE TO		SHIP TO	
DIVISION OF HIGHWAYS DISTRICT FIVE		STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICATED BY ORDER	
PO BOX 99 BURLINGTON US	WV	No City US	WV

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
2	55-GALLON DRUM OF PAVEPRO OR EQUAL	20.00000	EA	1,867.25	37,345.00

Comm Code	Manufacturer	Specification	Model #
30121600	RHOMAR	PAVE-SAFE	RH-750-55

Extended Description:

PAVEPRO ASPHALT SOLVENT OR EQUAL (MUST MEET SPECIFICATIONS LISTED IN RFQ)

INVOICE TO		SHIP TO	
DIVISION OF HIGHWAYS DISTRICT FIVE		STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICATED BY ORDER	
PO BOX 99 BURLINGTON US	WV	No City US	WV

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
3	5-GALLON PAIL OF PAVEPRO OR EQUAL	5.00000	EA	184.75	923.75

Comm Code	Manufacturer	Specification	Model #
30121600	RHOMAR	PAVE-SAFE	RH-750-05

MINIMUM PURCHASE IS 4 PAILS

Extended Description:

PAVEPRO ASPHALT SOLVENT OR EQUAL (MUST MEET SPECIFICATIONS LISTED IN RFQ)

SCHEDULE OF EVENTS

Line	Event	Event Date
1	TECHNICAL QUESTIONS DUE BY 10:00 AM ET	2023-03-24

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

DAVID SLAYDEN GENERAL MANAGER

(Printed Name and Title)
2107 E ROCKHURST ST SPRINGFIELD MD 65802

(Address)
417-866-5592 / 417-866-5593


(Phone Number) / (Fax Number)
SALES@RHOMAR.COM

(E-mail address)

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that I have reviewed this Solicitation in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; ; that this bid or offer was made without prior understanding, agreement, or connection with any entity submitting a bid or offer for the same material, supplies, equipment or services; that this bid or offer is in all respects fair and without collusion or fraud; that this Contract is accepted or entered into without any prior understanding, agreement, or connection to any other entity that could be considered a violation of law; that I am authorized by the Vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on Vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the Vendor has properly registered with any State agency that may require registration.

By signing below, I further certify that I understand this Contract is subject to the provisions of West Virginia Code § 5A-3-62, which automatically voids certain contract clauses that violate State law.

RHOMAR INDUSTRIES, INC

(Company)


(Signature of Authorized Representative)

DAVID SLAYDEN GENERAL MANAGER

(Printed Name and Title of Authorized Representative)

3/22/2023

(Date)

417-866-5592 / 417-866-5593

(Phone Number) (Fax Number)

PAVE-SAFE™

**High Flash - Low VOC
Asphalt & Road Oil Emulsifier**

PROBLEMS



Asphalt & road oil sticking to your truck beds, paving equipment and hand tools.



Low flash solvents and diesel fuel can be dangerous to your crew and equipment.



Hefty fines from the EPA when using diesel fuel to clean your paving equipment.

SOLUTION



BENEFITS

- ✓ **POWERFUL** removes asphalt and road oil from equipment.
- ✓ **PREVENTS** asphalt from sticking to dump beds, paver hoppers and hand tools.
- ✓ **100% BIODEGRADABLE**
- ✓ **HIGH FLASH RATE** of over 350° F protects your employees and expensive equipment.
- ✓ **READY-TO-USE FORMULA**

CALL OR ORDER ONLINE

1-800-688-6221

www.rhomar.com

PAVE-SAFE™ was developed for cities, counties, state DOTs and asphalt contractors as an environmentally safe alternative to diesel fuel and solvents with dangerously low flash points and high VOCs.



PAVE-SAFE™ does an excellent job of preventing asphalt from sticking to your hopper, hand tools and dump beds.



PAVE-SAFE™ makes clean up of your dirty asphalt equipment easy. Simply apply PAVE-SAFE™, let it set 15-20 minutes, then pressure wash it off and you are done.

APPLICATION

LIGHT ASPHALT REMOVAL: For removal of spills, splatters and overspray on your vehicles, paving equipment or tools, just spray a light coating of PAVE-SAFE™ onto the deposits and let sit for one (1) to five (5) minutes, then pressure wash or steam clean deposits away.

HEAVY ASPHALT REMOVAL: For removal of heavy deposits, like those found on distributor spray bars and paver hoppers, spray PAVE-SAFE™ liberally onto deposits and let sit for fifteen (15) to twenty (20) minutes, then pressure wash or steam clean deposits away.



RHOMAR

**USE PAVE-SAFE™
TODAY!**

CALL OR ORDER ONLINE

1-800-688-6221

www.rhomar.com

PAVE-SAFE™

Bituminous Emulsifier

Commodity Code: Asphalt and Road Oil Remover.

Application: Suggested with RHOMAR's Public Works Applicator using a .5gpm nozzle.

Description: PAVE-SAFE™ is a specialty emulsifier developed to safely remove bituminous deposits of road oils and asphalt from Public Works and DOT equipment and vehicles. PAVE-SAFE™ offers a biodegradable, effective, and environmentally responsible alternative to diesel fuel. EPA has mandated the discontinued usage of diesel fuel for removing asphalt where it can potentially become a soil contaminate. PAVE-SAFE™ breaks down the glue molecule which holds asphalt together. PAVE-SAFE™ is blended with a protective polymer that allows it to continue emulsifying asphalt deposits when applied in hot temperatures without evaporating. By controlling the evaporation rate you simply use less product, therefore reducing your cost.

Packaged: 55-gallon containers

Product Code: RH-750-55

PAVE-SAFE™ was developed by and sold exclusively by Rhomar Industries, Inc.

Technical Specifications

Physical/Chemical Properties: Methyl Ester

Emulsifier/Release Agent: Methyl Ester

Biodegradable: 100%

Surfactants: Non-Ionic

Petroleum Hydrocarbons: None

Additive Package: Surfactants, Rinse agent

Tackifier: Clings to vertical surfaces.

Flash Point: >350°F (PPMC)

Solubility in Water: No Soluble

Viscosity: Sprayable viscous liquid

Color: Clear

API Specific Gravity: 0.88

VOC: Less Than 25 grams/liter



RHOMAR

solutions@rhomar.com
www.rhomar.com

2107 E Rockhurst St • Springfield, MO 65802

1-800-688-6221

417-866-5592

PAVE-SAFE™

High Flash Point Asphalt Cleaner /Asphalt Release

Application Tip Sheet

PAVE-SAFE™ is a non-citrus cleaner and environmentally responsible alternative to diesel fuel that literally melts away asphalt and road oil spills, splatters and oversprays.

Paving Equipment:

Determine if you have a light or heavy build-up of asphalt or road oil deposits. Heavy is more than 1/4 inch of build-up of asphalt.

- **Light Build-Up:** Spray on a liberal amount of PAVE-SAFE™ and let it sit for approximately one (1) to five (5) minutes, then pressure wash or steam clean deposits away.
- **Heavy Build-Up:** Spray on a liberal amount of PAVE-SAFE™ and let it sit for approximately fifteen (15) to twenty (20) minutes, then pressure wash or steam clean deposits away.

Prevent Sticking:

PAVE-SAFE™ does a great job of preventing asphalt from sticking to the inside walls of your paver hoppers and truck beds.

Hand Tools:

Use the Paving Equipment process described above to clean your hand tools.

Remember to always coat your hand tools with PAVE-SAFE™ before you start working with them. This will prevent asphalt build-up.

When a slight asphalt build-up starts to occur, recoat your hand tools with PAVE-SAFE™, then continue your shoveling or raking.

Application Note:

PAVE-SAFE™ is safe on most painted surfaces, however always test PAVE-SAFE™ in an inconspicuous spot, prior to usage, for evidence of safety on finish. DO NOT spray PAVE-SAFE™ onto plexiglas or plastic parking light lenses as it will dull the finish.



RHOMAR