LIST OF COMMERCIAL SOURCES

EFFECTIVE: January 31, 2023 ATTENTION: ALL DISTRICTS

LIST OF SOURCES CHECKED UNDER ARTICLE 703.2 OF THE 2002 CONSTRUCTION MANUAL FOR QUALITY CONTROL OF COMMERCIAL SOURCES, NOTE 4, AND MP 700.00.01.

SOURCE CODE	<u>COMPANY</u>	PRODUCING SITE	TYPE MATERIAL	REPORT <u>NUMBER</u>	REACTIVITY CLASS (Note 3)
AAQ1.01.704	AA Quarry	Grayson, KY	C. Agg-Limestone F. Agg-Limestone	2201374 Note 1 2201376 Note 1	R1 R1
GAI1.01.704	Ace Aggregates	Philippi, WV	C. Agg-Limestone F. Agg-Limestone	2200892 2200598	R1 R1
AIC1.03.704	Aggregate Industries (Dolomite)	Millville, WV	C. Agg-Limestone F. Agg-Limestone	2200634 2200632	R0 R0
AAC1.02.704	Allegany Aggregates	Flintstone, MD	C. Agg-Limestone F. Agg- Limestone	2200928 2200929	R1 R1
AAC1.01.704	Allegany Aggregates	Short Gap, WV	C. Agg-Limestone F. Agg-Limestone	2200631 2200635	R0 R0
JFA2.02.704	Allen, J. F.	Elkins, WV	C. Agg-Limestone F. Agg-Limestone	2103897 2103896	R1 R1
JFA2.01.704	Allen, J. F. (Mashey Gap Quarry	Elkins, WV	C. Agg-Limestone F. Agg-Limestone	2103894 2103895	R1 R1
BSG1.01.704	Belpre Sand & Gravel	Little Hocking, OH	C. Agg- Gravel F. Agg-Silica Sand	2201905 Note 1 2201904 Note 1	R1 R1
BIZC.01.704	Bizzack Corporation	Castlewood, VA	C. Agg-Limestone F. Agg-Limestone	2202275 Note 1 2202275 Note 1	R2 R2

SOURCE CODE	<u>COMPANY</u>	PRODUCING SITE	TYPE MATERIAL	REPORT <u>NUMBER</u>	REACTIVITY CLASS (Note 3)
BVR1.01.704	Buffalo Valley Resources	Grayson, KY	C. Agg- Limestone F. Agg- Limestone	2201379 2201378	R1 R1
LCC1.02.704	Martin Marietta	Warfordsburg, PA	C. Agg-Limestone F. Agg-Limestone	2200926 2200927	R3 R3
BAC1.02.704	Appalachian Agg. of WV	Lewisburg, WV	C. Agg-Limestone F. Agg-Limestone	2103884 2103885	R1 R1
BAC1.03.704	Appalachian Agg. of WV	Mill Point, WV	C. Agg-Limestone F. Agg-Limestone	2103888 2103889	R1 R1
BCS1.01.704	Mountain Materials	Olive Hill, KY	C. Agg-Limestone F. Agg-Limestone	2202272 Note 1 2202271 Note 1	R1 R1
BSC2.01.704	Greer Industries	Blaney Hollow, WV	C. Agg-Limestone F. Agg-Limestone	2200599 2200600	R1 R1
CLC1.03.704	Carmeuse Lime	Maysville, KY	C. Agg-Limestone F. Agg-Limestone	2201921 Note 1 2201922 Note 1	R0 R0
CLC1.01.704	Carmeuse Lime	Clearbrook, VA	C. Agg-Limestone F. Agg-Limestone	2200639 2200638	R1 R1
CLC1.02.704	Carmeuse Lime	Strasburg, VA	C. Agg-Limestone F. Agg-Limestone	2200622 2200627	R2 R2
CSS1.01.704	Cool Springs Stone Supply	Hopwood, PA	C. Agg-Limestone F. Agg- Limestone	2200601 2200602	R1 R1

SOURCE				REPORT	REACTIVITY
CODE	COMPANY	PRODUCING SITE	TYPE MATERIAL	NUMBER	CLASS (Note 3)
CSI2.01.704	Cranesville Stone	Cranesville, WV	C. Agg-Limestone	2200603	R1
C512.01.704	Cranesvine Stone	Crancsvine, WV	F. Agg-Limestone	2200604	R1
			1. rigg-Limestone	2200004	KI
DEC1.01.704	Dillon, E. & Co.	Swords Creek, VA	C. Agg-Limestone	2200222	R0
	,	,	F. Agg-Limestone	2200223	R0
			66		
ERA1.01.704	East River	Princeton, WV	C. Agg-Limestone	2201382	R1
	Aggregates		F. Agg-Limestone	2200223	R1
FMC1.01.704	Fairfax Materials	Arthur, WV	C. Agg-Limestone	2200245	R0
			F. Agg-Limestone	2200244	R0
EMC1 02 704	F-:	Calaaaa WW	C A I investore	2200246	DA
FMC1.02.704	Fairfax Materials	Scherr, WV	C. Agg-Limestone	2200246	R0
			F. Agg-Limestone	2200243	R0
FMC1.03.704	Fairfax Materials	Thomas, WV	F. Agg-Silica (Man)	2200642	R1
1 100 1.00.704	i diriax materiais	momas, ww	1. Agg-Onica (Maii)	2200042	IXI
GIC1.02.704	Greer Industries	Greer, WV	C. Agg-Limestone	2200605	R2
01010200		G1001)	F. Agg-Limestone	2200606	R2
			. 99		
GIC1.03.704	Greer Industries	Greer, WV	C. Agg-Limestone	2200607	R1
	(Deckers Creek)		F. Agg-Limestone	2200608	R1
GIC1.01.704	Greer Lime	Riverton, WV	C. Agg-Limestone	2200640	R0
	(Germany Valley)		F. Agg-Limestone	2200641	R0
TD 504 04 F02	** * **	D (4)			D.O.
HMC1.01.703	Haydon Materials	Battletown, KY	C. Agg-Limestone	2202255 Note 1	R0
			F. Agg-Limestone	2202256 Note 1	R0

SOURCE CODE	<u>COMPANY</u>	PRODUCING SITE	TYPE MATERIAL	REPORT <u>NUMBER</u>	REACTIVITY CLASS (Note 3)
HBB1.01.704 (Bi	Hilltop ig Bend Quarry)	Battletown, KY	C. Agg-Limestone F. Agg-Limestone	2202257 Note 1 2202258 Note 1	R0 R0
HBR1.01.704	Hilltop Basic Resources	Patriot, IN	C. Agg-Gravel F. Agg-Silica Sand	2202245 Note 1 2202246 Note 1	R1 R1
IQC1.01.704	Inwood Quarry	Inwood, WV	C. Agg-Limestone F. Agg-Limestone	2200624 2200620	R1 R1
JIC1.01.704	Jaymar, Inc.	Reedsville, OH	C. Agg-Gravel F. Agg-Silica Sand	2201899 Note 1 2201900 Note 1	R1 R1
KLC1.02.709	Keystone Lime	Springs, PA	C.Agg-Limestone F. Agg-Limestone	2200613 2200614	R2 R2
LLL1.01.704	Latham Stone	Latham, OH	C. Agg-Limestone F. Agg-Limestone	2202262 Note 1 2202263 Note 1	R0 R0
LAC1.01.704	Laural Aggregates	Lake Lynn, PA	C. Agg-Limestone F. Agg -Limestone	2200611 2200612	R1 R1
LSG1.01.704	Letart Sand & Gravel	Gallipolis Ferry, WV	C. Agg-Gravel F. Agg-Silica Sand	2202269 Note 1 2202270 Note 1	R1 R1
LSC1.01.704	Lucks Stone Co. (Goose Creek Plant)	Leesburg, VA	C. Agg-Diabase	2200630	R0
LSC1.02.704	Lucks Stone Co. (Leesburg Plant)	Leesburg, VA	C. Agg-Diabase	2200633	R0

SOURCE CODE	COMPANY	PRODUCING SITE	TYPE MATERIAL	REPORT <u>NUMBER</u>	REACTIVITY CLASS (Note 3)
LSC1.04.704	Luck Stone Co.	Ruckersville, VA	C. Agg- Granite F. Agg Granite	2200913 2200914	R0 R0
MMA1.04.704	Martin Marietta Aggregates	Apple Grove, OH	C. Agg-Gravel F. Agg-Silica Sand	2201895 Note 1 2201896 Note 1	R0 R0
MMA1.05.704	Martin Marietta Aggregates	Boonesboro, MD	C. Agg-Limestone F. Agg-Limestone	2200636 2200637	R0 R0
MMA1.13.704	Martin Marietta Aggregates	Petersburg, KY	C. Agg- Gravel F. Agg- Silica Sand	2201923 Note 1 2202244 Note 1	RX R1
MMA1.02.704	Martin Marietta (Burning Springs)	Petroleum, WV	C. Agg-Limestone F. Agg-Limestone	2201879 2201880	R0 R0
MMA1.03.704	Martin Marietta Aggregates	Pinesburg, MD	C. Agg-Limestone F. Agg-Limestone	2200621 2200623	R0 R0
MMC2.01.704	Maryland Minerals	Accident, MD	F. Agg-Silica Sand Manufactured	2200643	R0
MSP1.01.704	Meadows Stone & Paving	Monterville, WV	C. Agg-Limestone F. Agg-Limestone	2103890 2103891	R1 R1
MCS1.01.704	Appalachian Aggregates	Princeton, WV	C. Agg-Limestone F. Agg-Limestone	2200220 2200221	R0 R2
MSG1.01.704	Midvale Sand & Gravel	Midvale, OH	C. Agg-Gravel F. Agg-Silica Sand	2201875 2201876	R1 R1

SOURCE CODE	COMPANY	PRODUCING SITE	TYPE MATERIAL	REPORT <u>NUMBER</u>	REACTIVITY CLASS (Note 3)
MAC1.01.704	Mountain Aggregates	Elkhorn City, KY	C. Agg-Limestone F. Agg-Limestone	2101393 2101394	R1 R1
MAC1.02.704	Mountain Aggregates	Jenkins, KY	C. Agg-Limestone F. Agg-Limestone	2202273 Note 1 2202274 Note 1	R1 R1
MMC1.01.704	Mountain Materials (Valley Quarry)	Olive Hill, KY	C. Agg-Limestone F. Agg-Limestone	2202272 Note 1 2202271 Note 1	R0 R0
MCS2.01.704	Mulzer Stone	Cape Sandy, IN	C. Agg-Limestone F. Agg-Limestone	2202251 Note 1 2202252 Note 1	R0 R0
MCS2.02.704	Mulzer Stone (Dolomite)	Charlestown, IN	C. Agg-Limestone F. Agg-Limestone	2202249 Note 1 2202250 Note 1	R1 R1
MCS2.03.704	Mulzer Stone	New Amsterdam, IN	C. Agg-Limestone F. Agg-Limestone	2202253 Note 1 2202254 Note 1	R2 R2
NLS1.01.704	National Lime and Stone	Carey, OH	C. Agg-Limestone F. Agg-Limestone	2202482 Note 1 2202481 Note 1	R0 R0
NES1.01.704	New Enterprise Stone	Everett, PA	C. Agg-Limestone F. Agg-Limestone	2200919 2200920	R1 R1
NES1.05.704	New Enterprise	Fayetteville, PA	F. Agg- Silica Sand	2200925	R1
NES1.02.704	New Enterprise	Roaring Springs, PA	C. Agg- Limestone F. Agg- Limestone	2201365 2201366	R1 R1

SOURCE CODE	COMPANY	PRODUCING SITE	TYPE MATERIAL	REPORT NUMBER	REACTIVITY CLASS (Note 3)
NSG1.01.704	Nugent Sand & Gravel	Milton, KY	C. Agg-Gravel F. Agg-Silica Sand	2202247 Note 1 2202248 Note 1	R0 R0
PSG1.01.704	Piketon Sand & Gravel	Piketon, OH	C. Agg-Gravel F. Agg-Silica Sand	2202266 Note 1 2202267 Note 1	R1 R1
PRS1.01.704	Hanson Aggregates (Plum Run Stone)	Peebles, OH	C. Agg-Limestone F. Agg-Limestone	2202264 Note 1 2202265 Note 1	R0 R0
PMQ1.02.704	Appalachian Aggregates	Pounding Mill, VA	C. Agg-Limestone F. Agg-Limestone	2200234 2200235	R1 R1
PMQ1.01.704	Appalachian Aggregates	Bluefield, VA	C. Agg-Limestone F. Agg-Limestone	2200224 2200225	R0 R0
PMQ1.03.704	Rocky Gap Quarry	Rocky Gap, VA	C. Agg-Limestone F. Agg-Limestone	2200216 2200217	R1 R1
RBS1.01.704	RBS Quarry	Lewisburg, WV	C. Agg-Limestone F. Agg-Limestone	2103886 2103887	R1 R1
RFS1.01.702	Aggregate Industries	King George, VA	F. AggSilica Sand	2200916	R1
RSC1.01.704	Yager Materials	Wolf Creek, KY	C. Agg-Limestone F. Agg-Limestone	2202259 Note 1 2202259 Note 1	R0 R0
SSC1.01.704	Salem Stone (Quartzite)	Sylvatus, VA	C. Agg-Quartzite F. Agg-Quartzite	2200212 2200213	R1 R1

SOURCE CODE	COMPANY	PRODUCING SITE	TYPE MATERIAL	REPORT NUMBER	REACTIVITY CLASS (Note 3)
SMC1.02.704	Shelly Materials (Willow Island/Reno	Marietta, OH o)	C. Agg-Gravel F. Agg-Silica Sand	2201901 Note 1 2201902 Note 1	R0 R1
SMC1.01.704	Shelly Materials (Portland Plant)	Portland, OH	C. Agg-Gravel F. Agg-Silica Sand	2201897 Note 1 2201898 Note 1	R1 R0
SCS1.01.704	South Central Sand and Gravel	Piketon, OH	F. Agg-Silica Sand	2202268 Note 1	R1
**SGI1.01.703	Specialty Granules	Blueridge Summit, PA	C. Agg-Phylite	2202486 Note 1	RX
SWV1.01.704	Appalachian Aggregates	Elkins, WV	C. Agg-Limestone F. Agg-Limestone	2103892 2103893	R1 R1
SSG1.01.704	Stocker Sand & Gravel	Gnadenhutten, OH	C. Agg-Gravel F. Agg-Silica Sand	2201877 Note 1 2201878 Note 1	R1 R1
SMP2.01.704	Stuart M. Perry	Winchester, VA	C. Agg-Limestone F. Agg-Limestone	2200626 2200625	R1 R1
SMP2.02.704	Stuart M. Perry	Berryville, VA	C. Agg-Limestone F. Agg-Limestone	2200628 2200629	R0 R0
SMC2.01.704	Subtropolis Mining	Petersburg, OH	C. Agg- Limestone F. Agg- Limestone	2202477 Note 1 2202476 Note 1	R1 R1
VQC1.01.704	New Enterprise Stone	Chambersburg, PA	C. Agg-Limestone F. Agg-Limestone	2200922 2200921	R1 R1

SOURCE CODE	COMPANY	PRODUCING SITE	TYPE MATERIAL	REPORT NUMBER	REACTIVITY CLASS (Note 3)
VQC1.02.704	New Enterprise Stone	Gettysburg, PA	C. Agg-Dolomite F. Agg-Dolomite	2200923 2200924	R1 R1
VMC1.01.704	Vulcan Materials	Warrenton, VA	C. Agg- Basalt F. Agg- Basalt	2200911 2200912	R1 R1
WSC1.01.704	Wythe Stone	Wytheville, VA	C. Agg-Limestone F. Agg-Silica	2200214 2200215	R1 R0

THE FOLLOWING SOURCE(S) ARE APPROVED FOR LIMITED APPLICATION ONLY. SEE QUALIFYING STATEMENT ON TEST REPORT TO DETERMINE WHICH APPLICATIONS ARE NOT SUITABLE FOR THIS MATERIAL.

SOURCE CODE	<u>COMPANY</u>	PRODUCING SITE	TYPE MATERIAL	REPORT <u>NUMBER</u>	REACTIVITY CLASS (Note 3)
BAC1.01.704	Appalachian Aggregates	Beckley, WV	C. Agg-Sandstone F. Agg-Sandstone	2200236 2200237	R1 R2

Aggregate from the above named company and producing site(s) have been sampled and tested in compliance with the 2002 Construction Manual. Said tests have been evaluated with respect to the Standard Specifications 2017 and the sources are identified as supplying materials which have been found to meet the requirements of said specs, exceptions noted above. Additional sources and/or types of material will be sampled and tested as outlined above and corresponding evaluations will be supplied as an addendum to this report. If District and/or Contractor personnel want additional sources evaluated, a request for pretest service should be made to the Materials Control, Soils and Testing Division (MCS&T Division). When the type and source of material which has current approval is used on a State job, District personnel should request coverage for same in the usual manner but a complete description of material source and quality check lab number must be provided.

- * Removed from list this quarter
- ** Added to list this quarter
- *** Name change
- **** Location change

Note 1:

Sources sampled and tested this quarter and assigned new report numbers.

Note 2:

Because of the additional qualifications required for Item 402, Hot-Mix Asphalt Skid Resistant Pavement, this list of sources and the corresponding report numbers may not be used for approval of any quantities of said item unless otherwise noted. Notification of acceptable and potential skid resistant aggregate sources and means of evaluation are contained in the "List of Potential Skid Resistant Sources and Ratings".

Note 3:

Alkali-Silica Reaction (ASR): The reaction between the alkalis (sodium and potassium) present in the concrete pore solution and certain siliceous rocks or minerals, such as opaline chert, strained quartz, and acidic volcanic glass, present in significant quantities in some aggregates. The production of the reaction may cause deleterious expansion and cracking of concrete.

According to AASHTO R 80 (Standard Practice for Determining the Reactivity of Concrete Aggregates and Selecting Appropriate Measures for Preventing Deleterious Expansion in New Concrete Construction), the reactivity classes of aggregates were determined after testing of aggregates according to AASHTO T 303 (Standard Method of Test for Accelerated Detection of Potentially Deleterious Expansion of Mortar Bars Due to Alkali-Silica Reaction) by this division. Testing shall be performed once every 3 years. If one or both of the aggregates (coarse or fine) used in a mix is reactive (any reactivity class other than R0), mitigation is required as specified in Section 601.3.1. This requirement applies to all concrete used in paving or permanent structures on DOH project.

RX denotes a new quarry whose material has not been tested for ASR. New ASR testing results will be posted as they are received.

Classification of Aggregate Reactivity

Aggregate-Reactivity Class	Description of Aggregate Reactivity	14-Day Expansion when tested in accordance with AASHTO T 303, %
R0	Non-Reactive	≤0.10
R1	Moderately Reactive	>0.10 to ≤0.30
R2	Highly Reactive	>0.30 to ≤0.45
R3	Very Highly Reactive	>0.45

Should you have any questions or request additional information about ASR Specification, please feel free to contact Mr. Suman Thapa at 304-414-6662 or at Suman.Thapa@WV.Gov.

XX: These newly added Sources samples have not yet been evaluated for Alkali-Silica Reaction and will be updated as available. Contact dohconcretemixdesign@wv.gov prior to use in the Concrete Mix.

LIST OF POTENTIAL SKID RESISTANT SOURCES AND RATING

The following aggregate sources have demonstrated skid resistant potential and may be considered for use in Item 402; Hot Mix Asphalt Skid Resistant Pavement. There may be inadvertent omissions from this list which would include sources unknown to the Division at the time this list was compiled. Failure to appear on this list does not necessarily preclude the use of such material providing acceptance of that material, through appropriate testing, is documented by the Division. Final acceptance will be based on test results derived prior to use and applicable to Section 402.2. Each source has been rated in accordance with the sampling and acceptance procedures applicable to that source. The different ratings for said procedures were derived dependent upon accumulated data and/or conditions existing within the quarry (production processes). To determine acceptance procedures and testing necessary for approval of a particular source, compare the applicable rating with the rating description included herewith. All sampling, testing, and documentation will be in accordance with Division policy. This list will be issued periodically as additions and/or rating changes occur.

A-1 RATING

SOURCE CODE	COMPANY & MATERIAL	PRODUCTION SITE	SOURCE RATING
BAC1.01.704	Appalachian Aggregates (Sandstone)	Beckley, WV	A-1
BAC1.04.704	Boxley Aggregates (Granite)	Martinsville, VA	A-1
LSC1.01.704	Luck Stone Co. (Diabase)	Leesburg, VA	A-1

LSC1.02.704	Luck Stone Co. (Leesburg Plant) (Diabase)	Leesburg, VA	A-1
SGI1.01.704	Specialty Granules (Phylite)	Blueridge Summit, PA	A-1
SSC1.01.704	Salem Stone (Quartzite)	Sylvatus, VA	A-1
VQC1.02.704	New Enterprise Stone (Basalt)	Gettysburg, PA	A-1

A-1 RATING

The source is listed on the Division's "List of Commercial Sources". Material from this source may be used without further quality testing. Coverage for the use of this source material need only reference source report number documented on the Division's "List of Commercial Sources".

A-2 RATING

AAC1.03.704	Aggregate Industries (Dolomite)	Millville, WV	A-2
JIC1.01.704	Jaymar, Inc. (Gravel)	Reedsville, OH	A-2
MMA1.04.704	Martin Marietta Aggregates (Gravel)	Apple Grove, OH	A-2
MMC1.02.704	Mountain Materials (Dolomite)	Carter City, KY	A-2
MCS2.02.704	Mulzer Stone (Dolomite)	Charlestown, IN	A-2
PSG1.01.704	Piketon Sand & Gravel (Gravel)	Piketon, OH	A-2
PRS1.01.704	Hanson Aggregates (Plum Run) (Dolomite)	Peebles, OH	A-2
SMC1.02.704	Shelly Materials (Willow Island/Reno)	Marietta, OH	A-2

(Gravel)

SSG1.01.704 Stocker Sand & Gravel Gnadenhutten, OH

A-2

A-2 RATING

Although listed on the Division's "List of Commercial Sources", this source, when used for Item 402, needs further testing, i.e., carbonate or elemental magnesium content. Coverage for the quality (LA, soundness, deleterious) of the source material may reference source report number documented on the Division's "List of Commercial Sources". Coverage for carbonate or elemental magnesium content must reference the carbonate or elemental magnesium report number. Sampling for the above tests will be performed by District personnel before utilization and at a subsequent frequency of one sample per 10,000 tons utilized.

A-3 RATING

JFA2.02.704	Allen, J. F. (Limestone)	Elkins, WV	A-3
JFA2.01.704	Allen, J. F. (Mashey Gap Quarry) (Limestone)	Elkins, WV	A-3
BSC2.01.704	Greer Industries (Buckeye Stone) (Limestone)	Blaney Hollow, WV	A-3
LAC1.01.704	Laural Aggregates (Limestone)	Lake Lynn, PA	A-3
SWV1.01.704	Southern West Virginia Asphalt (Limestone)	Elkins, WV	A-3
CSS1.01.704	Cool Springs Stone Supply (Limestone)	Hopwood, PA	A-3
KLC1.01.709	Keystone Lime (Red) (Limestone)	Springs, PA	A-3

A-3 RATING

Although listed on the Division's "List of Commercial Sources", this source, when used for Item 402, must be sampled and approved per stockpile. Coverage for quality (LA, soundness, deleterious) and other qualifying skid criteria, if applicable, shall be based on sample results generated through stockpile sampling. Sampling may be performed by District and/or Central Division (Materials Control, Soils and Testing Division) personnel.

B-1 RATING

LSC1.03.704 Lucks Stone Co. (Granite)

VMC1.01.704 Vulcan Materials (Sanders Quarry) (Dolomite)

Charlottesville, VA

B-1

B-1 RATING

This source is not listed on the Division's "List of Commercial Sources". Acceptance of this material shall be by the "Local Source" system of approval. That is, this source will be sampled for quality (LA, soundness, deleterious) by District personnel utilizing a sampling frequency of one sample for each 6 days of production. Because of the nature of this material, and its relationship to total production, further qualifying skid criteria is not required.

B-2 RATING

GSG2.01.704	Georgetown Sand & Gravel (Gravel)	Georgetown, PA	B-2
KLC1.02.709	Keystone Lime (Gray) (Limestone)	Springs, PA	B-2
NES1.03.704	New Enterprise Stone (Limestone)	Bakersville, PA	B-2
NES1.02.704	New Enterprise Stone (Limestone)	Roaring Springs, PA	B-2
SSC2.01.704	Shelly and Sands (Gravel)	Richmondale, OH	B-2

B-2 RATING

The source is not listed on the Division's "List of Commercial Sources". Acceptance of this material will be per stockpile. Coverage for quality (LA, soundness, deleterious) and other applicable qualifying skid criteria shall be based on sample results generated through stockpile sampling. Sampling may be performed by District and/or Central Division (MCS&T Division) personnel.

LIST OF LIGHTWEIGHT COARSE AGGREGATE FOR CONCRETE CONSTRUCTION

SOURCE CODE	COMPANY	PRODUCING SITE	TYPE MATERIAL	REPORT <u>NUMBER</u>
SLA1.01.703	Stalite	Gold Hill, NC	Stalite ¹ (Expanded Slate)	2201908
KSC1.01.703	Arcosa	Brooks, KY	Solite ¹ (Expanded Shale)	2202261

Lightweight Coarse Aggregate (LCA) from the above named company(ies) and producing site(s) have been sampled and tested in compliance with MP 700.00.01. Said tests have been evaluated with respect to the West Virginia Division of Highways Standard Specifications 2010, Section 703.5 Structural Concrete. ¹Source is on a stockpile by stockpile approval. When Stock pile is depleted, the source must be resampled and assigned a new approval number. ²Source pertains only to a yard stockpile. A bill of lading should be required. If District and/or Contractor personnel want additional sources evaluated, a request for pretest service should be made to the Materials Control, Soils and Testing Division (MCS&T Division). When the type and source of material which has current approval is used on a State job, District personnel should request coverage for same in the usual manner but a complete description of material source and quality check lab number must be provided.

Note 1: Sources sampled and tested this quarter and assigned new report numbers.

- * Removed from list this quarter
- ** Added to list this quarter
- *** Name change
- **** Acceptable dolomite may be used alone or as a part of a coarse aggregate blend on roadways with a projected ESAL value of less than 3,000,000. On roadways with a projected ESAL value of 3,000,000 or greater, acceptable dolomite

may be used only as a part of the coarse aggregate blend and shall not exceed 50% of that blend.

The Source Rating has been changed.